





# **A COLLABORATIVE METHOD FOR SCOPING SOFTWARE PRODUCT LINES**



**Marta Cecilia Camacho Ojeda**

*Universidad del Cauca*

**Facultad de Ingeniería Electrónica y Telecomunicaciones**

**Departamento de Sistemas**

**Doctorado en Ciencias de la Electrónica**

**Popayán, Noviembre de 2019**





# **A COLLABORATIVE METHOD FOR SCOPING SOFTWARE PRODUCT LINES**

**Marta Cecilia Camacho Ojeda**

thesis submitted to the Faculty of Electronics and Telecommunications Engineering  
of the Universidad del Cauca  
to obtain the Title of Doctor of electronics sciences

Advisor:  
Julio Ariel Hurtado Alegría  
Universidad del Cauca

co-Advisor:  
Francisco Javier Álvarez Rodríguez  
Universidad Autónoma de Aguascalientes

*Universidad del Cauca*  
**Facultad de Ingeniería Electrónica y Telecomunicaciones**  
**Departamento de Sistemas**  
**Doctorado en Ciencias de la Electrónica**  
Popayán, Mayo de 2019



Acceptance note: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Advisor: \_\_\_\_\_

Julio Ariel Hurtado Alegría

Co-Advisor: \_\_\_\_\_

Francisco Javier Álvarez Rodríguez

\_\_\_\_\_  
Firma del Jurado

\_\_\_\_\_  
Firma del Jurado

\_\_\_\_\_  
Firma del Jurado

Popayán, Mayo de 2019



## **DEDICATION**

To my parents José Libardo and Luz Nelly who are my inspiration and taught me that difficulties are opportunities to show strength, and that family is the most important

To my son Juan José my motive, my strength, my pride and my greatest support



## **Acknowledgments**

Challenges and dreams are not reached alone. A doctoral thesis is a hard and long work in which many people and institutions helped and supported me; therefore I want to thank them. . .

To Universidad del Cauca, my academic home, for the opportunity to return and continue my training and professional growth.

To Institución Universitaria Colegio Mayor del Cauca, my second home, because they believed in me by giving me the opportunity to be part of a group of professors, and because they continue believing in me every time I submit my study requests.

To the Cauca Innovation project, for trusting on the Caucano human talent, by promoting the training of researchers belonging to the institutions of higher education in the region.

To my tutor and friend Julio Ariel Hurtado Alegría, without you this process would not have been possible, your tutoring is integral, thanks for your indications and the academic advice, and of course for non-academics too, but above all thank you for believing in me even more than myself.

To my co-tutor Francisco Javier Álvarez, thanks for being our support, for giving us new perspectives and for being a constant support in this adventure, thanks for the words of support and especially for not allowing me to surrender.

To David Benavidez Cuevas, Eduardo Santana de Almeida and Patricia Paderewski Rodríguez, for receiving me in your research groups and universities.

To María Clara Gómez Álvarez, Patricia Paderewski Rodríguez and Luis Freddy Muñoz Sanabria for your valuable contributions as jurors.

To Cesar Collazos, Francisco Gutierrez, Alvaro Rendón, Andrés Vivas and Francisco Pino for believing in this project and for your words of support.

To my study partners: Eliana Aguilar, Paulo Realpe, Pablo Caicedo, Karin Correa, Juan Pablo and Victor Mosquera for accompanying me and supporting me during the long days in the office, for the coffees, the talks, the encouraging words and the shared complaints.

To Pablo Ruiz, my partner and academic brother in this adventure, thanks for being present and always supporting me, for understanding my stressful and stressed character.

To my partners of research stays: Teresita and Alma in Aguascalientes; Anita and Bedilia in Sevilla, Jefferson in Granada; Renata, Leandro, Luri, Larissa, Jonatas and Rose de Salvador de Bahia, for making my days pleasant and full of affection away from home.

To Hugo Gerardo Arboleda and Oscar Andrés López, who helped me with one of my greatest weaknesses: English.

To Julián Bermúdez for his leap of faith and allowing us to share and learn in his company. To his workgroup thank you for all the collaboration.

To Alejandro Bolaños Ussa, because you taught me much more than I could give you.

To my coworkers for their trust and words of encouragement. To my friends for understanding that coffees, beers and talks had to be postponed.

To my family, to my mother for understanding and enduring my attacks of evil, to my brothers and sisters-in-law for their words of encouragement, to my son Juan José for all your support and understanding, for being my engine and my motive.

Thank God for making this possible and putting wonderful people on my way.



## **RESUMEN**

La definición del alcance de líneas de productos software (Scoping SPL) es una actividad clave en el desarrollo de Líneas de Productos Software (SPL), tanto que incide en el éxito o fracaso de la línea. Para lograr delimitar el alcance de una línea es necesario diferentes conocimientos que se encuentran dispersos en diferentes tipos de expertos y roles, pero es difícil lograr que personas con diferentes conocimientos e intereses interactúen y acuerden el alcance, y es más complejo aún, si no están claros los resultados que deben obtenerse.

Esta investigación está enfocada en el estudio de un conjunto de enfoques del scoping SPL, y aplicar la ingeniería de método y la ingeniería colaborativa para proponer un método colaborativo para el SPL scoping de tal forma que brinde las directrices concretas para facilitar su aplicación como la identificación de los artefactos a obtener con las plantillas y los pasos específicos que faciliten obtener los artefactos de salida que componen el alcance.

## **ABSTRACT**

The definition of the scope of software product lines (Scoping SPL) is a key activity in the development of Software Product Lines (SPL), both affecting either the success or failure of the line. In order to delimit the reach of a line, different knowledge is needed that is distinct in various types of experts and roles, but it is difficult to obtain people with different knowledge and interests to interact and agree on the scope, and it is even more complex, if the results to be obtained are not clear.

This research is focused on the study of a set of scoping SPL approaches, and applies method engineering and collaborative engineering to propose a collaborative method for SPL scoping in such a way that it provides concrete guidelines to facilitate its application as identification of the artefacts to be developed with the specific templates and steps for obtaining the output artefacts that make up the scope of the SPL.

# Contents

<b>List of Figures</b>	<b>2</b>
<b>List of Tables</b>	<b>4</b>
<b>1 Introduction</b>	<b>5</b>
1.1 Motivation . . . . .	5
1.2 Problem Statement . . . . .	7
1.3 Objectives . . . . .	9
1.3.1 General Objective . . . . .	9
1.3.2 Specific Objectives . . . . .	10
1.3.3 Hypothesis . . . . .	10
1.3.4 Methodology . . . . .	11
1.3.5 Organization of the document . . . . .	14
<b>2 Background</b>	<b>16</b>
2.1 Software Product Lines . . . . .	17
2.1.1 Introduction to Software Product Lines . . . . .	17
2.1.2 Software Product Line Engineering . . . . .	19
2.1.3 Scoping Software Product Lines . . . . .	20
2.2 Method Engineering . . . . .	24
2.2.1 Method . . . . .	24
2.2.2 Method pieces . . . . .	25
2.2.3 Method Building . . . . .	27
2.3 Collaborative Engineering . . . . .	27
2.3.1 Patterns of Collaboration . . . . .	27

2.3.2	ThinkLet . . . . .	29
2.3.3	Gamestorming . . . . .	29
2.3.4	Chapter Summary . . . . .	30
<b>3</b>	<b>Literature Review on Software Product Lines Scoping Roles and Its Interactions</b>	<b>31</b>
3.1	Introduction . . . . .	31
3.2	Planning of Review Process . . . . .	32
3.2.1	Planning of Literature Review . . . . .	32
3.2.2	Research Questions . . . . .	32
3.2.3	Types of Review . . . . .	33
3.3	Review Process: Umbrella review, A first group of SPL Scoping approaches . . . . .	34
3.4	Review Process: Literature review, The second group of SPL Scoping approaches after 2010 . . . . .	35
3.5	Review results: Roles in Scoping approaches . . . . .	39
3.6	Results of the literature review: the teamwork in scoping approaches . . . . .	44
3.7	Analysis and conclusions of the revision of scoping approaches . . . . .	52
3.8	Related work . . . . .	53
3.9	Chapter Summary . . . . .	62
<b>4</b>	<b>Method Engineering and Collaboration Engineering for Building a Collaborative Method for Scoping SPLs: The CoMeS-SPL Method</b>	<b>64</b>
4.1	Introduction . . . . .	64
4.2	Why integrate method engineering in SPL scoping? . . . . .	64
4.3	Why integrate collaboration engineering into an SPL scoping method? . . . . .	65
4.4	Applying Method Engineering . . . . .	66
4.5	Applying Collaboration Engineering . . . . .	68

4.6	Combining Method Engineering and Collaboration Engineering . . . . .	70
4.7	Applying the proposal for the construction of collaborative methods . . . . .	71
4.8	Chapter Summary . . . . .	74
<b>5</b>	<b>A Collaborative Method for Scoping Software Product Lines</b>	<b>76</b>
5.1	Introduction . . . . .	76
5.2	Overview CoMeS-SPL . . . . .	76
5.3	Metamodel of the CoMeS-SPL method . . . . .	77
5.4	Method hierarchy . . . . .	79
5.5	Description of the tasks of method CoMeS-SPL . . . . .	79
5.6	Collaborative description of the tasks of the method CoMeS-SPL . . . . .	86
5.6.1	Combining Method Engineering and Collaboration Engineering in the description of CoMeS-SPL method tasks . . . . .	87
5.7	CoMeS-SPL workflow . . . . .	95
5.8	CoMeS-SPL Artefacts . . . . .	97
5.9	Participating roles in CoMeS-SPL . . . . .	100
5.9.1	Mandatory roles . . . . .	100
5.9.2	Optional roles . . . . .	104
5.10	method summary . . . . .	105
5.11	Chapter Summary . . . . .	108
<b>6</b>	<b>Evaluation of the CoMeS-SPL Method</b>	<b>110</b>
6.1	Introduction . . . . .	110
6.2	Exploratory study: A line of training micro-games . . . . .	111
6.2.1	Exploratory study design . . . . .	111
6.2.2	Exploratory study context . . . . .	112
6.2.3	Small-SPL process . . . . .	113
6.2.4	Execution of exploratory Study . . . . .	116
6.2.5	Data collection in the study . . . . .	119

6.2.6	Results and Discussion . . . . .	120
6.2.7	Conclusions of the experimental study . . . . .	122
6.3	A comparative study . . . . .	123
6.3.1	Study Design . . . . .	123
6.3.2	Study measurements . . . . .	124
6.3.3	Scoping approach for this study . . . . .	125
6.3.4	Study execution . . . . .	125
6.3.5	Results and Analysis . . . . .	128
6.3.6	Conclusions of the study . . . . .	130
6.4	Evaluation of the CoMeS-SPL method: a study with SPL experts in a research context . . . . .	132
6.4.1	introduction . . . . .	132
6.4.2	Experiment measurement design . . . . .	132
6.4.3	Study context . . . . .	137
6.4.4	Conducting the study and gathering information . . . . .	137
6.4.5	Results and Analysis of Results . . . . .	138
6.4.6	Conclusions of the evaluation of the CoMeS SPL method by experts in a research context . . . . .	142
6.5	Evaluation of the CoMeS-SPL method: a case study in a software small company . . . . .	144
6.5.1	A case study design . . . . .	144
6.5.2	Case context: The Sunset company . . . . .	148
6.5.3	Execution of the case study . . . . .	150
6.5.4	Results of the case study . . . . .	150
6.5.5	Conclusions and analysis of results of the evalu- ation of the CoMeS SPL method in a case study . . . . .	153
6.6	Chapter Summary . . . . .	154
<b>7</b>	<b>Conclusions</b>	<b>156</b>
7.1	A Collaborative Method for Scoping SPL - CoMes . . . . .	157
7.2	Empirical Studies for building CoMeS . . . . .	158
7.3	Building CoMeS using Collaboration Engineering . . . . .	159
7.4	Contributions . . . . .	160

7.5 Further work . . . . .	162
7.6 Publications . . . . .	163
<b>References</b>	<b>166</b>
<b>Appendices</b>	<b>181</b>
<b>A Appendix Guide to the CoMeS-SPL</b>	<b>182</b>
<b>B Appendix Website of the CoMeS-SPL method</b>	<b>226</b>
<b>C Appendix Exploratory study</b>	<b>229</b>
<b>D Appendix Comparative study</b>	<b>242</b>
<b>E Appendix Study in a context academic expert</b>	<b>247</b>
<b>F Appendix Evaluation of the CoMeS-SPL method</b>	<b>253</b>
<b>G Publications</b>	<b>262</b>





# List of Figures

1.1	Methods, techniques and framework for the methodology	11
1.2	Scheme of the project's research methodology . . . . .	12
2.1	Conceptual basis . . . . .	16
2.2	Software Product Line . . . . .	17
2.3	Software Product Line Engineering Framework [1] . . .	20
2.4	Relation of Product line scoping levels in the Unified Approach [2] . . . . .	22
2.5	Relation of Product line scoping types and SPL development life-cycle . . . . .	23
3.1	Literature review . . . . .	34
3.2	Approaches that consider roles . . . . .	41
3.3	Number of roles considered in the approaches . . . . .	42
3.4	relatedApproache . . . . .	58
4.1	Process model for assembly-based method engineering [3] . . . . .	67
4.2	Overview of the Collaboration Engineering design [4] . .	69
4.3	Proposal for the construction of collaborative methods .	71
5.1	Metamodel of CoMeS-SPL . . . . .	78
5.2	Method hierarchy . . . . .	80
5.3	Representation of an task in the MFP, using HAMSTERS elements . . . . .	81
5.4	Association of elements to a method task . . . . .	82
5.5	Graphical representation of collaborative activities . . .	82

5.6	Selection of the task to be described . . . . .	86
5.7	Explore existing products . . . . .	88
5.8	Propose features . . . . .	90
5.9	Concert features . . . . .	93
5.10	CoMeS-SPL workflow . . . . .	96
5.11	Relationship between artefacts . . . . .	99
5.12	Relationship between artefacts 2 . . . . .	99
5.13	Relationship between steps of the task with the artefact template . . . . .	101
6.1	Empirical Experiences . . . . .	111
6.2	Small SPL process . . . . .	114
6.3	the task Scoping in the process Small SPL . . . . .	115
6.4	Quantitative indicators of obtained collaboration . . . . .	140
6.5	Evolution of the CoMeS-SPL method . . . . .	155

# List of Tables

3.1	SPL-Scoping approaches (before 2010) . . . . .	36
3.2	Sources and findings . . . . .	37
3.3	SPL-Scoping approaches (after 2010) . . . . .	38
3.4	Approaches that consider roles . . . . .	40
3.5	Roles considered in SPL scoping approaches . . . . .	43
3.6	roles proposed . . . . .	44
3.7	Description of roles in SPL scoping approaches . . . . .	46
3.8	Inter-dependencies between roles . . . . .	48
3.9	Elements for communication and collaboration between roles . . . . .	51
3.10	Comparative between the related works 1 part . . . . .	60
3.11	Comparative between the related works 2 part . . . . .	61
5.1	CoMeS-SPL tasks . . . . .	85
5.2	Explore existing products . . . . .	89
5.3	Propose features . . . . .	92
5.4	Concert features . . . . .	95
5.5	Method base artefact templates . . . . .	98
5.6	Summary tasks of CoMeS-SPL . . . . .	107
6.1	Distribution of students and products by organizational unit . . . . .	117
6.2	Results of scoping exploratory study . . . . .	121
6.3	Scoping Task with Collaborative Patterns . . . . .	126
6.4	MFC of games line to support treatment of children with dyslexia . . . . .	128

6.5	Quantitative indicators of collaboration obtained . . . . .	140
6.6	Perception variables obtained . . . . .	141
6.7	Parameters of the evaluation case study of the CoMeS-SPL method . . . . .	149
6.8	Schedule of the case study . . . . .	150
6.9	Perception Metrics obtained in the survey . . . . .	151
6.10	Participation Effectiveness Metrics obtained . . . . .	152

# Chapter 1

## Introduction

*“If the need is the mother of the invention, curiosity is her father.  
After all, you cannot produce anything that is not interesting  
if you are not interested in something before. It is to give and take”  
Will Gompertz*

### 1.1 Motivation

Software companies are looking for strategies that allow them to be competitive and stay in the market. These companies must not be limited to create new products and also need to improve their production and marketing processes. Software Product Lines Engineering (SPLE) is a production strategy based on planned reuse of the assets in the development of a set product that shares a set of common characteristics and enough variability to be different products focused on a target market [5]. Some of the potential benefits of adopting the SPL strategy include production cost reduction, improvements in quality products and the decrease in product development time [6].

An essential activity in the development of a SPL is the scoping (SPL-Scoping) [7]. SPL-Scoping specifies the application domain, identifies the product portfolio and the variations between them and plans the reuse infrastructure [8]. The scoping is a difficult activity because of the complexity and the variety of the factors that must be considered.

Many of these factors are unknown by the technical team [8] and as a result, SPL-Scoping requires the participation of non-technical experts who usually do not take part in the development group [9].

The specific practices in scoping require participation from a wide and diverse group of stakeholders. There are risks if there is not enough and adequate stakeholder participation, if one of them is not having the required information to identify the correct products or the proper size of the scope. Another risk is that without sufficient stakeholders' participation in scoping they do not receive the necessary acceptance to achieve the desired downstream results, the impulse and necessary commitment for the following steps in the development of SPL [5].

The scope depends on the knowledge distributed among different participants [10]. However, only some of the scoping approaches provide information on involved roles [11] [12]. The diversity of participants is important for the scope definition, but it involves people that represent different areas to participate and agree which is not easy [13] [14], because each one of these participants has different interests [15] and sometimes the objectives can become contradictory [14].

An additional problem when a SPL-S is developed is how to ensure that participants with different interests, concerns and priorities collectively define the scope of an SPL [16] [17]. There are some proposals that involve collaboration in the development of some activities within the construction of software product lines. Normally, product lines are developed from successful products [18] and thus, the available and explicit information is limited [16] [17]. This document proposes a project focused on this problem, setting out the objectives, methodology, and planning that seek to propose a possible solution.

There are some investigations that address communicative and col-

laborative aspects related to number and diversity of participants required by the SPL scoping. However, there are still several limitations related to the ambiguity of scope specification, how it should be structured and formalized scope, which artefacts make it up and how they should be performed. In this sense, this work seeks to combine the techniques of method engineering and collaborative engineering with the practices and artefacts that have been proposed and tested by scoping approaches.

In general, and taking into account the ideas above, this research attempts to establish a collaborative method for SPL scoping, which describes the steps of each of the practices to be performed, provides information on the roles involved and guidelines for their interaction and encourages collaboration, supporting the development of the outcomes that make up the scope.

## **1.2 Problem Statement**

A SPL is a set of products that share common features, satisfy needs of a specific market segment and are constructed from reusable assets [5]. The set of products that constitutes a SPL is not random, on the contrary, a line is composed of a set of carefully planned products that are developed from reusable assets [7]. The planned reuse seeks to increase the productivity and economic benefits of the developer company [7] [19]. The set of products that are expected to constitute the SPL is called the scope of the product line [7] [8].

The set of products envisioned to be in the SPL is called the product line's scope [7] [8]. One of the discipline that is properly considered for the engineering of software product lines is scoping [11]. All system development involves scoping, but in the conventional development systems, scoping is an inherent activity that is usually done

informally and preliminary to the requirements engineering activity; in systems based on planned reuse, it is necessary to consider the variability the design, the reuse domains and its implications in effort and investment [5] [20] [7].

The SPL-Scoping is an activity where the line is delimited, the products that belong to the line are identified, the domain is specified, and some parameters are established for the reuse infrastructure [1] [20]. SPL-Scoping is a critical activity in the development of SPL, if the identified scope is too broad, the usefulness and reuse of the base assets will decrease; but if the scope is too small, the company will obtain a very low return on investment. In addition, an incorrect scope can lead to incorrect products that do not correspond to the target market [7]. The scope determination not only refers to the correct size, but also must identify the correct products according to the market opportunities, the necessary investment and the commercial objectives [20] [7].

There are different SPL scoping approaches, as well as descriptions and reports of experiences of these approaches in the literature [11] [12]. Some of these proposals have focused on the definition of the product portfolio [19] [21] [22]; others in domain analysis [8]

[23] [24] and others in the analysis of reusable assets [25], [15]. The studies of these approaches, their application and analysis have shown that the scoping does not have technical and economic dimensions only, but also a communicative and collaborative dimension [26] [17] [13] because the definition of the scope of SPL is a multidisciplinary activity [13] [20]. Therefore, it is necessary to consider different factors, such as the relevant domains, business goals, market conditions, and technical aspects [8]. Thus, the definition of the scope of SPL requires the participation of various technical and non-technical experts [8].

The SPL scoping depends on the interaction between the knowl-



edge of the target domain (context), the possibilities of development and market conditions [11] [9], therefore, this activity requires the correlation of participants who have partial and different knowledge. None of the scoping participants has all the necessary knowledge and experience [10]. The correct scope of a product line depends on a balanced decision making of the participants [27], therefore the diversity of participants is a key factor that must be combined to achieve an activity that is considered as part of the marketing of the SLP [27], but at the same time as one of the technical management practices of the SLP [5]. The implications of this duality has been analyzed by different authors [14] [26] [17] [13], considered that communication and collaboration between the different participants is fundamental in the definition of the scope of software product lines because, achieving the participation of people from different areas and with different interests is not easy [14] [17] [13]. However, these proposals have not been sufficiently formal as to how companies should reach the scope of a product line, the lack of formality in the scope is evident in the ambiguity of the entries and exits. This makes communication and collaboration of the stakeholders participating in the scoping and who know where, when and how collaborative. The way in which the result of the scope definition is represented is diverse and it is not clear how it should be used in the following stages [28]. Can a method for defining the scope of SPL with a collaborative approach encourage the participation of stakeholders through guidelines that allow to generate, document and validate in a systematic and practical way a useful scope for the following stages of the development of the software product line?

## **1.3 Objectives**

### **1.3.1 General Objective**

To propose a collaborative method for defining a well-defined and useful scope of Software Product Lines based on increasing the effec-

tive participation of the stakeholders and facilitating them the decision-making.

### 1.3.2 Specific Objectives

- To identify the elements of teamwork considered in the different scoping approaches and their possible impact on the scope.
- To establish the tasks in which elements of collaborative engineering can increase the effective participation of team members in the software product lines scoping.
- To propose and organize a method from chunks of scoping approaches, the inclusion of practices collaborative engineering and method engineering guidelines
- To validate the effectiveness and the collaboration factor of the proposed method for obtaining a well-defined and useful scope.

### 1.3.3 Hypothesis


The hypothesis of the present research work is based on the collaborative work in SPL scoping, referring to the evaluation of a collaborative method for SPL scoping. Thus, the research hypothesis and the null hypothesis are as follows:

**Hypothesis:** The application of a collaborative method for SPL-Scoping that fosters the stakeholder participation through a descriptive guide of steps and expected outcomes, allowing to obtain a well-defined and useful scope.

**Null hypothesis:** The application of a collaborative method for SPL-Scoping increases the participation of roles. However, it is not enough for achieving a well-defined and useful scope.

### 1.3.4 Methodology

To achieve the objectives, the methodology of this project is based on the philosophical framework of Mario Bunge [29] and for the concrete project, this framework has been instantiated by combining methods and specific techniques of software engineering research for some of the determined activities. These techniques are numbered below and can be seen in figure 1.1:



17

Figure 1.1: Methods, techniques and framework for the methodology

- For the search and revision of the SPL-Scoping approaches, some of the Guidelines and procedures for carrying out Systematic Reviews followed Kitchenham [30].
- To design and propose the method:
  - The Collaborative Engineering Approach for Designing a Collaborative Process [4].
  - The situational approach engineering approaches proposed by Ralyté [31].
  - To validate the elements of the method will be used process engineering guidelines [32] [33]




Figure 1.2: Scheme of the project's research methodology

- For the validation of the method, guidelines for carrying out and reporting experiments and case studies in software engineering were used [34] [35] [36]

The combination between the framework, the methods and specific techniques of software engineering research have been instantiated in a set of activities that guided the development of the project, figure 1.2 represents the activities that make up the project methodology and are described below.

### **Activity: Problem Statement**

- Facts recognition: review of the facts, preliminary classification

and selection of the relevant facts according to the problem and review of the literature about the SPL-scoping.

- Problems discovery: find a gap or knowledge lacking in the state of the art that identifies a relevant problem. It requires to study the theoretical framework on SPL-Scoping: published methods, techniques, approaches and experiences.
- Problem formulation: establish the problem by focusing a research question according to the available knowledge.

### **Activity: Construction of the theoretical Model**

- Selection of relevant factors: analysis of the different approaches for SPL-Scoping. Revision of the literature about SPL-scoping.
- Formulation of hypotheses: the hypotheses, supposed as a basic argument to address the research work.
- Construction of the proposal: Identify the possible elements of the proposal according to the literature and the results of exploratory studies; construction of the model that constitutes the proposal.

**Activity: Validation** In this activity, the developed proposal will be evaluated using quasi-experiments, controlled experiments and / or case studies

- Validation design: the validation research question is posed, indicators and metrics are defined and the data collection instruments are created.
- Validation planning: validation planning according to the hypothesis, research questions and available groups or organizations that will make up the population participating in the validation.
- Execution of the validation: the experiment or case study is carried out as planned and the data collection will be carried out using the designed instruments.

- Analysis and report of the validation: the interpretation of the collected data is analyzed from the viewpoint of the theoretical model and the validation report is documented.

### **Activity: Introduction of conclusions to the theory**

- Confrontation of the results obtained with the hypotheses.
- Relevant adjustments to the proposal: analysis of relevant results and necessary adjustments to the proposed model.
- Suggestions for additional work: look for gaps or limits in the theory or empirical procedures, if the null hypothesis is confirmed or if the alternative hypothesis is confirmed, the possible extensions and consequences will be reviewed.

## **1.3.5 Organization of the document**

The organization of the degree work document is divided into five chapters which are briefly described below:

**Chapter 1**, is the current chapter referring to the introduction, which has been divided into the Problem Statement, the objectives of the project, the solution hypothesis, the methodology and finally the structure of the document.

**Chapter 2** presents the theoretical references necessary to understand the information presented in the document and which were the basis for carrying out this project. The theoretical references are divided into groups: The first group includes the concepts of Software product Line (SPL) and scoping. The second corresponds to collaborative engineering and the third group to method engineering.

**Chapter 3** will present the study on the SPL scope approaches reported in the literature and the selection of the approaches that were used as foundations for the design of the proposed method.

**Chapter 4** presents the specification of the collaborative model for SPL-scoping, this information corresponds to each of the tasks, with their steps, participant roles, inputs and outputs; as well as if collaborative patterns and thinkLets are included in the task

**Chapter 5** presents the evaluation of the proposed methodology, Initially presents the experiences collected in the exploratory studies; and then the evaluations of the proposed method that include the design, the description of the participating population, the results obtained and their analysis. Some conclusions about the collaborative method for SPL-scoping proposed are also presented.

Finally, **Chapter 6** presents the conclusions of the results obtained and their articulation with the set of objectives. Additionally, future activities are presented to strengthen the present work.

# Chapter 2

## Background

*"If I have been able to see beyond, it is because  
I was on the shoulders of giants" Issac Newton*

This chapter presents the theoretical framework for this project. The first section introduces the concept of software product line, software product line engineering and SPL scoping activity. After that, the concepts of domain engineering will be introduced. Additionally this chapter introduces some definitions about collaborative engineering. The main topics that are described in this chapter correspond to the conceptual framework that support this project. The figure 2.1 presents the 4 elements that make up this conceptual framework, the scoping of the software product lines engineering, the different proposed SPL scoping approaches, the method engineering and the collaboration engineering




Figure 2.1: Conceptual basis



## 2.1 Software Product Lines

### 2.1.1 Introduction to Software Product Lines

A Software product line (SPL) is a set of similar software products sharing common features, differing in some features, and satisfying specific needs related to a particular market segment. The products are developed in a predetermined way from a set of reusable assets [20] [5] [37]. This definition is shown in figure 2.2.




Figure 2.2: Software Product Line

The products belonging to the SPL are conceived, developed and maintained in a pre-established way from a set of reusable assets, in-

stead of being developed individually from scratch or reusing elements or assets in an opportunistic way. A reuse strategy is applied for deriving products belonging to the SPL, using the alternatives features [1].

Some benefits expected by a company that adopts the SPL approach include [20] [38]:

- Increase productivity: products are not built from scratch, but from a reusable base previously implemented and that is reused for developing each product. This benefit occurs when a considerable number of products require to be developed as part of the family.
- Reduced time to market: due to the knowledge about the market and the productivity increased by the planned reuse of assets.
- More efficient use of resources: the development team is not limited to repetitively doing code, which allows them to dedicate their efforts towards engineering, quality and business.
- Increasing product quality: The reuse requires the assurance of the quality of the reusable assets. Each product development requires to test each reused asset although it had been tested before(because each reuse context requires that), therefore the quality filter is higher.
- Reducing risks: counting on an architectural early solution allows to address technical and managerial risks
- Capability to maintain presence in the market: Due to the rapid response to the market, quality and knowledge of the domain, organizations can position themselves in a niche business.
- Increasing customer satisfaction: as a consequence of the other benefits, such as less development time, high quality and fast response to incidences.

These benefits offer software companies several competitive advantages, derived from the reuse of the base assets using a reuse plan [39]. Once the base assets have been developed, there is a direct saving each time they are incorporated into a product. The product line approach enables future market opportunities and reduces the costs and risks associated with the exploration of new products. The lines of products improve the quality, in each new system the defects detected in the previously developed products have already been solved.

Although the approach offers benefits of great impact for an organization, its adoption is not simple and there are some difficulties:

- The company requires a strong organizational structure for the successful execution of the SPL approach [40] [41].
- The Capture and Analysis of requirements in the engineering domain requires balance between both contradictory requirements of different products and common requirements and also needs an overview of production but not individual [42]
- The adoption of the SPL approach requires a specific approach to the development process model determined by a vision of SPL production [42].
- The resources, time and initial investment associated with the SPL approach are greater than those required in the individual developments [41] [20].

### **2.1.2 Software Product Line Engineering**

The difference between traditional development of a single system and software product line engineering is a shift of approach and strategy: from the next-contract vision to a strategic view of a business idea and target market [1].

Software product line engineering includes two processes: development for reuse (domain engineering) and development with reuse (Application engineering). As Figure 2.3 shows, a distinction of software product line engineering from other reuse approaches is the strategically planned assets reuse, so that they can be used in the development of products of the SPL and these assets contain explicit variability that can be applied only for a certain subset of the products [1] [38]. The goal of software product line engineering is to build up similar products that differ inside a defined scope [38].




Figure 2.3: Software Product Line Engineering Framework [1]

### 2.1.3 Scoping Software Product Lines

The scoping activity goal is to determine the boundaries of the SPL. The scoping is a set of limits the aspects and functionalities that are “inside” a system to be developed, and those behaviors or aspects that

are “outside“ [20].

The SPL scoping is a crucial step for developing a SPL. This activity may determine the success or failure of the complete product line effort [8]. The product line scope includes the set of products that is part of the line, these products must be carefully selected in order to obtain economic benefits and that they can be efficiently developed from valuable reuse assets [7]. Thus, SPL Scoping is considered as a SPL technical discipline [7].

The scoping allows organizations to define the reuse context and help engineers capture the common aspects and restrict its variability [7] [5]. For instance, a too broad scope could severely threat for the usefulness and cost-effectiveness of the software assets reuse of SPL. However, a too narrow scope will give software organizations a low ROI (Return of Invest). Additionally, an incorrect scope could address toward the wrong products to the real market opportunity [5]. Thus, according as scoping activity is performed, SPL production will be successful or a failure [5], being the most critical activity since it defines a relationship of a multi-set of domains, features, reusable assets and products belonging to a SPL [8]. Three types of scoping can be identified [8]:

- **Product Portfolio Scoping:** identifying the specific features and the individual products that should be part of the product line.
- **Domain Scoping:** it allows to identify and bound the functional areas or domains relevant for reusing assets since they provide sufficient reuse potential and what exactly should be regarded as part of products.
- **Asset Scoping:** it determines specific assets to be developed for reuse and constitutes a basis for the subsequent design of the reuse infrastructure.




Figure 2.4: Relation of Product line scoping levels in the Unified Approach [2]

Each scoping type is a mechanism for planning reuse. Each one is related with another, each type refines the decisions made in the others. The initial basis for decisions is the product portfolio scoping [43] [11]. The product portfolio scoping is conducted by people who have overall knowledge about products, customer needs, competitors, market trends, and technological tendencies, and also, people in charge of authorizing strategic decisions about the products that will be produced as part of a product line and the used production strategies. The domain scoping takes as a base the product portfolio. During domain scoping, experts of domains who have in-depth knowledge about products, software architects and developers analyze the proposed products and features. The common and variable features are classified in functional areas or domains. The manager's, experts of domains, software architects and developers participate in asset scoping. The product portfolio and classification of features and functional areas could be decomposed according to possible assets. These assets are evaluated to identify which must be developed as reusable [2].




Figure 2.5: Relation of Product line scoping types and SPL development life-cycle

Figure 2.4 depicts a representation of the relations among the three scoping types.

The interconnection of scoping types is enriched at a different stage of the life-cycle of a SPL development [43] as seen in the figure 2.5. In the SPL domain engineering, the Product Portfolio Scoping connects product management and domain requirements engineering areas, usually addressed by market studies and company goals defined by high management. The domain scoping defines the functional areas or domains and precedes the domain analysis. The asset scoping can be executed parallelly or after to domain analysis. The outcome obtained at this scoping type is one of the inputs that should be considered in architectural design during the domain design. [2].

SPL scoping has three distinguished levels to be addressed by domain engineers [8] [43] [11]:

- Identification and description of a scope from a vision or guidelines supplied by experts.
- Assessment of the appropriateness of a scope. This level aims at

identifying those (sub-) domains or functional areas or assets that are the most appropriate candidates for reuse.

- Optimization of the scope, identifying which elements must address during the domain construction. This aims to guide the development in a strategic way.

## **2.2 Method Engineering**

A method provides the instructions that allow the transformation of one or several artefacts into a target artefact, the guidelines are systematic and provide the steps for their execution or allow the deduction of the concrete steps as of the objective and the guidelines [44] [45]. The Method Engineering (ME) is the discipline to design, build and adapt these methods. [46] [44].

A method description usually includes activities, roles, specification documents, techniques, and meta-models. An activity is performed by roles (job descriptions or organizational units) with the aim of generating a certain result. The results are recorded in previously defined and structured specification documents. A technique is the detailed instruction for the development of the specification documents and obtaining the results. Finally, the meta-models describe the concepts that make up the method [45].

### **2.2.1 Method**

A method is defined as a sequence of planned and systematic steps to achieve an objective [45]. A method is generally defined as a set of activities, tasks or related techniques described through a sequence of planned and systematic steps that must be followed and the work products that will be generated, used or modified at a certain time; the



people involved and the tools required, during the necessary effort to achieve a goal [47]. The attributes of a method are [45]:

- Goal orientation Methods: they give guidance and rules about how to proceed or act in order to achieve defined goals or be able to solve concrete problems.
- Systematic approach: the method must have a systematic structure that allows the deduction of concrete work steps for achieving goals set.
- Repeatability: the method is potentially repeatable to achieve the goals established independently of others factors.
- Principles: Many method specifications are related to general construction guidelines and/or strategies.

A method is described by the elements of activities, roles, specifications, techniques and meta-models. An activity is performed by roles (job descriptions or organizational units) with the aim of generating a specific work product. The work products are recorded in previously defined and structured specification documents. A technique is the detailed instruction for the development of the specification documents and obtaining the results. Finally the meta-models describe the concepts used for defining the method [47] [45].

### **2.2.2 Method pieces**

The literature talks of "method part" using the terms (1) method fragments, (2) method chunks or (3) method components for referring to some pieces of a method. These three different concepts are based on their utilization [48]. The software development methods can be created as well as possible by means of identifying and building small method elements, called fragments or chunks which are selected and strategically joined for running in a specific situation [49].

A “method fragment” is a portion of a meta-model and it could be of two types of fragments: process fragments and product fragments [31]. In general, there are three basic types of meta-modeling fragments: Producer, WorkUnit and WorkProduct used by SPEM of OMG (Software Systems Process Engineering Meta-Model: OMG 2008), in the OPEN process framework (OPF: Firesmith and Henderson-Sellers 2002) and in the international ISO / IEC standard 24744 (ISO / IEC 2007).

The fragments are typically adapted to a single metamodel element. The process fragments are focused on the process or WorkUnit (e.g. a kind of task or technique). The product fragments are oriented to the WorkProduct (a kind of diagram, document or other). [50]. The method fragments are defined separately, process-only fragments or product-only fragments [49].

A method chunk is an autonomous and coherent part of a method, that coupled the process part (work unit) that transforms (construction, modification, etc.) the work product part (artefacts such as documents, models or code) [50] [51].

A method component is a part contained in a method including the rationale and guidelines for transformation from one or more work products into a defined target work products [44]. A method component consists of method elements: goal, artefact, actor role and action. The method component is an artefact centered concept. The input artefacts of a method component are used during the predefined actions and are finally transformed into a deliverable which is the outcome of other components [44].

The three concepts of the "method part" look similar but they have differences. The method fragment references a single concept in the metamodel: a process (work unit), a work product or a produce. The method chunk is a combination of a process-focused fragment and a

product-focused fragment. The method component consists of work products (inputs/outputs) and the ‘process’ used to transform the input in the target output. The Method chunks does not describe the producers while the method components consider the producers in the rationale method [48].

### **2.2.3 Method Building**

The method engineering focuses on the construction of methods by selecting components from a repository, or a set of existing methods or a base method [44]. The construction of a method involves three general steps, (1) specification of the method requirements, (2) selection of the method components and (3) the assembly of the selected method components [3].

## **2.3 Collaborative Engineering**

Collaborative Engineering (CE) is an approach to the design and implementation of collaborative processes that include collaborative work practices in recurrent activities where teamwork is a relevant success factor [52] [53]. The term collaboration denotes "to work with". Thus, collaborative efforts are joint, not individual. The collaborative efforts must be directed toward a group goal. This means collaboration involves multiple individuals who combine their knowledge and efforts to achieve a mutual proposed goal. Therefore the collaboration is defined as the joint effort towards a group goal [52].

### **2.3.1 Patterns of Collaboration**

Patterns of collaboration characterize the ways in which “group’s activities” can move to “team’s activities” focusing on a common goal. These patterns allow to classify team activities based on the changes they produce [52]. The basic patterns are [52] [54]:

- Diverge: move from having fewer concepts to having more concepts shared by the participants' group.
  - Gather: Collect known concepts individually and share them with the other members of the group.
  - Create: Produce and share new ideas that were not previously known by group members.
  - Elaborate: Add details to concepts shared by the group, either decomposing a concept or expanding it by adding details.
- Converge: Move from having many concepts focusing on a few concepts deemed worthy of further attention and dedication.
  - Select: Choose a subset of existing concepts.
  - Abstract: Derive more general concepts from specific instances from the existing set.
  - Summarize: Capture the essence of the concepts.
- Organize – move from less understanding to more understanding of concepts and the relationships among used concepts.
  - Classify: Arrange concepts into labeled clusters.
  - Structure: Organize arrangements among concepts to represent their relationships
- Elaborate: Move from having concepts expressed in less detail to having concepts more detailed.
- Abstract: Move from having concepts expressed in more detail to having concepts expressed in less detail.
- Evaluate: Move from less understanding of the value of concepts to more understanding of its value.
  - Poll: Assess the group opinion with respect to a set of concepts.

- Rank: Identify an order of preference among concepts.
- Assess: Specify and elaborate the value for a set of concepts
- Build Consensus: Move from having less agreement to having more agreement among stakeholders.
  - Measure: Assess the degree to which stakeholders agree on a concept or concept value.
  - Assess: Specify and elaborate the value of concepts.
  - Diagnose: Seek understanding of the underlying causes of discrepancy.
  - Advocate: Seek to persuade others to adopt and accept a position, the concept or a specify concept value.

### **2.3.2 ThinkLet**

To propose a collaborative process, building blocks or designing units called thinkLets are used. A thinkLet is a predictable pattern of interactions among people working together to achieve a goal [55] [56], whereby a thinkLet is a predictable pattern of collaboration, a known, proven and reusable solution for similar work situations in teams [53] [57]. A thinkLet is a named, packaged facilitation technique that creates a predictable, repeatable pattern of collaboration among people working towards a goal [55] [55]. A collaborative process is a series of activities carried out by a team to achieve a common goal, at the same time it is a sequence of thinkLets that create patterns of collaboration among the members of the team [56].

### **2.3.3 Gamestorming**

Gamestorming methodology considers the use of games in the resolution problem by a people group, where presenting the problem in a

game format eludes the conventional meetings and frees the participants to think creatively. The Gamestorming application want that all participants of the team be aligned towards a goal, and that everyone understands what they are doing and achieving an active and dynamic work form [58] [59].

Gamestorming brings together a set of strategies and practices that have been called games, specific games with the aim of exploring and examining business challenges, improving collaboration among the members of a team and generating new approaches and possibilities of situations or products. The gamestorming raises the essential elements be considered in a game. It also classifies the games in four types according to the objective that is sought to achieve basic games, opening games to start an activity, games to explore concepts or proposals by the participants and closing games to conclude an activity [58].

#### **2.3.4 Chapter Summary**

To address a research project, it is necessary first to discuss and agree on the key concepts that will form the conceptual framework of the project. We first address what a software product line is, and what the activity of scoping mean does in the engineering of software product lines. After the method engineering was approached and the related terminology was discussed, such as the definition of method and method component. Finally, we included important aspects of collaboration engineering such as collaborative pattern and thinklet, basic design units for a collaborative method.

## Chapter 3

# Literature Review on Software Product Lines Scoping Roles and Its Interactions

*“Great ideas come from the unconscious.  
But the unconscious has to be well informed or  
that idea will not be relevant to us” David Ogilvy*

This chapter presents the main SPL scoping approaches representing the state-of-the-art, and analyzes the characteristics related to the roles required and the interaction among them. The searches and revisions of the literature were made across the different research stages, some of the related works were identified as advanced research.

### 3.1 Introduction

The diversity aspects of the participants in SPL Scoping are as necessary as the technical, administrative, organizational, market and sale aspects during SPL planning. However, gathering a group of people does not mean working as a team [60]. Teamwork requires the existence of an activity that must necessarily be carried out with a group of people to achieve a common objective [61]. SPL Scoping requires people with different knowledge, representing different interests according to an organizational unit or the performed role [16]. Teamwork

is to cooperate in an organized way in order to achieve a common goal, and it requires to manage the interaction and the inter-dependencies among the participants; each team member brings skills, knowledge and experience, techniques are required in order to achieve a common goal [62].

## **3.2 Planning of Review Process**

Literature Review is performed like a secondary study. it proposes to identify, analyze and interpret relevant primary studies related to a specific research question [30] [63].

### **3.2.1 Planning of Literature Review**

This section presents the Planning of Literature Review about SPL Scoping approaches, which includes the protocol definition and the research questions specification and structure. The protocol of Literature Review defines the research objectives and how the review will be conducted, which includes the research question definition and the planning about how the sources and studies selection will be carried out. The research questions guide the design of the review process.

### **3.2.2 Research Questions**

The general objective of this study was to analyze and understand how the existing approaches address interaction and the work among the participants. This was divided into four research questions in order to have a detailed research to identify the suitable roles (including interactions), guidelines and practices proposed for encouraging collaboration and communication. In this part, this study starts to define the research question as follows:



**Question 1: Which are the roles defined in the SPL Scoping approaches?**

It allows to identify approaches specifying the roles that should be involved in the SPL Scoping, and the detail level in which these are described.

**Question 2: Which are the elements of the teamwork considered by the studied SPL Scoping approaches?**

It allows to determine elements that improve the teamwork in the SPL Scoping approaches (knowledge, responsibilities and interdependence between role guidance).

**Question 3: How SPL Scoping approaches consider aspects promoting communication or collaboration among the participants?**

Identifying how each approach indicates inter-dependencies among roles during the scoping tasks, and if it describes elements or techniques to help the participating roles to communicate or collaborate into task execution or building artefacts.

### **3.2.3 Types of Review**

In the literature, there are some reviews on SPL, and specifically there are two studies that identify and characterize the SPL Scoping approaches. Thus, in order to identify the SPL-Scoping approaches, the studies were divided into two groups, the former ones are studies from 2000 to 2009, referred in other studies, making an Umbrella review, and the last are the approaches identified from a search in the literature reports after 2010, it can be seen in figure 3.1.



Figure 3.1: Literature review

### 3.3 Review Process: Umbrella review, A first group of SPL Scoping approaches

The umbrella review specifically refers to a review compiling evidence from other reviews into one accessible and usable document for a new research [64]. For this particular case, we started with the previous revisions to identify the existing SPL Scoping approaches before 2010.

In 2009, two studies were conducted on SPL Scoping approaches: Moraes et al [12] and John and Eisenbarth [11], who characterized the SPL Scoping approaches. Both studies focused on process and technical aspects. Although, they included some questions about the required roles, the analysis did not consider aspects such as role interaction. For this research, these two studies were used as a basis to identify a first group of approaches and some of their characteristics. Moraes' study identified 11 approaches and John's study recognized 16 approaches, with 8 common findings between these two studies. We reviewed 18 of the 19 approaches identified, two identified approaches did not find the base referenced document.

The table 3.1 presents the SPL Scoping approaches identified by each of the studies, those common to both studies and those reviewed in this research are indicated, in the second row the number of approaches of each study is presented, the common approaches (C) ones and those approaches that we review in this study (R).

### **3.4 Review Process: Literature review, The second group of SPL Scoping approaches after 2010**

#### **Search Strategy**

To identify the SPL Scoping approaches proposed between 2010 and 2017, a review of the literature was made. From the research questions formulated, were extracted keywords that were used to search the sources of the primary study: “scoping”, “scope”, “planning” and “scope definition”. These terms were combined with “Software Product Line” in order to build the search string using the boolean “AND”, and “OR” operator to join the different alternatives, so the search string was defined as:

(scoping OR scope OR planning OR scope definition) AND  
(software product line OR product line)

#### **Data Sources**

The main data sources of the review were conference proceedings and journal articles. The initial steps were considered in the interactive platforms ACM Digital Library, IEEE Xplorer and Springer. The search range time was articles published between 2010 and 2017. Some books and technical reports were also collected.

#### **Inclusion and Exclusion Criteria**

As inclusion criteria, articles related to software engineering, computer science or software development were considered, in which they described the SPL Scoping activity. Exclusion criteria: articles that only name the SPL Scoping activity but its main theme was another SPL

	<b>John y Eisenbarth [11]</b>	<b>Moraes et al [12]</b>	<b>Approaches</b>	<b>Year</b>	<b>C</b>	<b>R</b>
1	Bandinelli and Sagardui [23]		Business Analysis of Domain	2000		x
2	Chastek et Al [9]		Practical Introduction	2001		x
3	Riebisch et Al [15]	Riebisch et Al [15]	Feature Scoping	2001	x	x
4	Kang et Al [25]		Marketing and Product Plan	2002		x
5	Kishi et Al [65]	Kishi et Al [65]	S-DM Method for Scoping Based on a Decision-Making Framework	2002	x	x
6	Schmid [43]	Schmid [43]	PuLSE-Eco ((Product Line Software Engineering – Economic Scoping)	2002	x	x
7		Northrop and Clements [20]	Scoping in SPL Practice Framework	2002		x
8	Geppert and Weiss [24]		Goals for Domain Assessment	2003		x
9	Rommes [16]	Rommes [16]	People Oriented Approach	2003	x	x
10	Fritsch and Hahn [66]		PLPA (Product Line Potential Analysis)	2004		x
11	Taborda [21] [67]		Release Planning	2004		x
12		Lee et Al [68]	Feature-Based Approach	2004		x
13	Helferich et Al [69] [70]	Helferich et Al [69] [70]	QFD-PPP (Product Line Portfolio Planning using Quality Function Deployment)	2005	x	x
14	Niehaus et Al [71]		scoping in Product Management	2005		x
15	Park and Kim [72]	Park and Kim [72]	Process for Scoping Core Assets	2005	x	x
16		John et Al [27]	Practical Guide to scoping	2006		x
17	Noor et Al [18] [13] [73]	Noor et Al [18] [13] [73]	Collaborative Approach to Scoping	2006	x	x
18	Ullah and Ruhe [22]		RP-PL(Release planning for software product lines)	2006		x
	Inoki and Fukazawa	Inoki and Fukazawa,		2007	x	No

Tabla 3.1: SPL-Scoping approaches (before 2010)

Source	Findings	Repeated suppression	Filtered results
ACM	65	49	7
IEEE Xplorer	21	14	6
Springer	7	6	2
Scopus	20	16	1
<b>SPL Scoping approaches identified</b>			15

Tabla 3.2: Sources and findings

development activity, and therefore it did not discuss aspects of SPL Scoping or propose tools for systematization of some of the scope artefacts. Initially only studies written in English language were considered.

### Studies Selection

Both the selection and search process were conducted with the objective of identifying the proposed SPL Scoping approaches. The first stage was initiated with the approaches identification using the defined search string applied to the title and abstract. The found papers were analyzed according to the inclusion and exclusion criteria to identify the approaches. For each selected primary study, a brief analysis of the following elements was applied: title, abstract, keywords, and conclusion. After the repeated proposals in different sources were excluded. The result of this stage is presented in the table 3.2.

### SPL Scoping approaches identified between 2010 and 2017

In this second group, proposals for the optimization of the scope were found, but they do not propose an approach of how to define the scope. These start point is a defined scope which is analyzed in order to maximize the objective of the SPL, thus these proposals are excluded from this study.

The SPL Scoping approaches identified in the literature review are presented in chronological order in the table 3.3.

<b>N</b>	<b>Proposed by</b>	<b>Approaches</b>	<b>Year</b>
19	John [74]	Cave (Commonality And Variability Extraction)	2010
20	Cvetković and Nešković [75]	Approach to Defining Scope in SPL for the Telecommunication Domain OSS/BSS	2010
21	Ullah et al [28]	Method COPE+ (Customer Oriented Product Evolution)	2010
22	Lee and Lee [76]	A Framework for Product Line Scoping Product	2011
23	Müller [77]	VB-PO (Value-Based Portfolio Optimization)	2011
24	Balbino et al [78]	RiPLE-SC An agile scoping process for SPL RiPLE (RiSE Process for Product Line Engineering) RiSE (laboratory of Reuse in Software Engineering)	2011
25	Hu et al [79]	Value-Based Portfolio Scoping	2012
26	Nöbauer et al [80]	Lightweight Product Line Scoping	2012
27	da Silva [81]	SPL Scoping Agile Process	2012
28	Gillain et al [82]	Product Portfolio Optimization	2012
29	Iansen et al [10] [83]	Semi-automatic scope	2012
30	Capilla [84]	Variability Scope	2013
31	Cruz et al [85]	Hybrid Approach to Generate PPS	2013
32	Alsawalqah et al [86]	PPSMS (Product Platform Scoping Method for Software Product Lines)	2014
33	Vale et al [87]	The Portfolio Planning phase of SPLICE (Software Product Line Integrated Construction Environment)	2014

Tabla 3.3: SPL-Scoping approaches (after 2010)

Unifying the two groups of SPL scoping approaches identified in the umbrella type review carried out by other authors (18) plus those identified in the search and revision carried out by us (15), a group of 33 approaches was finally identified.

### **3.5 Review results: Roles in Scoping approaches**

A role is understood as the function performed by a person within the group, each person occupies a specific position as part of a working group. A role defines a set of expected behavior patterns and assigned responsibilities [61].

A role defines the behavior, skills, competences and responsibilities of a person or several people as part of a group that works on the whole to achieve a common goal. Individual members of the development organization can perform different roles and a role to be played by several individuals [88].

Question 1: What are the roles defined in the SPL Scoping approaches?

In order to answer this question, we identify which approaches consider some role in their description. Table 3.4 presents which of the 33 Scoping SPL approaches consider any role in their description and which do not. Figure 3.2 indicates the proportion of approaches that considers roles. The number of approaches that include roles is almost the same as those who do not consider them.

The main concern of most of the approaches of the first approaches group (before 2010) was to propose the necessary activities in scoping more than establishing the roles involved. The concerns that are recognized in the approaches in the second group (after 2010) is to improve the definition of the scope in aspects related to the process, the tools used, the optimization of the scope obtained and some in the communication required during this activity.

<b>N</b>	<b>Approaches</b>	<b>year</b>	<b>consider roles?</b>
1	Business Analysis of Domain	2000	no
2	Practical Introduction	2001	yes
3	Feature Scoping	2001	yes
4	Marketing andProduct Plan	2002	no
5	S-DM	2002	no
6	PuLSE-Eco	2002	no
7	Scoping SPLP Framework	2002	yes
8	Goals for Domain Assessment	2003	no
9	People Oriented Approach	2003	yes
10	PLPA	2004	no
11	Release Planning	2004	no
12	Feature-Based Approach	2004	no
13	QFD-PPP	2005	yes
14	Scoping in Product Managemen	2005	yes
15	Process for Scoping Core Assets	2005	no
16	Practical Guide to scoping	2006	yes
17	CollaborativeApproach to Scoping	2006	yes
18	RP-PL	2006	generally
19	Cave	2010	yes
20	Approach Scoping Telecommunication Domain	2010	no
21	COPE+	2010	no
22	Framework for Scoping	2011	no
23	VB-PO	2011	yes
24	RiPLE-SC	2011	yes
25	Value-Based Portfolio Scoping	2012	no
26	Lightweight Scoping	2012	yes
27	Scoping Agile Process	2012	yes
28	Product Portfolio Optimization	2012	no
29	Semi-automatic scope	2012	yes
30	Variability Scope	2013	no
31	Hybrid Approach to Generate PPS	2013	no
32	PPSMS	2014	yes
33	SPLICE	2014	yes

Tabla 3.4: Approaches that consider roles






Figure 3.2: Approaches that consider roles

Table 3.5 only includes the 17 approaches that have considered roles. This table presents the number of roles proposed by each approach and their names. It can be seen that there is a diversity regarding the considered considered, as well as the number of roles that each approach considers (see figure 3.3), it should be noted that those approaches mentioning only one or two roles do not indicate that they are the only ones, but they are the roles that the proposal considers as the most important instead.

The table 3.5 allows to visualize the number of times a role has been proposed by SPL scoping approaches, we have grouped synonymous names. The study of the roles considered by the approaches (table 3.5, and table 3.6) show that most approaches are in line with the diversity of disciplines and knowledge required.

The most repeated roles in the approaches are customers, domains experts, developers and system architects; followed by management, product line manager, and marketing/sales personnel.




Figure 3.3: Number of roles considered in the approaches

N	Approach	Roles	Roles names
1	Business Analysis of Domain	3	software Department representative, systems Department representative, marketing/sales department representative
2	Practical Introduction	5	Organization's executives, Product end users Product line analysts, Designers, Implementers
3	Feature Scoping	1	Developers
7	Scoping in SPL Framework	6	Management, Developers, Methodologists, Customers, Users, Subject-matter experts
9	People Oriented Approach	8	Management, Product managers, Users, Sales persons, Customers, System architects, Developers, Suppliers
13	QFD-PPP	4	Developers, Software architects Existing customers, Potential customers
14	Scoping in Product Management	2	Product managers, Customer

<b>N</b>	<b>Approach</b>	<b>Roles</b>	<b>Roles names</b>
16	Practical Guide to scoping	4	Scoping expert, Product line manager Domain experts with technical knowledge Domain experts with marketing knowledge
17	Collaborative Approach to Scoping	6	Senior management, Customers Marketing and sales, Developers, Software architects, Maintenance personnel
18	RP-PL	-	stakeholders
19	Cave	2	Product line engineers, Domain experts
23	VB-PO	4	Analyst, Manager, Sales person Software engineers
24	RiPLE-SC	7	Scoping expert, Customer, Architect, Domain expert, Market analyst, Developer, Product line manager
26	Lightweight Product Line Scoping	2	Customer, Domain expert
27	SPL Scoping Agile Process	2	Stakeholders, Domain expert, Customer
29	Semi -automatic scope	7	Potential customers, Domain experts Product developers, Domain analysts Marketing personnel, Project managers Product manager
32	PPSMS	1	domain experts
33	The Portfolio Planning phase of SPLICE	5	Business Expert, Scope Owner Product Expert, Legacy Systems Developer

Tabla 3.5: Roles considered in SPL scoping approaches

<b>Roles</b>	<b>Number of times proposed</b>
organization's executives/ management / Senior management	5
product end users /users	3
developers / Legacy Systems Developer /implementers /product developers /software department representative	10
customers/existing customers /potential customers	9
methodologists / scoping expert	3
domain experts with marketing knowledge /Domain experts /subject-matter experts	9
Product managers / product line manager / project manager	5
Sales persons/ Marketing and sales / market analyst /Business Expert /marketing personnel /marketing and sales department representative	6
systems department representative	1
System architects / domain experts with technical knowledge / designers	7
Maintenance personnel	1
Suppliers	1
Product line engineers / Software engineers	2
Analyst / domain analysts /product line analysts	3
Product Expert	1
SPL Expert	1
product manager	1
Scope Owner	1

Tabla 3.6: roles proposed

### **3.6 Results of the literature review: the teamwork in scoping approaches**

**Question 2: What are the elements of teamwork considered by the SPL scoping approaches?**

That a SPL scoping approach mentions the participating roles, and it does not mean they work as a team. In order to promote the teamwork, it is necessary to describe enabling aspects, for instance, each

role must know the objective of their participation, the knowledge and skills they contribute to the whole task of SPL scoping. The tables 3.7 analyzes these three aspects in each of the approaches that indicate roles in their specification.

According to the results obtained (see table 3.7) half of the approaches considering roles are limited to mentioning them. However, these do not provide information about the objective of their participation, only the 27.3% of the identified approaches provide descriptions of the roles they propose, allowing to know the objective of their participation.

Collaboration of the members of a work team requires that each one contributes with different and complementary knowledge and skills; To conform the work team, it is necessary to know what knowledge and skills each role should contribute. Only the 24.3% of approaches takes into account the knowledge and skills that each role must provide.

Another aspect that improves the collaboration between members of a team is to know their responsibilities. A 21.2% of approaches describes, in a general way, the responsibilities of the roles and only 9.1% indicates the specific tasks where each role participates.

When the manager of a project does not know the role specification (objective, skills and knowledge), there is a high possibility selecting the wrong person, additionally as a result we have a person who plays an unsuitable role, because he/she does not know his/her objective in the project, the knowledge that she/he must contribute, their responsibilities or specific tasks in which the person participates.

### **Question 3: Do the SPL Scoping approaches consider aspects helping to improve communication or collaboration among the participants?**

Identifying if the approaches exhibit inter-dependencies between roles in the scoping tasks, and if it describes techniques or practices oriented to the roles to communicate or collaborate as scoping activity advance.

<b>N</b>	<b>description</b>	<b>knowledge</b>	<b>Responsi- bilities</b>	<b>associated with tasks</b>
1	only mentioned	yes	no	generally
2	view that the role has of the LP	yes	no	no
3	only mentioned	only technical	Effort estimation	no
7	describes the risk that the required roles do not participate	no	no	no
9	describes in which aspects of the scope it influences and why	yes	no	no
13	general description of what they contribute to scoping	yes	yes	yes
14	only mentioned	no	no	no
16	general description of what they contribute to scoping	yes	generally	generally
17	general description of their interests and participation	yes	generally	no
18	For this approach, stakeholders are very important, and propose a way in which stakeholders prioritize the features, but it does not specify who the stakeholders are.	no	no	no
19	general description of what they contribute to scoping. this proposal seeks to reduce the time required to accompany the domain expert	no	no	no
23	general description of what they contribute to SPL	no	no	no
24	description of what they contribute to scoping	yes	yes	no
26	only mentioned	no	only for a role	no
27	only mentioned	no	no	no
29	only mentioned	yes	yes	no
32	general description of what they contribute to scoping. this proposal seeks to reduce the time required to accompany the domain expert	no	no	no
33	general description of what they contribute to SPL	yes	yes	yes

Tabla 3.7: Description of roles in SPL scoping approaches

Deciding which products belong to the SPL, indicate the functional domains and analyze and features regarding their potential reuse. It requires considering and negotiating aspects from different perspectives [9], these perspectives are represented by the roles. The table 3.8 shows how each approach presents the relationships between the roles for exchanging information from their vision and knowledge, and how they negotiate among scope concerns. The 51% of the approaches studied do not show where or how the interactions among the roles proposed should be carried out. Some of the approaches expose the risk derived from a unappropriated participation of the roles. the 9% of the approaches generally presents the interaction of the roles, and the 18% gives some indications about the interaction in some specific tasks. Only one of the approaches presented the roles they participated by each of the proposed tasks.

The concern for the dependence that scoping has with the different knowledge is reflected in how the approaches have raised aspects and techniques to achieve mixed different knowledge and experiences, with tendency to scope optimization. The table 3.9 presents the aspects or techniques that have been proposed by each approach in order to encourage communication or collaboration among the participating roles. In this analysis software tools have not been considered, because the objective was only to analyze teamwork during scoping.

<b>N</b>	<b>Approaches</b>	<b>consider interdependencies between roles</b>
1	Business Analysis of Domain	As a risk
2	Practical Introduction	generally
3	Feature Scoping	Any
4	Marketing and Product Plan	Any
5	S-DM	Any
6	PuLSE-Eco	Any
7	Scoping SPLP Framework	As a risk
8	Goals for Domain Assessment	Any
9	People Oriented Approach	between roles belonging to different dependencies and possible conflicts
10	PLPA	Any
11	Release Planning	Any
12	Feature-Based Approach	Any
13	QFD-PPP	in some tasks gives clues
14	Scoping in Product Management	Any
15	Process for Scoping Core Assets	Any
16	Practical Guide to scoping	in some tasks gives clues
17	Collaborative Approach to Scoping	generally and possible conflicts
18	RP-PL	regarding the prioritization of features
19	Cave	Dependence with experts and how to decrease it
20	Approach Scoping Telecommunication Domain	Any
21	COPE+	Any
22	Framework for Scoping	in some tasks gives clues
23	VB-PO	in some tasks gives clues
24	RiPLE-SC	in some tasks gives clues
25	Value-Based Portfolio Scoping	Any
26	Lightweight Scoping	Any
27	Scoping Agile Process	generally
28	Product Portfolio Optimization	in some tasks gives clues
29	PPSMS	Any
30	Semi-automatic scope	Any
31	Variability Scope	Any
32	Hybrid Approach to Generate PPS	Describe who contributes each stakeholder in each task
33	SPLICE	in some tasks gives clues

Tabla 3.8: Inter-dependencies between roles



The 39.4% of the approaches propose some aspects or technique to improve communication or collaboration between roles. The proposals are diverse and in most cases are considered aspects for specific tasks. The use of workshops, interviews and punctuation techniques is frequent. The interviews or surveys seek to capture the contributions of the external participants for the development group considering that one of the main drawbacks is the lack of availability to participate or the lack the synchronized work schedules among the different roles.

Another repeated aspect are the artefacts constructed in a cooperative way, where the different roles contribute to their vision. Artefacts such as user scenarios written collaboratively, evaluation matrices or prioritization of features must be analyzed by each stakeholder in order to assess it according to their knowledge. Some of these artefacts consider the relative importance of each stakeholder. The artefacts are specific and correspond to maximum one or two per approach, so they do not cover all the artefacts that make up the scope.

Four of the approaches (12%) have proposed techniques that enclose more than one task or artefact. The work of Noor that we have identified as a collaborative approach scoping, proposes the combination of collaborative practices and agile principles with scoping practices. This is one of the most related works to this proposal and it will be analyzed in the section 3.8 of this chapter. The proposals RiPLE-SC, Scoping Agile Process and SPLICE have combined principles and agile practices with the practices of scoping, some of them encourage communication and collaboration among the participants. For corresponding works close to this proposal, they will be analyzed in the section 3.8.

<b>N</b>	<b>Approaches</b>	<b>Do consider elements or techniques to encourage communication or collaboration among participants?</b>
1	Business Analysis of Domain	It proposes a risk analysis workshop scoring different issues
2	Practical Introduction	no
3	Feature Scoping	no
4	Marketing and Product Plan	no
5	S-DM	no
6	PuLSE-Eco	no
7	Scoping SPLP Framework	no
8	Goals for Domain Assessment	interviews, evaluation criteria and scoring for candidate domains
9	People Oriented Approach	writing and collective selection of user scenarios
10	PLPA	structured interview, criteria for the applicability
11	Release Planning	no
12	Feature-Based Approach	no
13	QFD-PPP	QFD provides a systematic but informal way of communication between customers and developers. HoQ (House of Quality) is an instrument of QFD, it is the matrix which analyzes customer requirements and translates them into the developers' language.
14	Scoping in Product Management	no
15	Process for Scoping Core Assets	no
16	Practical Guide to scoping	no
17	Collaborative Approach to Scoping	CE (Collaboration engineering) practices as thinkLets. the technique EasyWinWin, Use of Tools Group Support Systems (GSS), and adopting agile principles.
18	RP-PL	prioritization model by feature voting, considering the relative importance of each participating stakeholder
19	Cave	no
20	Approach Scoping Telecommunication Domain	no

<b>N</b>	<b>Approaches</b>	<b>Do consider elements or techniques to encourage communication or collaboration among participants?</b>
21	COPE+	Customers vote on the features using a 9-point Likert scale (1: least desired to 9: extremely desired). the number of features under consideration is in the order of up to 100
22	Framework for Scoping	no
23	VB-PO	no
24	RiPLE-SC	RiPLE-SC uses the workshops because it is a fundamental resource from agile methodologies for maintaining the integration in a team, that allows that the project stakeholders discuss several aspects and expressing their viewpoints. Also, it proposes review meetings to obtain customers' feedback.
25	Value-Based Portfolio Scoping	The practice value-based portfolio scoping, punctuates the features by priority, coupling, and effort, customers and developers participate
26	Lightweight Scoping	no
27	Scoping Agile Process	pre-scoping Workshops, stakeholders understand the SPL concepts and goals. Onsite interaction session agile practice and collaboration engineering patterns applied in the workshops of each task
28	Product Portfolio Optimization	no
29	PPSMS	no
30	Semi-automatic scope	no
31	Variability Scope	no
32	Hybrid Approach to Generate PPS	A questionnaire with criteria for prioritizing major features by Scope Owner and Product Expert
33	SPLICE	Prioritization major features using classification criteria relevant for reuse, Domain Potential Assessment using a set of criteria applied through a questionnaire, the Scope-Backlog generated from the ranking of the major features and assessment criteria technical and non-technical aspects.

Tabla 3.9: Elements for communication and collaboration between roles

### **3.7 Analysis and conclusions of the revision of scoping approaches**

Deciding which products belong to a SPL and which of them should build depends of business goals, market trends, technological feasibility, of the experience and organization of the company. There are many sources of information to be considered and many negotiations, agreements, and trade-offs to be made [9]. In order to achieve the gathering of the different expertise, it is necessary to find people with the availability and they must meet certain conditions, but in addition they must be able to work as a team in order to achieve a common objective instead of particular interests.

A SPL stakeholder could play one or more roles according to systems involved in or affected by, the effort and investment required in the development of a product line. These stakeholders include the organization's executives, product end users, and product line analysts, designers, implementers among others. Furthermore, a single resource may play the role of more than one stakeholder (e.g., designer and coder) and vice-versa a role can be played by several resources [9]. Most SPL scoping approaches recognize the need for diversity of participants because different perspectives must be taken into account, and these view points do not come from a single area of knowledge requiring the expertise of different stakeholder types [23]. Each stakeholder has a particular view point of the product line and a particular set of expectations and interest regarding it.

The importance of the scope in the engineering of product lines is evident in the amount of proposals and research works that are carried out in this area. The first works focused on defining the tasks that must be done whereas the last works focuses on the scope optimization; However, there are still gaps in the definition and formalization of process/method elements such as artefacts and roles, and there are gaps at the tasks level to be sufficiently prescriptive for the deduction of specific steps that must be carried out.

The interdisciplinary nature of this activity that is proposed by the different approaches requires approaches that facilitate communication and collaboration between the participating roles; there are works that have addressed this approach but do not provide or do not have available the details about the method and the artefacts works in order to facilitate their actual application by part of companies and development units that want to focus its production on following a SPL approach.

### **3.8 Related work**

Some of the scoping SPL approaches reviewed have considered techniques or elements to improve communication or collaboration between the participating actors, these works are considered the related to this research. By analysis of these related works, new sources were taken into account as from the literature review, other articles by the authors, their thesis documents, and some of their references were searched.

#### **People Oriented Approach**

Rommes [17] [16] proposes an artefact-based approach called "usage histories or use scenarios" that must be developed jointly with all participants, using a common language. The work of Rommes is a basis for the method we propose because it recognizes the importance of the diversity of participants in SPL Scoping, a diverse group is able to observe the problem from different perspectives, however, it also warns about the risks involved in massive participation, endless debates, lack of agreements on details, absence of clear points for decision-making, bureaucracy and loss of efficiency. However the Rommes work does not present proposals to reduce these risks, additionally the information in this proposal is limited which makes difficult its replication. This proposal focuses only on one of the tasks to be performed in scoping,

thus, it does not clearly show how the information inside the artefacts is related.

### **Reconciling marketed and engineered software product lines**

This article analyzes two perspectives of the product lines, both the marketing perspective and the SPL engineering [14]. The scoping is the first point of union between product line engineering and marketing where both visions are important and it has been considered the need to consider both perspectives. However, the authors consider that the integration is far from perfect. The article exposes the benefits of improving this integration as they are better back in the selection of the market segment, and making decisions regarding the marketing of the line.

### **Scoping Agile Process: RiPLE-ASC**

The proposal of Da Silva is a process that combines the Scrum process with SPL Scoping [81] [89]. RiPLE-ASC is part of the RiSE process for product line engineering proposed by the software engineering reuse laboratory (RiSE Labs), the part corresponding to SPL Scoping activity. RiPLE-ASC includes in the process Scrum practices such as daily meetings, workshops and frequent feedback at the end of the iterations and proposes artefacts such as the Scrum dashboard that contributes to the roles being informed during the development of the iterations. The proposal suggests the use of collaborative practices, but does not focus neither provide detailed information about them.

### **RiPLE-SC**

RiPLE-SC is a systematic and agile process for SPL Scoping [78] [90], it is also part of the RiSE process for the engineering of product lines proposed by Balbino and other researchers. It provides guidance for

the project team, specifying the tasks to be performed and the guidelines to make possible the agility in the execution of the tasks. In RiPLE-SC, most of SPL Scoping activities are carried out in workshop formats that are a resource of agile methodologies to maintain team integration, these workshops must be guided by an expert in SPL Scoping and agile practices. However, from the available information, the process is not described in a concrete way, particularly it does not describe how the collaboration between participants occurs and how the practices are used to achieve it, the thesis document details more information about the method than the published article. However, it is not a document intended for companies to use it as a guide document, but it is a research document.

## **SPLICE**

This approach is a Lightweight Software Product Line Development Process combining SPL scoping and agile practices, addressed to small and medium Size Projects [87]. The information of the proposal includes the main elements of a process, but it does not give details of the practices or techniques to apply as model storming or the evaluation of domains or the questionnaire of evaluation of features. In the article, it is mentioned that the most detailed information of the process is available in the website <http://tassiovale.com/splice>, however its url keeps down.

## **Product Line Planning Game**

This propose adapts the agile practice “planning game” to product line context [26]. This propose adapts the agile practice “planning game” to product line context. The planning game is used in the application engineering phase to perform the customization of a product for a specific customer. A customer representative shares the customer point of view on what features the product needs and power makes changes or

includes new requirements. This approach proposed an artefact that encourages communication and feedback, the "Product Line Planning Game" is a strategy to introduce a lightweight feedback process from application engineering to domain engineering. The scope of a product line can vary according to the changing requirements of the customers of the products derived from the SPL infrastructure. This proposal presents an alternative for performing technical feedback of the components from the application engineers representing particular clients to the domain engineers who represent the business interests of the whole SPL. The approach uses the "stories of reuse" as a means of information exchange, in a similar way to "user stories" which include suggestions for components improvement, which are evaluated and prioritized by teams of engineering applications

#### **Unified Approach by Product line scoping**

Lee and other researchers compared and analyzed three of SPL scoping approaches to deduce the essential components and developed a unified approach that could be easily referenced and used by companies [2]. This work concludes that existing product line scoping approaches used diverse terminology and representation for the same concepts, in a similar way, they also used differently defined tasks and artefacts. The differences of these elements of the process denote the lack of formalization of scoping whereas focus on the communication and collaboration between the roles.

#### **A collaborative approach for reengineering-based product line scoping**

Noor and others [18] [13] [73] proposed a collaborative proposal for SPL scoping based on product reengineering. This approach introduces the practices of scoping patterns and collaborative thinkLets, and also applies agile principles. This proposal seeks that all team members build together and therefore share a common vision about the project and its scope.



The proposal is particularly focused when the SPL is derived from successful legacy systems, one of the three possible scenarios of adoption and production of SPL, although it is the most common one, this is only focused on the product portfolio and some activities of the scoping of domains, because it considers that a company that starts its production from the line of successful legacy systems, has extensive knowledge of the target domain, and that during the development of these products it has already identified functional domains and designed the reusable base architecture. Therefore, low effort is required to define domain scoping or asset scoping. This work is the most similar to our proposal and serves as a basis.

#### **An industrial case study the Software product line scoping in a small and medium-sized enterprise**

Da Silva and other researchers presented empirical evidence in which they characterized the weaknesses discovered in the scope and requirements disciplines of SPL, specifically when it is applied by medium and small companies [91]. Communication and collaboration factors are defined as the interactions among the team members and how these interactions contribute to the development of the tasks. The process employed in scoping discipline was RiPLE-SC [78]. The scoping participants belonged to two groups, the roles of the company (domain expert, domain analyst, architect) and the roles of the SPL team (product line manager, scoping expert, developers, risk manager).

The communication and collaboration weaknesses identified in the study case: The lack of availability of some stakeholders affected communication and collaboration. The company employees were busy with other projects and paid little attention to the SPL project; inappropriate managerial strategy for the project; the SPL team did not have any contact with the company customers, whereby volatility in customer features could have been hidden, there were many change requests for adaptations and corrections. The lack of specific tem-

plates and misconceptions regarding the specification caused inconveniences in communication and collaboration. In terms of communication and collaboration, the bottlenecks identified are long time iterations; few interactions among the participants; feedbacks mostly occurred during the validation meeting, and the lack of face-to-face communication among the stakeholders, it was replaced by an improvised way: emails exchange. The authors propose possible communication and collaboration improvements as the use of collaboration patterns. In the SPL scoping context, it can be the key factor for supporting the stakeholder's involvement.

### Comparative between related approaches




Figure 3.4: relatedApproache

In Figure 3.4 shows seven approaches related to communication and interaction among stakeholders participants in the realization of the

SPL scoping. The related proposals are located in two regions, six in the region that corresponds to the scoping as the first task in the development of a SPL and one approach in the second region that corresponds to the applications engineering and the scope update. On the left region that corresponds to the construction of the SPL, they have been divided horizontally the three scope levels proposed by Schmid have stated: Product line mapping identifies the potential domain and the reuse infrastructure scoping [8], also the vertical axis have been divided three columns representing the strategies for SPL engineering adoption [92]: extractive, reactive, and proactive. In the region of construction of the product line, the five SPL scoping proposals have been located, indicating which levels of coverage they contain and in which strategy of adoption they are located, similarly, our proposal has also been located, which allows to show the differences between the different proposals, related to the adoption strategy and the types of addressed scope levels.

Table 3.10 and 3.11 presents a comparison of SPL Scoping proposals that seek to improve communication and collaboration between the actors, considering the type of scope considered, the additional practices, the roles and artefacts considered.

	<b>People Oriented Approach</b>	<b>Collaborative Approach to Scoping</b>	<b>RiPLE-ASC</b>
Type of scope	Scope of product portfolio	Scope of product portfolio Scope of functionality domains	Scope of product portfolio Scope of functionality domains
Additional practices to the techniques	Collaborative practices applied to a specific artefact	Collaborative practices Agile practices	Agile practices Scrum
Availability description of the approach	Published article	Partial in published article	Partial in published article  Doctoral thesis in web repository <a href="http://repositorio.ufpe.br/">repositorio.ufpe.br/</a>
Artefacts	Description, does not include template	only names them	Description, templates for some artefacts
Number of artefacts	1 additional	5	18
Roles	describes in which aspects of the scope it influences	general description of their interests and participation	description of what they contribute to scoping
Number of roles	8	6	2

Tabla 3.10: Comparative between the related works 1 part

	<b>RiPLE-SC</b>	<b>SPLICE</b>	<b>Product Line Planning Game</b>
Type of scope	Pre-Scoping Scope of product portfolio Scope of functionality domains Scope of reusable assets	Scope of product portfolio	Scope of product
Additional practices to the techniques	Agile practices	Agile Software Development (ASD)	agile practice “planning game”
Availability description of the approach	Partial in published article  Doctoral thesis in web repository <a href="http://repositorio.ufpe.br/">repositorio.ufpe.br/</a>	Partial in published article  Supposedly available on the website, but the link does not load	Partial in published article
Artefacts templates	Description and only names them	only names them	
Number of artefacts	12	4	2
Roles	only mentioned	general description of what they contribute to scoping	only mentioned
Number of roles	7	5	4

Tabla 3.11: Comparative between the related works 2 part

The approaches that combined the agile practices with the scoping SPL seek to improve communication and collaboration between roles with the application of agile principles such as face-to-face communication, the constant participation of clients, feedback. However, these principles are not explicit in steps or descriptions of tasks, this makes it difficult in practice to actually take place. The information on most of the related approaches is limited. The information presented in the articles about “A collaborative approach for reengineering-based product

line scoping” indicates that the approach has a complete description of the tasks, artefacts, and roles, and that also most of the artefact templates exist, in the article (for reasons of space) only one of the tasks is presented in detail. However, there is no reference to a website, repository or printed publication where the entire process can be consulted. In the case of RiPLE-ASC and RIPLE-SC the document of the doctoral thesis project is available on the Reuse in Software Engineering Laboratory page, but these documents are not referenced in the published articles, neither it is a document intended to guide a company to apply their proposals. Our proposal for a collaborative method for SPL scoping seeks to contribute at the level of the description of the tasks to facilitate that the companies can follow concrete steps, instantiating defined practices, integrating components from collaboration engineering and method engineering for scoping a SPL. These collaborative practices are carried out for building specific artefacts that are described by means of templates and steps to be followed. The method has been published on a website and expects to be hosted also in an academic site and to ensure its continuity.

### **3.9 Chapter Summary**

The study of the approaches proposed for SPL scoping, allowed us to identify that the first concern was to define the necessary tasks to perform the delimitation. Smith identifies three types of scope, most proposals focus on some of them, presenting the tasks to be performed; Later, the proposals focused on systematizing some of the scoping tasks and optimizing the scope. Software product line engineering similar to traditional software engineering has neglected aspects related to the human factors involved in the development of a software system, and that this system development be a social collaboration activity. Software is developed by people and for people. Besides, the interdisciplinary is a mandatory aspect for producing software in gen-

eral. The SPL scoping activity is one of the main examples of this reality, the human factor has a big impact on planning and development efforts of a software product line. Although, there are some proposals that we identify in this chapter related to communication and collaboration between the roles participating in SPL scoping, the availability of these proposals is limited, some proposals have been biased to a single artefact or type of scope, and in other proposals the level of granularity does not facilitate the applicability. We consider that addressing the aspects related to the participants and their interactions from a collaborative approach and at method level, considering the artefacts that should be developed will facilitate to achieve a well formed and useful SPL Scope.

## Chapter 4

# Method Engineering and Collaboration Engineering for Building a Collaborative Method for Scoping SPLs: The CoMeS-SPL Method

*‘Combinatory play seems to be the essential feature in productive thought’  
Albert Einstein*

### 4.1 Introduction

This chapter presents the way as Method Engineering and Collaboration Engineering approaches for the construction of a Collaborative Method for Scoping of Software Product Lines (CoMeS-SPL) was used.

### 4.2 Why integrate method engineering in SPL scoping?

Based on the review of the literature carried out, it can be seen that there are several proposals for SPL scoping approaches, it is impor-



tant to emphasize that there is no "best approach", all of them have strengths and weaknesses that a company should consider to select which of them they should apply. However, one of the limitations that has been reported in different scoping reviews is the lack of formality, evidenced by the lack of clarity in which the scope makes up a product line, and that causes the obtained scope not to be so used in the following line development activities [91].

Although there are different SPLS proposals, for many companies that adopt the product line strategy, it is still unclear how to obtain the scope or how it is formed [12], because the SPLS is one of the least formalized activities of the SPLE [2]. In addition, most of the proposals do not show the activities clearly, the guidelines are described at a high level, which makes these guidelines not easy to apply, nor to instantiate concrete steps [12]. The low formalization is evidenced in the discrepancy of proposed activities [91], the use of different names for the same concepts and the heterogeneity of artefacts suggested in the proposals [12]. This lack of clarity causes ambiguities and doubts which does not help the participating actors to communicate and collaborate with each other during the SPLS.

Method engineering focuses on work products (artefacts) and the description of the guidelines seeks to guide participants how to build the artefacts, this would allow the proposal made in this project to facilitate the applicability of scoping.

### **4.3 Why integrate collaboration engineering into an SPL scoping method?**

A good part of the tasks that make up the SPL scoping activity depends largely on the knowledge and experience of the participants [8] [16] [91], it is important to take into account that knowledge and experience required is dispersed among different required roles. The complexity and diversity of the aspects that should be considered in scop-

ing is one of the factors that makes this activity complex and difficult to perform in practice. The literature review presented that there have been projects [16] [78] [81] [18] that have sought to improve communication and collaboration between the roles involved seeking to take advantage of the agile principles or collaborative work. The collaborative work between the different scoping roles increases the probability of including most features in the product catalog specification and improving the relevance of these features to the target market, obtaining a more complete and correct product description, in addition to an analysis of products, features and domains from different perspectives, techniques, marketing, business and from the objective domain, which can result in a more useful scope in the following stages of product line development.

However, the documentation available on the application of collaborative engineering in the activity of SPL scoping is limited (we could not find it complete), the problem of the diversity of knowledge and experience required remains latent.

## **4.4 Applying Method Engineering**

Method engineering is the engineering discipline to design, construct and adapt methods, techniques, and tools for the development of software systems [48]. A method can be defined as an approach to perform a software system development project, based on a specific way of thinking, consisting of guidelines, rules and heuristics, structured systematically in terms of development activities, with corresponding development, work product and developer's roles [48]. The design and construction of methods based on method engineering is made from parts of methods as a building unit that can be fragments of method, method chunks or method components [46] [48]. In this research method components were used as basic units. A method consists of one or more method components [44], a method component has




Figure 4.1: Process model for assembly-based method engineering [3]

a focus on artefacts ( input/output artefacts), denominated work products, and the process used to transform the input work products into output work products [48]. All fragments or components of a method are related to one or more goals. If a fragment is part of a method, it should have at least one reason to be there [48].

Method engineering focuses on the construction of methods by selecting components from existing methods or from a repository called the base method [44]. The construction involves three general steps: specification of the method requirements, selection of the method components and assembly of the selected method components [3], as it can be seen in figure 4.1.

The process model for assembly-based method engineering was adapted to use method components instead of method chunks, considering the input and output work products for each method fragment.

Although systems development is a social collaborative activity, it is often a neglected aspect in current method-engineering approaches

because the method engineering is focused on the artefacts, this is often criticized for being a rigid view on methods [44]. However, through grounding and combination of external theories, it is possible to incorporate other aspects in existing method engineering theories and constructs and hence to address other aspects. The collaboration among the roles participating in scoping is the fundamental concern in this research, whereby we combine method engineering with collaboration engineering in order to include human factors such as communication and collaboration.

## **4.5 Applying Collaboration Engineering**

Collaboration Engineering is an approach to the design and implementation of collaborative processes that include collaborative work practices in recurring activities where teamwork is a relevant success factor [52].

A methodology for the design of collaborative processes is proposed by Kolfshoten and others [4] is depicted by Figure 4.2. This methodology proposes to evaluate the activities of a process, identifying what type of collaborative objective is searched, such as generating ideas, concluding proposals or classifying ideas, which allows to identify and employ in an activity as a pattern of collaboration or a thinkLet. A thinklet is a predictable pattern of interactions between people who work together to achieve an objective and therefore it is a known, proven and reusable solution for similar work situations in teams [55].

One key factor to consider in a collaborative process is related to the participants, each participant represents a role that will be described by a name and the objective function in the process. Each activity or task of the process must indicate which of the roles participate, the thinkLets providing guidelines for the interaction of the roles during the activities, and the rules describing actions and restrictions that should be considered. [56].




Figure 4.2: Overview of the Collaboration Engineering design [4]

## 4.6 Combining Method Engineering and Collaboration Engineering

To define the CoMeS-SPL method, elements of Method Engineering [3] [50] and Collaboration Engineering [4] were combined, giving rise to a collaborative method design approach, where the first stages are directed by method engineering, the second stage by collaborative engineering and the final stage combines the two approaches for final integration. The proposal for the construction of collaborative methods iterative follows the coming activities:

- Selection of SPL scoping approaches to be used as base methods
- Identification of the method components
- Selection of method components
- To complete the method components description as of the comparison of different base components
- Diagnosis of the method components by the relevance of collaborative factors
- Selection of thinkLets applicable to method components
- Assembling method components
- validate the proposed method

Figure 4.3 presents the proposal for the construction of collaborative methods, in which the activities to be carried out can be observed, and that the proposal follows an iterative and incremental life cycle. Each cycle of the spiral implies a progression that addresses the same sequence of steps but generates a new version of the collaborative method, each iteration includes a validation step carried out through

empirical studies, in addition to preparing the next cycle, which allows feedback between different activities and iterations [93].



Figure 4.3: Proposal for the construction of collaborative methods

## 4.7 Applying the proposal for the construction of collaborative methods

For the selection of base methods, the criteria that were considered according to the proposed goals were: The first objective was to cover the three types of scope identified by Schmid [8], the definition of the

product portfolio, the scope of the domain and the scope of the assets. The second objective was to consider the involved roles and the collaborative methods in their proposal; and the third objective was to look for the formalization of scoping elements.

For which the proposals have been selected:

- **A practical guide for PuLSE-Eco [27]**

The PuLSE-Eco approach proposed by Schmid [8] [43] has been the basis for the definition of the other approaches. According to the authors of the framework of the SEI, PuLSE-Eco is perhaps the most referenced approach for scoping a software product line [5]. The 92.8% of the approaches reviewed in this research references to the proposal of Schmid. This proposal identifies the three types of scoping. The practical guide of Jhon's Pulse Echo as the name implies to provide a manual that modularizes the approach by the types of scoping and identifies for each type the activities and the artefacts (inputs and outputs), it also presents in a general way the rationale of each kind of approach. However, this guide does not present the roles that participate, nor even templates that allow to know what information makes up each artefact, or how the transformation of an input artefact must be carried out to become an output artefact.

- **The unified approach for SPL Scoping [2]**

The authors of this approach compared and analyzed the three approaches which they considered as the main scoping proposals. they deduced the components of these approaches, then they compared them and finally used them to propose a unified approach, this goal of unified approach was that companies could use it easily. This work provides the components of the work that I consider as the most important and its proposal, identifying and unifying elements such as tasks and artefacts, which is an entry for our work to identify the method components.



- **A collaborative approach for product line scoping [13] [18]**

This work is the most similar to ours, combining scoping practices with collaborative engineering, however the information is limited, the available articles only have some of the tasks of the approach, but the proposed process could not be found published in its entirety, so that there is no guide easily followed by a company that wishes to use it, there are no templates of the proposed artefacts so that companies could not deduce what information they require.

- **RiPLE-SC [78]**

This proposal is a systematic and agile process, which combines the potentials of product lines and agile methods. IT is essential to provide guidance for the project team, specify direct tasks to be executed and guidelines to make possible the agility. According to the authors, it employs some of the agile principles that encourage collaboration such as face-to-face communication and consider people more important than tools, however, these principles are not instantiated in concrete ways that really allow collaboration, but If you describe the required roles and clearly indicate which ones participate in each task.

These base proposals were studied to identify the method components, then they were compared to recognize similarities and differences between the components of the different proposals, and to obtain the components with the highest level of completeness including: task (description of the objective), role (responsibilities or organizational units), specification document (artefacts), technique (detailed instructions for the development of a certain type of specification documents) and meta-models (concepts). The elements of methods re-

sulting from the decomposition and equivalence of the base proposals were called base method components.

To apply the collaboration engineering, the base method components were analyzed to identify in which the collaborative work is relevant, the latter group was called collaborative method components, according to the type of stakeholder interaction needed, a thinkLet was selected to use and write or rewrite the collaborative method component by applying the thinkLet selected in the description of the method component guidelines. These components were then assembled to conform the flow of the method, verifying the consistence between the input and output artefacts among connected tasks. One way of ensuring compatibility between method parts was to review the consistence based on the traceability among inputs and outputs from the different components.

## **4.8 Chapter Summary**

The construction of a method based on components of identified methods is a strategy form of method engineering. For CoMeS-SPL it was simple due to the fact that some of the basic approaches were modular, which means that it facilitated the identification of method components because they already raised the approach divided into parts, these parts could or do not consider components according to the description of elements such as input work products, output work products, roles, guides, concepts. In order to become a method as collaborative, applying thinkLets for re-defining the tasks was the key strategy. The relationship between method component and thinkLets was done one by one, this increased the number of sub-tasks that the CoMeS-SPL method finally described at a detailed level.

Selecting more than one approach as the base method increases

the work of identifying the method components, but it also helps to integrate different denominations for the same element, and to complement the description of a method component.

To assemble the method components, the workflow, traceability and consistence of the artefacts were considered, which led to an overlap between the scope of the product catalog and the scope of domains.

# Chapter 5

## A Collaborative Method for Scoping Software Product Lines

*"I have gathered a posy of other men's flowers,  
and nothing but the thread that binds them is my own"*  
Montaigne

### 5.1 Introduction

This chapter presents a Collaborative Method for Scoping of Software Product Lines (CoMeS-SPL). A method is an approach to perform a software development project or one part of this, the method consisted of guidelines and rules, structured in activities, with corresponding work products that are produced and participating roles [48]. This chapter includes a general description of the method CoMeS-SPL, its hierarchical structure and composition, including its tasks, artefacts and participant roles framed by workflows.

### 5.2 Overview CoMeS-SPL

CoMeS-SPL (**C**ollaborative **M**ethod for **S**caping - **S**oftware **P**roduct **L**ines) is a method for scoping software product lines which applies collaborative patterns in the tasks that must be performed with the pur-

pose of improving the contribution of the participating roles and gets a more useful and complete scope. This method is aimed to guide the actors involved in the execution of scoping by describing systematic steps for obtaining the scope artefacts. CoMeS - SPL seeks to obtain a more tangible, described and composed SPL scope from a defined and structured specification of artefacts. Additionally, these steps include guidelines to encourage and strengthen the collaboration among the different roles involved during its elaboration.

For the representation of the method we used the extended HAMSTERS notation (Human-centered Assessment and Modeling to Support Task Engineering for Resilient Systems), used for the modeling of collaborative processes proposed by Solano and others [94] [95]. This notation has been selected because it allows us to represent collaborative activities, graphically shows the relationships (concurrency, iteration, among others) among the tasks to achieve an objective, generates a hierarchical graphic representation of the goals and tasks of the method, and it also indicates the types of interaction among the participants, representing detailed information about the collaborative activities and the participants (roles) that perform these tasks.

### **5.3 Metamodel of the CoMeS-SPL method**

The CoMeS-SPL method is formed by units of work, roles, and work products, also applies a thinkLet by task and provides a template for each work product. It is depicted in the figure 5.1.

The tasks are units of work composed by steps or actions to be executed in order to delimit the scope, the tasks have been redesigned applying the thinkLets recommended from collaboration engineering in order to achieve collaboration between the participating roles. Roles are the set of related responsibilities and skills to perform a task. The role concept does not represent an individual person but responsibilities. Work products are the artefacts produced, modified, or read dur-




Figure 5.1: Metamodel of CoMeS-SPL

ing the tasks execution, the SPL scope is the set of artefacts resultant from carrying out CoMeS-SPL into practice. The tasks have been divided into sub-tasks in such way that each task is associated with a collaborative pattern and a thinkLet (a one-to-one relationship).

The parts of CoMeS-SPL are described in the following sections of this chapter, for those interested in this method the complete and detailed method components (concepts, templates, steps, guidelines, tasks, activities, roles, and artefacts) can be browsed through the website <https://comesspl.com> (check the appendix B).

## **5.4 Method hierarchy**

The figure 5.2 shows the hierarchical structure of CoMes-SPL, and presents the main goal of the method "To define the software product line scope", it is represented as the top node of a top-down tree of nodes. This goal has been divided into 6 sub-objectives, four of which correspond to the three scope types defined by Smith [43], for differentiating visually the goals of the tasks, the first ones are black colored. This sub-goals are decomposed into tasks.

## **5.5 Description of the tasks of method CoMeS-SPL**

A task is a Method Content Element that indicates a Work Definition, work being performed by Roles and that transforms input work products into output work products [88]. A Task is small-grained work unit: this task focuses on what must be done in order to achieve given purpose, this is generally associated by one or several artefacts [96].

For the description of a task the following elements were taken into account:




Figure 5.2: Method hierarchy

- Task
- Description
- Artefact (input and output)
- Steps
- Rules
- Collaborative pattern
- ThinkLet

We have used the Collaboration Engineering Approach for Designing Collaboration Processes to define a collaborative method for SPL scoping [4]. This approach recommends to use a Facilitation Process Model (FPM) to graphically represent the flow of the method process and other elements of collaborative activities. An MFP basically consists of representing a set of activities or tasks to achieve a goal [94].



CoMeS-SPL was modeled using the extension of the HAMSTERS notation [94]. HAMSTERS (Human-centered Assessment and Modeling to Support Task Engineering for Resilient Systems) is a notation for collaborative tasks, Solanos proposal extended this notation and it allows to represent in an MFP elements such as: relationships between tasks / activities, input / output of information, collaborative activities detailed, among others [95]. The figure 5.3 shows the representation of a task, using the extension of HAMSTERS notation.

The method elements are graphically represented using this notation, see the figure 5.4




Figure 5.3: Representation of an task in the MFP, using HAMSTERS elements




Figure 5.4: Association of elements to a method task

The extension of HAMSTERS notation represents detailed information about collaborative activities such as group decision making (consensus), data analysis, among others. The figure 5.5 presents the images that can be used to represent the steps that make up a collaborative task, these steps correspond to the steps defined in the thinkLet used in each task.

Symbol	Steps
	Cognitive Analysis
	Share information
	Collaborative cognitive activity (analysis or decision making)
	Input data to the system
	Collaborative input data to the system

Figure 5.5: Graphical representation of collaborative activities

The CoMeS-SPL method is composed by six (6) tasks and twelve (12) sub-tasks. The tasks and sub-tasks of the CoMes-SPL method are:

- Initial meeting
  - Assemble the profile of the line
  - Baptize the line
- Identify features
  - Explore existing products
  - Propose features
  - Analyze features
  - Concert features
- Identify Products
- Identify functional domains
- Classify features in functional domains
- Tabulate products and features
- Validation product map
- Set metrics
- Quantify product map and functional domains
- Final meeting

The table 5.1 presents the necessary tasks to achieve the objectives of scoping, and the patterns and thinkLets that have been associated with each one of them. As modeling and practice result, this table relates the hierarchical model of the CoMeS-SPL method presented in the figure 5.2 with the tasks, sub-tasks and the collaborative patterns

and associated thinkLet. The CoMeS-SPL method is composed by 6 tasks and 12 sub-tasks.

The full description of each task of CoMeS-SPL can be seen in the Appendix A of this document denominated Guide to the CoMeS-SPL. The description of the method can also be found on the website <https://comesspl.com> (check the appendix B).

Sub-Goal	Scope type	Task	Sub-task	Collaborative pattern	ThinkLets
To establish the SPL goals		Initial meeting	Assemble the profile of the line	Gamestorming	Empathy map
			Baptize the line	Gamestorming	Voting by points
To identify products and features	Product Portfolio Scoping	Identify features	Explore existing products	does not apply	does not apply
			Propose features	Generate	Free Brainstorm
			Analyze features	Convergence	Garlic Squeezer
			Concert features	Gamestorming	Voting by points
		Identify Products		Generate	OnePage
To determine functional domains	Domain Scoping	Identify functional domains		Organize	Theme Seeker
		Classify features in functional domains		Organize	Popcorn Sort
To specify the product map	Product Portfolio Scoping	Tabulate products and features		Evaluation	StrawPoll
		Validation product map		Evaluation	Bucket Walk
To define the assets for reuse	Asset Scoping	Set metrics		Convergence	DimSum
		Quantify product map and functional domains		Gamestorming	Voting by points
To communicate SPL scope		Final meeting		Gamestorming	Matrix who-what -when

Tabla 5.1: CoMeS-SPL tasks

## 5.6 Collaborative description of the tasks of the method CoMeS-SPL

This chapter presents two sub-tasks of one of the tasks of the method, with the objective of illustrating how the tasks of the method were described and modeled.




Figure 5.6: Selection of the task to be described

The selected task is **Identify features**, this task is composed by four sub-tasks:

Identify features

- Explore existing products
- Propose features

- Analyze features
- Concert features

### **5.6.1 Combining Method Engineering and Collaboration Engineering in the description of CoMeS-SPL method tasks**

The description of each sub-task is made with two elements, the first one model and the second one table.

The table addresses the different elements considered in method engineering such as the name of the task, the input work products and the output work product, the description of the task that corresponds to the rationale of the component and the guidelines that are the steps to be taken to obtain the target artefact. The collaborative pattern and the associated thinkLet, the mandatory and optional participating roles, have been included from the collaborative engineering. In addition, the guidelines include two aspects, the first is to indicate who does the action, aspect from the collaborative engineering that marks the interaction of the participants, and the indications to obtain the objective artefact, aspect from the engineering method that focused on the output artefacts.

The graphic representation of a task is a model. In this model, the task is represented by a rectangle (divided into 5 sections) used in the Facilitation Process Model (FPM) traditionally defined for HAMSTERS notation. Thus, the task/sub-task name will be accompanied by the identifier, thinkLet and collaboration pattern. Additionally, participants of the activity are indicated using an acronym with the first letters of the role name, also if there is the work product of inputs/outputs (The names of the artefacts have been included in each of these symbols used). And the extension of HAMSTERS notation is used to represent the collaborative way of the task, the guidelines which correspond to the steps should be done to obtain the objective artefact that are proposed, applying the thinkLet and collaborative pattern selected to achieve the effective participation of the roles involved in the task

The specification of the task **Identify features** is presented by its sub-tasks, the graphic representation of the first sub-task **Explore existing products** can be seen in the figure 5.7 and the description of the sub-task is made in the table 5.2.




Figure 5.7: Explore existing products

This model allows us to show first that in this sub-task a thinkLet is not applied, this means that it is not done collaboratively. This characteristic can be observed in the upper section of the rectangle of the sub-task and in the steps modeled in the right part of the figure, where all the symbols correspond to a single person.

The textual description of the sub-task performed in the table 5.2 confirms that the sub-task is not collaborative, and indicates in the identifier that it is an optional and not mandatory task.



<b>Sub-task</b>	<b><i>Explore existing products</i></b>
<b>Task</b>	Identify features
<b>id</b>	IF1 (optional)
<b>Description</b>	The objective of this task is to assign a name to the line among all the participants.
<b>Collaborative pattern</b>	does not apply
<b>ThinkLet</b>	does not apply
<b>Mandatory roles</b>	Expert Domain of application (ED) Business Administrator (BA) Software Architect (SA), SPL Project Leader (PL) Marketing expert (ME) Domain analyst (DA),
<b>Optional roles</b>	Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA)
<b>Input artefact</b>	Similar own products Documentation of similar products Similar products external
<b>Output artefacts</b>	Preliminary features List
<b>Steps</b>	1. The project leader distributes the same products among the participants. 2. Each participant will look for products similar to those identified as potential. 3. Each participant will explore the products assigned and those they have identified and also the available documentation 4. Each participant will write their own list of possible features

Tabla 5.2: Explore existing products

Propose features corresponds to the second sub-task of task. Identify features, figure 5.8 presents the model of this sub-task, unlike the first sub-task, this is collaborative, and it can be noted because in the upper section of the rectangle the associated thinkLet is indicated and in the lower left section the collaborative pattern is shown. The repre-

sentation of the steps in the right section of the model, indicates which steps are performed by the entire group of participants, and what are the contributions of each of the roles. The specification of this sub-task is completed with the textual description of the table 5.3

## Sub-task: Propose features




Figure 5.8: Propose features

Note: This sub-task can be done using Electronic Brainstorming, or worksheets online or manually.

<b>Sub-task</b>	<b><i>Propose features</i></b>
<b>Task</b>	Identify features
<b>id</b>	IF2
<b>Description</b>	The objective of this sub-task is to identify the features that are part of the line, using a brainstorm that allows participants to propose the greatest number of features, taking into account the profile of the identified line and similar products.
<b>Collaborative pattern</b>	Generate
<b>ThinkLet</b>	FreeBrainstorm
<b>Mandatory roles</b>	Expert Domain of application (ED) Software Architect (SA), SPL Project Leader (PL) Marketing expert (ME)
<b>Optional roles</b>	Business Administrator (BA) Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	Similar own products Documentation of similar products Similar products external Preliminary features List (optional) SPL Profile
<b>Output artefacts</b>	List features
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The project leader assigns each participant one of the pages in the tool (one page per participant).</li> <li>2. Each participant will write down all the possible features of the line in their page in the features column, one feature per row and indicate if it is a feature or sub-feature in the type column if it is a sub-feature it places it below the corresponding feature.</li> <li>3. After the time assigned to the feature entry step, each participant will rotate to the next page (participant 1 to participant 2, and so on until the last participant to participant 1).</li> </ol>

<b>Sub-Task</b>	<b><i>Propose features</i></b>
<b>Task</b>	Identify features
<b>Steps</b>	<p>4. Each participant will read the features proposed by the other participant and:</p> <p>4.1 If the participant wants to add some detail to any of the proposed features, he will write it in one of the cells of the columns called contributions.</p> <p>4.2. If the participant does not agree or has any concern with some feature, he writes it in the opposing cells.</p> <p>5. If the participant has new features, they will be entered in the features column after the last feature proposed.</p> <p>6. Each participant will read all the pages and make their contributions.</p>
<b>Rules</b>	<p>The participants will start from the profile of the line and similar products</p> <p>No participant can eliminate features proposed by others</p>

Tabla 5.3: Propose features

The fourth sub-task of the task Identify features is Concert features, the graphic representation corresponds to the figure 5.9, and the textual description to the table 5.4, in which it can be seen how the interactions are presented using the name of the role that performs them, in such a way that facilitates that each participant knows their responsibilities and knows in what steps they participate, with what knowledge and experience they contribute in the production of the objective artefact

## Sub-task: Concert features




Figure 5.9: Concert features

<b>Sub-task</b>	<b><i>Concert features</i></b>
<b>Task</b>	Identify features
<b>id</b>	IF4
<b>Description</b>	The task objective is to make a quick evaluation of the proposed features considering important criteria for the company, and obtain a concerted features list.
<b>Collaborative pattern</b>	Gamestorming
<b>ThinkLet</b>	Voting by points
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA), Marketing expert (ME), Business Administrator (BA)
<b>Optional roles</b>	Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	Revised features lists
<b>Output artefacts</b>	Concerted features list
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The proposed feature lists are unified in a unique list of features. Identifiers are assigned to each feature and its sub-features.</li> <li>2. If there are already developed features, the project leader will indicate them in the unified features list.</li> <li>3. The Expert domain of application, Marketing expert, Software architect, project leader and Business administrator propose evaluation criteria for the features; each one proposes a criterion according to their role and the line of products and exposes them to the group verbally; the other members will give their opinion so that all of them accept the criteria.</li> </ol> <p>Each criterion is placed by heading one of the following columns to the features column. For example, the criterion of the marketing expert will evaluate how saleable and necessary is the feature in the target market, the software architect evaluates if the feature is developable according to the expertise of the development group and the technology available by the company.</p>

<b>Sub-Task</b>	<b><i>Concert features</i></b>
<b>Task</b>	Identify features
<b>Steps</b>	<p>4. Each role will evaluate the criterion that corresponds to it, using a scale of values, 1 disagree, 3 must be analyzed, and 5 is positive and feasible. (voting method)</p> <p>5. The evaluation of the features is done among all participants considering:</p> <ul style="list-style-type: none"> <li>- If all evaluations of a feature match: All criteria evaluated in 5, the feature is included All the criteria evaluated in 1, the feature is deleted.</li> <li>-If the evaluation determines that the feature is not necessary for the customer or is not saleable, the feature is deleted.</li> <li>-Other conditions are discussed among the participants verbally. to define which features are included.</li> </ul> <p>The list of characteristics will be cleaned so that only those that have been selected in the evaluation remain</p>
<b>Rules</b>	The participants determine the number and criteria, but it can not be more than one criterion per participant

Tabla 5.4: Concert features

## 5.7 CoMeS-SPL workflow

The flow of the method is graphically represented using a Facilitation Process Model (FPM) [4] combining with the extended HAMSTERS notation [94] used in this document. A FPM focuses attention on the logic of the flow of the method from task to task.

The different tasks/sub-tasks that make up the method are evidenced in the workflow represented in figure 5.10. Using HAMSTERS elements (see Figure 3) it is possible to identify different types of relationships between activities and if there are workproduct of inputs/output. And it uses temporary operators to indicate the relationships among the tasks, in the figure the operator is  $\gg$ , This operator indicates that the tasks are performed sequentially.



Figure 5.10: CoMeS-SPL workflow



The CoMeS-SPL workflow is represented in the figure 5.10. Each task is represented as a five-field rectangle. The top left field is the task identifier. The top right field is the name of the associated thinkLet. The field on the left is the primary pattern of collaboration to be used in the task. The largest field contains the task name. Finally, the lower right triangle contains the acronyms of the mandatory participants.

As indicated earlier in this same chapter, the full description of CoMeS-SPL method can be seen in Appendix A of this document denominated Guide to the CoMeS-SPL, and also the description of the method is available on the website <https://comesspl.com> (check the appendix B).

## 5.8 CoMeS-SPL Artefacts

One of the aspects with low standardization for Scoping SPL is the artefacts that describe the scope. Scoping SPL results are quite diverse, with different names and representations [11]. Some of the artefacts are defined differently although the objective is the same [2]. The low standardization of the artefacts that make up the scope of an SPL was one of the reasons for using method engineering, using method components focused on the artefacts. also the templates proposed for the different artefacts were identified and compared. The table ?? shows the templates proposed by the base approaches used to propose CoMeS-SPL.

For the construction of the CoMeS-SPL artefacts, the artefacts were identified and compared in the base approaches, identifying: the necessary steps to perform the required transformations, the facility for creating/modifying the artefacts, evaluating the consistence among inputs and outputs, the level of collaboration required and the utility.

The tasks of CoMeS-SPL express how the transformation of one or more artefacts (inputs) is done in a defined artefact (outcome).The method steps indicate how the participants build or change the out-

put artefacts. By CoMeS-SPL method formulation, the traceability and consistence between input and output artefacts was reviewed. The figures 5.11 and 5.12 present the relationship between the required input artefacts and the product map artefact in the CoMeS-SPL method.

Artefact Name	Template	Approach																																																											
Matrix of features and products	<table><tr><th>Subdomain</th><th>No.</th><th>Feature</th><th>Automotive</th><th>LIMS</th><th>PRISMA</th><th>Professional</th><th>Web module</th><th>Future products</th></tr><tr><td rowspan="3">Logistics chain</td><td>76</td><td>Real-time process control</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td><td></td></tr><tr><td>77</td><td>Order management</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td><td></td></tr><tr><td>78</td><td>Order generation</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td><td></td></tr><tr><td rowspan="3">Manufacturing</td><td>79</td><td>Supply chain logistics</td><td></td><td>X</td><td></td><td>X</td><td>X</td><td></td></tr><tr><td>80</td><td>Customer service processes</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>81</td><td>Integral quality management</td><td>X</td><td>X</td><td>X</td><td>X</td><td></td><td></td></tr></table>	Subdomain	No.	Feature	Automotive	LIMS	PRISMA	Professional	Web module	Future products	Logistics chain	76	Real-time process control	X	X	X	X			77	Order management	X	X	X	X			78	Order generation	X	X	X	X			Manufacturing	79	Supply chain logistics		X		X	X		80	Customer service processes							81	Integral quality management	X	X	X	X			Practical Guide to Product Line Scoping [27]
Subdomain	No.	Feature	Automotive	LIMS	PRISMA	Professional	Web module	Future products																																																					
Logistics chain	76	Real-time process control	X	X	X	X																																																							
	77	Order management	X	X	X	X																																																							
	78	Order generation	X	X	X	X																																																							
Manufacturing	79	Supply chain logistics		X		X	X																																																						
	80	Customer service processes																																																											
	81	Integral quality management	X	X	X	X																																																							
Product portfolio	<table><tr><th>Products features</th><th>Keypad-based door lock</th><th>Fingerprint-based door lock</th><th>Iris-based door lock</th></tr><tr><td>Keypad</td><td>✓</td><td>✓</td><td>✓</td></tr><tr><td>Fingerprint_scanner</td><td>—</td><td>✓</td><td>—</td></tr><tr><td>Iris_scanner</td><td>—</td><td>—</td><td>✓</td></tr><tr><td>Authentication</td><td>✓</td><td>✓</td><td>✓</td></tr><tr><td>Open/Close Sensor</td><td>✓</td><td>✓</td><td>✓</td></tr></table> <p>Note: ✓: required feature</p>	Products features	Keypad-based door lock	Fingerprint-based door lock	Iris-based door lock	Keypad	✓	✓	✓	Fingerprint_scanner	—	✓	—	Iris_scanner	—	—	✓	Authentication	✓	✓	✓	Open/Close Sensor	✓	✓	✓	Unified approach to SPL Scoping [2]																																			
Products features	Keypad-based door lock	Fingerprint-based door lock	Iris-based door lock																																																										
Keypad	✓	✓	✓																																																										
Fingerprint_scanner	—	✓	—																																																										
Iris_scanner	—	—	✓																																																										
Authentication	✓	✓	✓																																																										
Open/Close Sensor	✓	✓	✓																																																										
Product map	No template found for this artefact	Collaborative Approach to Scoping [13]																																																											
Product map	<table><tr><th rowspan="2">Features</th><th rowspan="2">Sub-Features</th><th rowspan="2">Sub-Sub-Features</th><th colspan="4">Product</th><th rowspan="2">Scope</th></tr><tr><th>P1</th><th>P2</th><th>P3</th><th>P4</th></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Features	Sub-Features	Sub-Sub-Features	Product				Scope	P1	P2	P3	P4																																	RiPLE-SC [90]															
Features	Sub-Features				Sub-Sub-Features	Product				Scope																																																			
		P1	P2	P3		P4																																																							
Product map	<table><tr><th>Feature</th><th>Sub-features</th><th>Product 1</th><th>Product 2</th><th>Product n</th><th>Type</th><th>Priority</th><th>priority value</th></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Feature	Sub-features	Product 1	Product 2	Product n	Type	Priority	priority value																																	CoMeS-SPL																			
Feature	Sub-features	Product 1	Product 2	Product n	Type	Priority	priority value																																																						

Tabla 5.5: Method base artefact templates




Figure 5.11: Relationship between artefacts




Figure 5.12: Relationship between artefacts 2

This research proposes a method that, from using method engineering and method components, presents in the description of the tasks/sub-tasks the necessary steps to obtain each one of the artefacts that make up the scope, these steps or directors are described in the specification of each task, the steps also describe how the different

roles contribute collaboratively to obtain each of the artefacts. Figure 5.13 presents the template adapted and included in the CoMeS-SPL method for the product map and the relationship with the steps included in the textual description of the task table Specify product map.

The templates for artefacts of the CoMeS-SPL method can be found in Appendix A of this document. It has been located in the specification of the task that produces the template artefact, and also the description of the method is available on the website <https://comesspl.com> (check the appendix B).

## **5.9 Participating roles in CoMeS-SPL**

A role defines the behavior, skills, competences and responsibilities of a person or several people who are part of a group that works on the whole to achieve a common goal. Individual members of the development organization can perform different roles and for a role to be played by several individuals [88]. Working in a collaborative way involves joining the efforts of a group of people to achieve a common goal, so it is important that the roles are well defined so that each participant knows what their roles are and how they contribute to the project. The CoMeS-SPL method tasks are collaborative performed by the stakeholders during the planning of a specific SPL. The required responsibilities and skills are represented by the roles. A role defines the behavior and responsibilities of an individual or a group of individuals working in the execution of a task to achieve a goal. The behavior is expressed in terms of functions in which each role performs and the knowledge that is required to develop these functions [97].

### **5.9.1 Mandatory roles**

#### **Expert domain of application**

Task 5	<b>Specify product map</b>
Input	Features List line products list
Description	The characteristics are assigned to the products. With this matrix, common and variable characteristics can be identified, and a first estimate of the variations among the products can be obtained
ThinkLet	StrawPoll
Output	Product map
Steps	<ol style="list-style-type: none"> <li>1. The scoping expert locate the products in the columns and the features in the rows of product map.</li> <li>2. The participants indicate that features are required for each product, In the box that intercepts the row of the feature with the product the right value must be placed:  <b>O</b>: if the feature is required in an indispensable way  <b>D</b>: If the feature is not indispensable but it is desirable  <b>F</b>: if the feature does not correspond the product</li> <li>3. The scoping expert will increase a column called feature type:  if the feature has <b>O</b> for all products it is a mandatory feature  If the feature has <b>O</b> for some products and <b>D</b> for other it is variable  if a feature has <b>D</b> for all products it is variable  if a feature has <b>F</b> for all products it means that it is outside of the scope</li> </ol>
Rules	<ul style="list-style-type: none"> <li>• If there is any discrepancy as to whether a feature is mandatory or not, the members will state their reasons, if even there is no agreement the feature will be classified as mandatory.</li> <li>• Priority and priority value columns are not filled during this task, but in Task 8 Quantify product map.</li> </ul>




Figure 5.13: Relationship between steps of the task with the artefact template

This participant is usually an external advisor, that belongs to the companies or organizations of the target domain. This role provides knowledge about the target domain, context, customers, related products and associated regulations that belong to the companies or organizations of the target domain.

- Knowledge:

This role knows the potential market domain, and the products related to it, also potential customers and the final users

- Responsibilities:

Propose features from its domain knowledge Evaluate that features that belong to the target products Solve discrepancies about features and types of the features Collaborate in the evaluation of assets to be developed in a reusable way

### **Business administrator**

This role belongs to the administrative unit of the software producing company (a manager or administrator)

- Knowledge:

This person provides a strategic vision, an enterprise approach to the project that considers knowledge about company projection, organization, budget, time and resources.

- Responsibilities:

Communicate the company objectives Inform the management concerns of the project Evaluate the viability of the line considering the goals of the company and the resources projected for the project of the product line.

### **Marketing expert**

This role represents the business concerns of the company against the production of a SPL. This person belongs to the unit or unit of marketing and sales of the production company.

- **Knowledge:**

This person represents the business concerns of the company and business strengths. This person also knows about the competitors and their products. This role has access to sales data, estimations of sales and customers, knows the potential market to which the product line is addressed

- **Responsibilities:**

Propose features according to market target and the products offered by other software companies. Identify features that make the products differ from the products of the competition. Help in the identification of the domains and products more relevant for a determined market segment. Evaluate the features that belong to the market target and that are commercially attractive.

### **Software architect**

A software architect is a responsible role for the high-level design and strategic planning of a software. It is usually the person with the most experience in the development team and with good communications skills.

- **Knowledge:**

The architect has knowledge about the software structure and the challenges that involve the development in a reusable way, the variability required to generate different products. Also, he knows the implications and techniques required for the design and development based on the reuse of assets

- **Responsibilities:**

The architects are responsible to determine which features will constitute the assets that will be reusable developed. This person evaluates the technical feasibility of the proposed features.

### **SPL project leader**

The SPL leader is the person who manages and controls the resources assigned to the SPL project, with the purpose that the plans are correctly fulfilled in the estimated time. This person provides strategic vision, a business approach that considers aspects like cost, time and resources of the project.

- **Knowledge:**

The leader must know about: Clear vision and mission of the project Objectives and organization of the company Available resources, the investment budget. Project management

- **Responsibilities:**

This role is in charge of organizing meetings and workshops during the scope activity. The leader coordinates the efforts, spaces and necessary resources for this activity.

### **5.9.2 Optional roles**

**Potential Customers representative** This role represents the possible clients of the products to be developed and that belongs to the SPL. The objective of the client's participation is to identify real needs.

**Sales staff** This role knows and collects all possible information about the sales of the company's products, competitors and aspects of the customer's purchasing processes.

### **Domain analyst**

This role interacts with potential users and experts in domains to establish the line scope, gives an overview of the target domain and determines the common and variable characteristics of the products of the line and the restrictions. This role is a link between the scope



definition activity and the following SPL development activities. The analyst must be a sociable person, who expresses ideas clearly in a common language with potential clients and experts in the domain, and helps to understand between non-technical and technical roles.

**Technical expert** He/she knows different tools, techniques, environments and programming languages. He/she provides technical knowledge of the products and helps the team evaluate different technical options.

**SPL expert** This role is necessary if the leader of SPL has no experience in the development of SPL, he provides knowledge in the planning and development of a SPL initiative.

**Teamwork advisor** He/she knows collaboration techniques and practices, which will help in the execution and management of the workflow, in the solution of impediments and in the interaction between the participants, he/she supports and encourages communication and collaboration among the participants.

## 5.10 method summary

The table 5.6 presents the summary of the CoMeS-SPL method, associating, tasks, input and output artefacts, and the mandatory roles involved in the task.

<b>Task</b>	<b>Sub-task</b>	<b>Input artefact</b>	<b>Output artefacts</b>	<b>Mandatory roles</b>
Initial meeting	Assemble the profile of the line	<ul style="list-style-type: none"> <li>– Business objectives</li> <li>– Market study</li> </ul>	<ul style="list-style-type: none"> <li>– SPL Profile</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Business Administrator</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>
	Baptize the line	<ul style="list-style-type: none"> <li>– SPL Profile</li> </ul>	<ul style="list-style-type: none"> <li>– SPL Profile</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Business Administrator</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>
Identify features	Explore existing products	<ul style="list-style-type: none"> <li>– Similar products (own or alien)</li> <li>– Documentation of similar products</li> </ul>	<ul style="list-style-type: none"> <li>– Preliminary Features List</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Business Administrator</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>
	Propose features	<ul style="list-style-type: none"> <li>– Preliminary features list</li> <li>– SPL Profile</li> </ul>	<ul style="list-style-type: none"> <li>– List features</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>
	Analyze features	<ul style="list-style-type: none"> <li>– List features</li> </ul>	<ul style="list-style-type: none"> <li>– Revised features lists</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>
	Concert features	<ul style="list-style-type: none"> <li>– Revised features lists</li> </ul>	<ul style="list-style-type: none"> <li>– Concerted features list</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Business Administrator</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>
Identify Products		<ul style="list-style-type: none"> <li>– Concerted features list</li> <li>– SPL Profile</li> </ul>	<ul style="list-style-type: none"> <li>– Products list</li> </ul>	<ul style="list-style-type: none"> <li>– Expert Domain</li> <li>– Software Architect</li> <li>– SPL Project Leader</li> <li>– Marketing expert</li> </ul>

<b>Task</b>	<b>Sub-task</b>	<b>Input artefact</b>	<b>Output artefacts</b>	<b>Mandatory roles</b>
Identify functional domains		– Concerted features list	–Functional domain list	– Expert Domain – Software Architect – SPL Project Leader
Classify features in functional domains		–Concerted features list – Functional domain list	–List of categorized features	– Expert Domain – Software Architect – SPL Project Leader
Tabulate products and features		– Concerted features list – Products list	– Product map	– Expert Domain – Software Architect – SPL Project Leader – Marketing expert
Validation product map		– Product map	– Validated Product map	– Expert Domain – Software Architect – SPL Project Leader – Marketing expert
Set metrics		– SPL Profile	– Metric list	– Expert Domain – Software Architect – SPL Project Leader – Marketing expert – Business Administrator
Quantify product map and functional domains		– Metric list – Validated Product map	– Quantified product map – Quantified functional domains list	– Expert Domain – Software Architect – SPL Project Leader – Marketing expert – Business Administrator
Final meeting		– SPL Profile – Quantified product map	– Perspective of the line	– Expert Domain – Software Architect – SPL Project Leader – Marketing expert – Business Administrator

Tabla 5.6: Summary tasks of CoMeS-SPL

## 5.11 Chapter Summary

SPL Scoping is a challenging and critical activity that can mark the success or cause of an SPL failure. One of the complex aspects of SPL scoping is that it must be carried out by a group of actors with different points of view and varied concerns. The combination of method engineering and collaborative engineering for defining a method for SPL Scoping provides benefits organizations that want to plan an SPL. The collaboration engineering provides patterns that guide the interactions among the participating actors in such a way that their efforts, knowledge and expertise are combined to achieve the objectives set forth in the SPL Scoping. Additionally, the engineering method allows the definition of a systematic method to detail the tasks, roles, specification documents and techniques to be used, with the level of detail that allows to instantiate concrete steps in practice.

We consider that the differences and advantages of CoMeS-SPL is in its orientation towards a collaborative approach that defines and describes the roles, their knowledge and responsibilities in specific steps that are combined with the contributions of the other roles for the development of specified artefacts and obtain the Scope of the SPL.

The applicability of the collaboration engineering in SPL Scoping has already been validated by other researchers in previous works, however, the availability of this proposal is limited, which makes the replication of these proposals difficult, and limits the flexibility of adapting the method to the particularities of the company. CoMeS-SPL has been published on a website, its design has been oriented to compa-

nies, and in facilitating its application and adaptability.

# Chapter 6

## Evaluation of the CoMeS-SPL Method

*“It’s time to get your hands dirty.  
to soil the practical issues of creating and its consequences”  
Will Gompertz*

### 6.1 Introduction

When proposing a method for SPL scoping, it is necessary to evaluate the proposal to design collaborative methods combining method engineering and collaborative engineering. The evaluation from the perspective of method engineering must consider the description of its elements, their completeness, and traceability; and from the perspective of the collaboration engineering must examine the participation of the roles. To propose the CoMeS-SPL method implied to consider different aspects, the design proposal considered iterations that would allow to increase the specification of the method, and to carry out several evaluations that would consider direct aspects and contexts. The empirical experiences allowed to contrast the theoretical elements obtained from the review of the literature and the conformation of the method base composed of method components with the practical elements obtained from the observation and the found results in the empirical studies and the case study.

Figure 6.1 summarizes the main elements of the four empirical experiences that were carried out during the development of this re-




Figure 6.1: Empirical Experiences

search project, which will be explained in the sections of this chapter.

## 6.2 Exploratory study: A line of training micro-games

This section reports an exploratory study aiming to identify which SPL scoping tasks require collaborative practices for improving communication and interaction among participants. Also, in this section is described the effects identified by including collaborative patterns and thinkLets in some of the scoping tasks.

This study was conducted in a mixed context, where a group of students developed a line of training micro-games for a company. The scope of the line was determined in a group of meetings and workshops in which students and employees of the company participated.

### 6.2.1 Exploratory study design

#### Research question

- RQ1: What problems related to the interaction and collaboration of the stakeholders can be observed when groups of developers define a scope for a Software Product Line?
- RQ2: What are the tasks of the scope in which the participation and interaction of the participants have greater incidence?
- RQ3: How can a process, such as the Small-SPL, be improved by using the identified thinkLets?

### **Objective**

The study aims to give us empirical and exploratory knowledge about scoping task, regarding contributions, communication, and interactions of the participants in this task. We were interested in exploring the problems related to the diversity of roles required in this activity and the effects of including collaborative patterns and thinkLets may have in favor of improving the participation and the result obtained in the scoping

**Case Selection Strategy:** Availability

**Type of Case according to its objective:** Exploratory

**Type Analysis according to the Analysis Units:** Holistic

**Unit of Analysis:** Project of Development of a line of micro-games

### **6.2.2 Exploratory study context**

The study was done in a mixed environment. The development group belonging to an university environment and customers corresponding to a business environment. The development group was made up of 25 students of an elective course of the third year of the Informatics Engineering at Institución Universitaria Colegio Mayor del Cauca



(Popayán - Colombia). On the other hand, the stakeholders or product customers belong to four organization units of METREX S.A. company<sup>1</sup>. METREX is a Colombian company leader in the manufacture and marketing of high precision equipment for the measurement of flows and fluids for public services such as water, energy and gas. METREX is located in the industrial park in the city of Popayán.

### 6.2.3 Small-SPL process

The process that was followed for the development of the micro-games line was a Small-SPL. Small-SPL is a process for SPL engineering for small development companies based on the SEI's framework [98]. The life cycle of Small SPL includes three subprocesses: Domain Engineering and Product Engineering, geared by a third subprocess called Asset Management based on Requirements. The domain engineering responsible for the production of the assets, the domain engineering of the construction of products, and the Asset Management based on requirements allows to communicate the two fundamental processes in the construction of a line of processes, facilitating the identification, development, documentation, storage, search and use of the assets that will be used in the development of the products of the SPL. See Figure 6.2 [98]. It starts with *Line Scoping*, an activity that defines the products that comprise a software product line, specify the features and requirements for each product and sketch the reusable assets that must be developed.

Figure 6.3 describes the scoping tasks. It starts studying the domain of applications for the product line and identifying the needs of the stakeholders. Then, the process continues exploring existing solutions in the same domain, listing possible products for the product line and identifying the features for each product. Once, the involved stakeholders have achieved agreements regarding products and features, the process continues establishing common and variable features and

---

<sup>1</sup><https://www.metrex.com.co>





Figure 6.2: Small SPL process



### Legend




Figure 6.3: the task Scoping in the process Small SPL

Indicators	Metrics	Methods for data collection	Instruments
Effectiveness (Quantitative)	Products that belong to line scope but that were considered out of it (False Positives)	indirect	Project Repository
	Products outside the scope that were considered within it (False Positives)	indirect	Project Repository
	misclassified features	indirect	Project Repository
Problematics (Qualitative)	Problems identified in the execution of scoping	direct	survey
		direct	Observation protocol
Opportunities (Qualitative)	Opportunities identified in the scoping due to the limitations of the applied techniques	direct	Observation protocol

diagramming a feature model for the software product line.

Note that, the scoping in Small-SPL does not define their tasks collaboratively, it's not used collaborative patterns, either thinkLet. The goal of Small-SPL is to be an SPL development process focused on small software producing entities

#### 6.2.4 Execution of exploratory Study

The students were distributed among the organization units as follows indicate in the table

The Meetings between the students (development groups by unit) with the heads of the organizational units were initially scheduled every 3 weeks at the company's facilities. The participants of the company in this exploratory study were the head of each unit and some employees from each unit. The participation of other employees was a decision

<b>Organization units of METREX S.A</b>	<b>Students number</b>	<b>Products number</b>
Production unit	9	4
Laboratory	6	3
Warehouse	6	2
Human talent unit	4	2
<i>Total</i>	<i>25</i>	<i>11</i>

Tabla 6.1: Distribution of students and products by organizational unit

of each unit head. The students knew the processes and procedures of each unit during the first meeting, in which they also toured the facilities. The unit heads determined the operators who participated in this training; for example in the production unit, some of the operators explained their functions when the students went through their job positions.

### **Line of training micro-games**

Students developed a product line of micro-games for training employees of the company. The products line were questions and answer games related to the topics of four organization unit of the company. These organization units were production unit, laboratory, warehouse, and human talent unit. The SPL of training games shared the design basis on questions of the unit's procedures and the possible answers, but also each unit had its own requests, this made the games different. The production unit emphasized in their process for which the boss requested to include videos or animations previous to the game as a training. While the warehouse objective was the recognition of the pieces of the meters, whereby the games of this unit required the use of the images or photos of these pieces. The total project was divided into: 64 hours of work in classes and 80 hours of autonomous work, for a total of 144 hours.

For scoping the exercise, it was divided as follows:

### **Training of development groups:**

6 hours in product lines  
5 hours in serious games (theory)  
3 hours on the company and the corresponding dependence.

### **Realization of scoping**

Training in scoping practices (4 hours)  
3-hour joint working session of the development groups  
2-hour session each sub-group  
Meeting with the client 3 hours  
3 hour scoping refinement section

### **Training**

The students from development groups did not have previous experience in the development of serious games nor in SPL development, therefore training in SPL, serious games and the unity platform were carried out. A training on the video game engine Unity and on video game development was oriented by two experts in game development. This training on game development was carried out gradually and in parallel to the progress of the project with a duration of 32 hours.

### **Scoping**

After the initial training, the development group started to define the scope following the scoping activity of the Small-SPL process. For this task, developers meet with staff members of the company for two hours each 15 days. As mentioned before, four organization units participated in these meetings. The first meeting was held among the group of students and flow meter company people. In this meeting, the staff manager was in charge of communicating general aspects of the company, its organizational structure and some remarks about its operation. She explained the objective of the project from the company viewpoint, described the participating departments and the prod-

ucts per department and presented the heads of each department who would be the ones who would interact with the development groups. A second meeting was held between department heads and development teams, where the particularities of the operative processes of each department and the training needs of its operators were explained. This meeting lasted two hours.

The students held a workshop with the objective to propose possible products and their features, as well as the groups identified the common features and the variability between the products; The proposals were presented and validated in a fourth section with the representatives of the departments. Although, we initially had planned only four meetings, other two scoping meetings were necessary because (1) there were differences between the product proposed by the developers and the expected by the company and (1) changes on the staff members that participated in the meetings.

Finally, a scope refining session was carried out in which the students participated cooperatively to be able to agree on the characteristics and the type of products that make up the line.

### **6.2.5 Data collection in the study**

During the four months the project lasted, a constant follow-up process was done inside the development group, the professor accompanied them in all the meetings with the boss of the units, and meetings were held every two weeks with the whole group and with each subgroup. The recollection of information was made during all the meetings by means of interviews and recordings, also through the artefacts produced such as models and prototypes. The professor was also in constant contact with the staff manager of the company to monitor the vision of the project and company interest.

Scoping was performed in four steps. First, there was a general meeting in which the boss of the units participated, in which the staff manager explained what the objective of the project was, the process

of training the employees and that it was intended to include serious games as well as to verify if they were looking forward to applying it, then the group was divided according to the needs of each unit, and these subgroups met with each boss to understand the processes and specific procedures, such as the expectations of each unit boss. Second, the developers proposed the training products and features for each organization unit. They presented and discussed these proposals at a meeting with the coordinator of the corresponding office. Third, a task for refining the scope was carried out with the cooperatively participation of all the students. Finally, product proposals were presented to the heads of department and a vote was taken on the features of the products.

One of the problems that was presented in the scoping was the head of the unit appointed one or two employees to replace him in some of the meetings when he could not attend because of other more priority work commitments.

## **6.2.6 Results and Discussion**

The products of the SPL of serious games for training were identified in the scoping activity, in two types of workshops, some were carried out with the participation of the entire development group and unit heads, others only with the development group and the specification of features was initially performed in the subgroups with and without the participation of the head of the unit, finally, refinement meetings were held. The results are presented in the table 6.2.



Products determined by scoping			
Products omitted	2		
Products belonging to line	10		
False products (out of line)	2		
Characteristics of the line			
Mandatory	7	should be	12
Optional	10	should be	6
Xor (only selects 1)	3	of	3
Or (one or several)	4	of	6

Tabla 6.2: Results of scoping exploratory study

Some observations from this study were:

- The lack of experience in the development of serious games was notorious in the exercise of establishing the products of the SPL and its features. In addition, the difference in perspective of the products of the different organizational units was notorious, some of which were expected for training video games and other employee evaluation information systems. The groups that made the practice of reviewing existing products, searched online for available training games. This made it easier for these groups to identify features of the products to be developed.
- One of the departments of the company made very specific requests that became limiting of the possible products to be proposed in the SPL, it facilitated to delimit which features belonged to the line.
- The development of assets to reuse was difficult, the times of production of the groups did not match, because of that, some groups developed their own assets.
- Two of the products differed between their initial approach and the final product, the features of these products did not really belong to the SPL, these games went from the question-answer scheme, to using puzzles of photographs but failing in the strategies and

techniques of serious games for training. Therefore, these games did not meet the training objectives set by the head of unit.

- The model of characteristics and matrix attributes/products were made in a collaborative way, with the participation of the entire development group, this achievement unified the terminology used, and prioritized on the characteristics of the products
- Together with the product line practices, serious game design tasks were carried out, this made that the development groups not forget about features that the products had to include because they were serious products, one of the added artefacts was a format for the design of the learning objectives that each game would have. This format managed an unified language and ideas between the developers and the heads of unit, while helping to delimit the possible products.
- The development group considered technical aspects of the project that limited the scope of the SPL as a platform and language of development, computer equipment of the client, and access to information.
- The lack of experience of the development groups influenced the estimation of development effort, some groups projected very ambitious products while others limited them a lot, and it did not have foundations that allowed them to establish the needed time for its production.

### **6.2.7 Conclusions of the experimental study**

- In order to propose the scoping activity in a collaborative way, first, we should identify the tasks that need to be collaboratively performed, the tasks where the interaction of the knowledge related to the context, the objective market, and technical aspects

that are decisive for the decision making. These are tasks where achieving the collaboration of the different roles is vital.

- This experience evidenced problems of communication between the same clients and lack of availability, which became more critical when having to communicate with the development group, and the absence of experts and advisor was also noticeable.

**Note:** In the appendix C, you find details, photos and the material used and resultant by of the study.

## **6.3 A comparative study**

This section describes an exploratory study with the aim of comparing the defined scope following two scoping methods: one including collaborative aspects whereas the other does not.

### **6.3.1 Study Design**

#### **Research question**

What are the effects that the addition of collaborative practices has on an approach that guides the SPL scoping activity?

#### **Objective**

The goal of this study was to obtain empirical and exploratory knowledge about the scope definition activity, regarding the team members, their participation, and interaction. This study seeks to compare the results obtained by two scoping methods, in one case following the selected method and in the other by introducing collaborative patterns and thinkLets in the selected method. The scope obtained was compared with respect to the correctness and usefulness of the obtained artefacts.

## Study context

This case was planned and performed in the context of “Summer of Scientific Research from the Mexican Academy of Sciences” 2017. The experience was carried out with 12 students of computing engineering from sixth to eighth semester, belonging to different Mexican universities. The students worked for 7 weeks, 25 hours a week. During that time, the students designed several serious video games for children with dyslexia as an SPL and developed the first product of the SPL.

### 6.3.2 Study measurements

The **Effectiveness Measurement** indicates the degree to which an SPL meets its overall goals. One of the measures proposed for measuring this effectiveness is the **Market Feature Coverage (MFC)**. This measure captures the degree to which the features of the line cover to the features those related with the target market [99]. A key toward assessing the Market feature coverage is the identification of features that are relevant to the market. For this study, the evaluation of the features that belong to the target market was made by a professional in the treatment of dyslexia.

The adaptation of this measure for this study is:

**Market feature coverage of the scoping:** this measure captures the extent to which the features identified in the scope (product catalog) cover the features related to the target market.

**Market feature coverage of the first product of line:** this measure captures the extent to which the features currently available in the first product of the line belong to features related to the target market.

### **6.3.3 Scoping approach for this study**

There are different approaches to scoping that were addressed in the section 3.1 of this document, for this study, the practical guide to PuLSE-Eco proposed by John et At [27] was followed. This approach has been the basis for more recent studies. For this comparative study, an adaptation of the practical guide was made in which collaborative patterns and thinkelts were incorporated according to the table 6.3.

### **6.3.4 Study execution**

Initially, the students received training on SPL and serious video games by 8 hours, each group was trained in the method specific to follow in the project. For the development of products lines, students used the Small-SPL process [98], an adaptation of the SPL framework of the SEI [5] for small entities. During this experience, the group was divided into two teams of 6 members each. Specifically for the scoping activity, The first group, called NCTeam (Non-collaborative Team) followed the practical guide to PuLSE-Eco proposed by John et At [27] without considering any collaborative practices. The second team called CTeam (Collaborative Team) followed the same guide combining some collaboration patterns [57] [4]. In both cases, some design aspects of serious educational video games were included [100]. The scoping in this study was focused on the product catalog and the domain delimitation.

The roles were assigned taking into account the abilities and knowledge of the students, each member played a role: a domain expert (dyslexia assessor), a marketing person, a user representation, a developer, a technical expert and a project leader. Previously, participants were informed about their responsibilities according to the role played. Each student had time (initially ten hours) to prepare their role before each work section.

Both groups had the same conditions, each team had the participa-

<b>Task</b>	<b>Collaborative Pattern</b>	<b>Thinklet</b>	<b>Purpose</b>
Identify features	Diverge	OnePage	The participants exchange possible features of products
Identify domains	Organize	ThemeSeeker	The participants select the target subdomains
Identify products line goals	Converge	FastFocus	The participants agree on the objectives of the line
Select characteristics	Converge	Broomwagon	The participants select the features of the subdomain
Identify products	Organize	ThemeSeeker	The participants exchange ideas on possible products
Specify product feature Matrix	Organize	PopcornSort	To classify the features of each product
Assess features	Evaluate	Bucketwall	To approve the features of the products.
Identify assets	Diverge	Leafthopper	To propose the components that will be developed.
Relate components	Evaluate	Bucketwall	To link the components with the features of the products

Tabla 6.3: Scoping Task with Collaborative Patterns

tion of two students with some experience in video game development (acquired in previous academic projects) that was selected by the technical experts and the developers. For the other roles, the students did not have any experience.

During the preparation, the marketing person and user representative examined some video games for dyslexic children available on the web or in mobile app stores. The objective was to obtain some initial ideas about games by identifying deficits addressed and the associated exercises on each deficit. The domain expert (dyslexia assessor) prepared them by carrying out the first interview with a professional expert in language problems, and reading about the subject and then exposing it to their peer group. In a first session, the purpose was: to exchange information and achieve a common starting point for the stakeholders. In this case dyslexia and the explored video games.

The goal of the scoping was to establish the video games of the line and its characteristics, for which the ages and the objective deficits were determined. Both teams identified four games as part of the line, identifying the common and variable characteristics of the proposed games, thus, defining a catalog of products.

After the training and preparation sessions, the teams performed the scoping activity, the NCTeam initially defined only one product and its features, using this product as a base, the group defined second and third products that were visualized in a feature model. On the other hand, CTeam initially brainstormed ideas about the possible features by using the generation collaborative pattern. Then, those features defined the products that would make part of the SPL by using reduction collaboration pattern throughout the evaluation of products and their features using a voting strategy according to their roles. Finally, the products and features were defined by using a feature model.

### 6.3.5 Results and Analysis

The evaluation of the effectiveness of the line of games to support the treatment of children with dyslexia was done with the support of a speech therapist expert in dyslexia treatment. This evaluation was made in two moments: it was evaluated during domain engineering and after they evaluated the first prototype of the video game corresponding to the first product of the line, at product engineering moment. The evaluation of the SPL was as follows: each group presented the speech therapist their portfolio of products, age range, objective, difficulties, and the storyboard related to the first product. The evaluation objective was to validate products and characteristics with regard to its relevance to support the treatments according to the difficulties and ages considered (market).

The results obtained can be seen in the table 6.4. These results allow to deduce that CTeam identified a greater number of characteristics belonging to the domain (market) than the NCTeam.

<b>MFC</b>	<b>NCTeam</b>	<b>CTeam</b>
<b>MFC scoping</b>	75%	87,5%
<b>MFC first product</b>	76,92%	95,2%

Tabla 6.4: MFC of games line to support treatment of children with dyslexia

The difference in the coverage of market features is greater in the first product proposed by the CTeam. It can be deduced that the interaction of the participants achieved with the inclusion of the collaborative patterns and the thinkLets helped achieve more accurate results in the identification of the features of the products of the scoping objectives. Each one of the teams conducted two evaluations with an external professional in language problems, an expert in dyslexia treatment. The first evaluation was carried out during the scope activity, at that moment, the proposal of each team was evaluated, the proposed video games and its features were evaluated using the product catalog, the product map, and a storyboard, the expert took into account



the characterization of the target market, the age of the children and the deficits to be addressed. The second evaluation was made to the first developed product. The obtained results were:

- The NCTeam required less time than CTeam to clearly describe the first product and list its features. However, CTeam was much faster in describing a set of products and identifying common features and variabilities.
- The NCTeam required less time than the CTeam to clearly describe the first product and list its features. However, CTeam was faster in describing a set of products and identifying common features and variabilities.
- The defined products by CTeam corresponded more to a set of products than to modifications of a product, whereas the approach of NCTeam corresponded to a product and two products that made modifications of form but not functional of the first product (such as the characters, the scenario of the game, or the representation of the lives and the score).
- The role interaction in NCTeam was harder since the roles were not well defined in the original approach.
- The first proposal in both teams was very ambitious and dealt with an extended range of ages, also considered each possible deficiencies that children with dyslexia suffer. The CTeam limited the target domain in the evaluation exercise of products. In this task, the products, and their features were categorized and evaluated according to the vision of each one participating roles; However, for the NCTeam, the lack of domain delimitation was only obvious with the observations made by the expert in dyslexia.
- The students seriously played the roles, this contributed to the definition of the scope, each participant gave from their role the required knowledge. This situation was more visible in the CTeam

because the responsibilities and contributions of roles were clearer in the modified and defined approach rather than in the original approach.

- The modified approach that followed the CTeam had more details about the steps to follow and the artefacts to build. This facilitated the accomplishment of the tasks and artefacts.
- During the socialization process of the projects in the section which each group presented the idea of the product that it was going to develop, the CTeam observed that its selected product was very similar to the one exposed by the NCTeam, so when presenting its catalog of products, this team changed the first product that would be developed by another product of its SPL. This change was not problematic in the exposure of product ideas, neither was it in the development of the mentioned product.

### **6.3.6 Conclusions of the study**

This study allowed us to demonstrate in a practical way the differences between applying a certain scope task collaboratively or performing it in a traditional way.

One of the observations obtained is about the participating roles, although the two groups were made up of students, which did not make it possible to have roles with different knowledge and interests as would happen in a company; however, it was evident that in the collaborative group the roles had clearer responsibilities and where they should participate, while in the non-collaborative group there was evidence of insecurity by the participants and fewer number of participation compared to the collaborative team.

The collaborative construction of the artefacts facilitated that the participants made contributions, essays, proposals, while the individual construction of the artefacts required more time and it was evident that they did not know how to translate the information in them, this

may also have happened due to the granularity with which the steps of each task were described in each of the methods applied.

The thinklets related to brainstorming to propose features, those for classifying features in domains and evaluating the proposed features were the tasks with a greater number of participation and in which communication was observed between roles, exposition of ideas and even discussions prior to reaching agreements.

Under the conditions of the study, scoping artefacts defined in a collaborative way, presented a clearer scope definition, resulting in a greater utility for the development of the first product. Although it is an exploratory study, it shows in a concrete way the benefits that the collaborative work has on the scoping activity. According to this study, SPL scoping requires the participation of different interdisciplinary roles that contribute from different areas of knowledge and expertise. However, to ensure that this participation is effective, a systematic and collaborative way is required that guides the scoping team to make the artefacts correct and useful in the development of the line.

The main drawbacks were evidenced in both groups in the tasks belonging to the asset scoping, one of the possible causes we believe is the moment in which they are carried out, since the participants had already taken a long time in performing the scoping, and also because of the lack of experience related to development for reuse. The results had to be reviewed later and adjusted.

**Note:** In the appendix D, photos of the study can be found, and used material and the obtained results.

## **6.4 Evaluation of the CoMeS-SPL method: a study with SPL experts in a research context**

### **6.4.1 introduction**

This section presents the application of the CoMeS-SPL method in the development of an SPL Scoping in the context of a local research workshop. The objective of the application of the CoMeS-SPL method is to evaluate the usefulness of the method to define the scope of an SPL, from the point of view of the practitioners, as well as the level of collaboration reached by the work team. This evaluation was planned, designed, executed and reported as an empirical study, following the guidelines presented in by Wohlin and others [35]. The stages of the empirical study were: design, preparation, data collection and data analysis. In order to define the objectives of the empirical study, the GQM (Goal-Question-Metric) approach proposed by Basili and others [101] was applied.

### **6.4.2 Experiment measurement design**

The objective of the empirical study was to examine whether the CoMeS-SPL collaborative method proposed generated a collaborative dynamic among the participating actors and if this collaborative dynamic facilitates the definition of the SPL scope, also it was assessed whether the proposed method was perceived as useful and easy to use.

Through GQM, the following measurement questions are posed:

1. What is the level of collaboration achieved by the team through CoMeS-SPL?
2. What is the perception of the members regarding the utility and ease of use?

To answer the first question, the quantitative indicators of collaboration proposed by Avouris and others [102] were used and adapted. To

answer the second question, the variables of perception formulated by Davis were used and adapted [103]. Quantitative indicators of collaboration to measure the level of collaboration were four established:

1. Contribution of an actor to an artefact,
2. Factor history of the artefact
3. Factor collaboration of an artefact
4. Factor collaboration of an activity.

The following describes each of these indicators proposed by Avouris and others [102].

### **Contribution of an actor to an artefact ( $AC_{ar}$ )**

This factor indicates the weight of the contributions made by an actor in the construction of an artefact. The contributions are the actions (T) made for the diagramming in models or the joint elaboration of documents or other artefacts, for example, insert, modify, eliminate, move or classify information (each type of action is assigned a weight  $W(T)$ ). In calculating the contribution of an actor to an artefact ( $AC_{ar}$ ),

$W(A)$  is the weight of an actor in the construction of the artefact, considering its expertise and knowledge,  $W(A)$  is a multiplicative factor between 0-1 [102]. The weights of the type of action and the actor are assigned by the moderator of the activity [102]. The following formula expresses how to calculate the ( $AC_{ar}$ ).

$$AC_{ar} = W(A) \sum_{i=0}^N W(T_i)$$

### **Factor Artefact History ( $HF_{ar}$ )**

This factor indicates the balance in the amount of contributions to an artefact made by the participating actors. It is calculated with the standard deviation and the average value of the actor's contribution to an artefact. This value is in the range [0, 1]: values close to 0 indicate that the contributions were made only by some of the actors, while close to 1 express a higher degree of balance in the contributions of the participants [102]. The following formula is the one that must be used to calculate the ( $HF_{ar}$ )

$$HF_{ar} = 1 - \frac{stdev(AC_{ar})}{med(AC_{ar})}$$

### **Factor of Collaboration of an artefact ( $CF_{ar}$ )**

This factor describes the level of relative participation of the actors involved in the development of an artefact, it is based on the type and size of contributions or events made to the artefacts that constitute in this case the scope of an SPL(46). The Collaboration Factor ( $CF_{ar}$ ) is directly proportional to the artefact's history factor ( $HF_{ar}$ ), the relative weight of the artefact in the solution ( $W_{ar}$ ), the value between 0 and 1 that is assigned by the moderator, and the number of participation to the specific artefact ( $CP_{ar}$ ); and it is inversely proportional to the length of participation in the collaborative activity ( $l$ ), as it can be seen in following formula.

$$CF_{ar} = HF_{ar} * W_{ar} * \frac{CP_{ar}}{l}$$

The value of the collaboration factor ( $CF_{ar}$ ) ranges from [0, 1], where values close to 0 indicate unbalance in the contributions of the participants, little weight of the artefact in the complete solution, or few contributions in an artefact compared with the contributions totals in the different artefacts of the solution. Values close to 1 indicate a higher

degree of collaboration in the artefact, where a great level of balance is distinguished in the participation of the actors for an artefact of great importance in the activity and where the number of contributions is similar to the average contribution of the different artefacts. In order for the analysis to be carried, the weight or importance of the artefacts is considered the equal for all, which allows to observe the participation behavior of the actors.

**Factor of Collaboration of an activity( $CF_a$ ) :**

This factor describes the level of relative participation of the actors in a collaborative activity constituted by artefacts. It is based on the type and size of the contributions made to the artefacts that constitute in this case the scope of the SPL Scoping (46). The factor of collaboration of the activity ( $CF_a$ ) is calculated as the average value of the factors of collaboration of the artefacts.

$$CF_a = \frac{\sum_{i=1}^n CF_{ar_i}}{n}$$

This indicator can take values among [0, 1], where values close to 0 can indicate low balance in the contributions of the participants in the activity, or show noticeable differences between the number of contributions made to each of the artefacts. Values close to 1 indicate a higher degree of collaboration in the activity and where the contributions of the actors made to the different artefacts are numerically similar.

**Perception variables:**

- **Perceived ease of use (PEU):** the degree to which participants think that using CoMeS-SPL is easy and does not imply an overex-

ertion to the activity. This variable represents a perceptive judgment of the effort required to learn and use the CoMeS-SPL method [103].

- **Perceived utility (PU):** this is the degree to which the participants in the SPL Scoping consider that both the defined scope and how to define them through the CoMeS-SPL method are useful [103].
- **Intention of use (ITU):** is the measure of the intent to use the CoMeS-SPL method in future development projects of SPL by the study participants. This variable represents a perceptual judgment to know the level of acceptance of the CoMeS-SPL method [104].
- **Perceived Collaboration (CP):** this is the degree to which participants in SPL Scoping activity believe that using CoMeS-SPL encourages collaboration and effective communication in defining the scope of an SPL.

To measure the variables perceived ease of use (PEOU), perceived utility (PU), intention to use (ITU) and Perceived Collaboration (CP), a proposed measurement instrument was adapted and evaluated for the evaluation of the requirements modeling methods. In perceptions [104] and the Technology Acceptance Model (TAM) [103], concepts that were adapted to the object of the study and were applied after the CoMes-SPL method workshop. A set of items was defined to measure each of the perception variables. The evaluation of these elements used a Likert scale of 5 points (the lowest value or disagreement 1, and the highest value or agreement 5). The items were randomly organized in the questionnaire to prevent the participants from giving systematic answers. Four open questions were included in the instrument to obtain suggestions and observations regarding the proposed method. The design, instruments and documents of the experiment are available and the full description of each task can be seen in the appendix C.



### **6.4.3 Study context**

The study object is the CoMeS-SPL collaborative method, and it is carried out on a team of participating actors in the definition of scope for a practical case following the method, moderated by the principal investigator of this study. The research subjects of this empirical study is a group of professionals, experts in the development of software product lines that currently carry out related doctoral studies at the Federal University of Bahia, Brazil. The practical case consisted of defining the scope of a software product line of mobile applications to manage and visualize agendas of events, starting from three products considered successful that were developed for three academic congresses, two of an international character and the other of a national one.

### **6.4.4 Conducting the study and gathering information**

The empirical study was conducted at the Federal University of Bahia, city of Salvador de Bahía, Brazil. A group of 10 professionals, doctorate students and a master's degree in computer science was summoned for the same. In the workshop finally 3 professionals, doctoral students and 2 professionals, masters students, participated. The selection of the collaborators was made by convenience (knowledge in aspects of the SPL development) and disposition. Four of the participants have worked on research projects related to SPL, two of them have applied the SPL approach in development projects (3 during a range of 5 to 10 years and one in a range of 1 to 5 years), one of the participants has knowledge of SPL, but he has not participated in development or research projects. Regarding knowledge in the SPL Scoping activity, the categorization of the participants is as follows: two of the members have participated in this activity in SPL development projects, two other participants have worked on topics related to the SPL Scoping activity in research projects, and only one has heard or read about SPL Scoping. The roles defined by the CoMeS-SPL

method were distributed and assigned by the participants in the workshop considering their knowledge and affinity. Due to the number of participants the roles were combined: the domain expert with the potential client, the marketing expert with the sales staff, the software architect with the technical expert, and the line manager with the company manager.

The workshop was held in a single day and was divided into three sessions, in the first one a training was carried out in the CoMeS-SPL method and in SPL Scoping during 90 minutes. Then, the workshop for applying the method to determine the scope of an SPL of Events Agenda was developed, lasting 220 minutes and finally for 30 minutes the participants completed the survey. The study subjects had two recess spaces (80 minutes total). The participants had access to the applications, and artefacts such as list of characteristics, the models of characteristics that allowed to visualize the common and variable among the three products. It was proposed as a business objective to increase the number of products and address them to other possible types of events, seeking to expand the target market and reduce the delivery time of the product to the customer.

The workshop was held in one of the meeting rooms of the Federal University of Bahia, making use of the walls of the room, the giant size templates were organized to build the artefacts, which allowed to have a common work space for all the equipment and the constant display of information. Each member had the CoMeS-SPL method guide [105] available, the business objectives of the organization, and the artefacts of the three base products. For reasons of time, the analysis was limited to four new possible products that were selected by the participants.

#### **6.4.5 Results and Analysis of Results**

##### **Quantitative indicators of collaboration**

The data collection of the participation made in each one of the tasks proposed by the CoMeS-SPL method was carried out considering all the tasks and 8 artefacts of the 9 that the method guide proposes, because the quantified product map and the quantified characteristics classification matrix are generated in the same task, only the first of these two artefacts is considered. For this measurement, it was considered that the weight of all the actors, as well as that of the different types of contributions, was the same ( $W = 1$ ) seeking to observe the contributions in a neutral manner in the different artefacts that were taken into account.

For this case, the number of participation in the specific artefact (CPar) coincides with the duration of the participation in the collaborative task (I), It is also taken into account that the artefacts have the same weight for the scope, so  $HF_{ar} = CF_{ar}$

Figure 7 and Table 6.5 present the values obtained for the quantitative indicators of collaboration corresponding to the artefacts generated in the CoMeS-SPL method workshop. It allows to observe that the tasks where a thinkLet was applied have a greater balance of contributions and a greater factor of collaboration. The tasks with associated thinkLet present a balance of contributions higher than 0.5, which allows to deduce that the actors participated in this task in a very homogeneous way by entering, modifying and classifying characteristics, domains or products.

This workshop allowed the participants to show the importance of the collaboration for the performance of the artefacts, this was valuable, because it became a tangible need, so that in the survey the observations to the tasks matched the historical values of the artefact and the collaboration factor of the artefact, which allowed to identify aspects to be improved in tasks of CoMeS-SPL, such as the writing of the steps and the examples of the artefact in the established metrics task.

Task	ThinkLets	Artefact	$CF_{ar}$
Initial meeting	Does not apply	Vision of the product line (VPL)	0,37
Identify products	Popcorn-Sort	List of products (LP)	0,78
Identify characteristics	One Page	Feature list (FL)	0,63
Identify functional domains	One Page	Domain description (DD)	0,65
Classify features in functional domains	Dealers-Choice	Feature classification matrix (FCM)	0,81
Specify product map	StrawPoll Concentration	Product map (PM)	0,91
Set metrics	DimSum	List of metrics (LM)	0,67
Quantify product map	CheckMark	Quantified product map (QPM)	1
<b>Collaboration factor of SPL activity Scoping (<math>CF_{ar}</math>) = 0.63</b>			

Tabla 6.5: Quantitative indicators of collaboration obtained




Figure 6.4: Quantitative indicators of obtained collaboration

<b>Acronym</b>	<b>Variable</b>	<b>Median</b>	<b>Standard deviation</b>
<b>PEU</b>	Perceived ease of use	4.72	0.573
<b>PU</b>	Perceived utility	4.1	0,906
<b>ITU</b>	Intention of use	4.54	0,542
<b>CP</b>	Perceived Collaboration	4.95	0,223

Tabla 6.6: Perception variables obtained

### **Perception variables:**

Table 6.6 presents the values obtained for the perception variables obtained, with a range of 1 to 5, where 5 is the highest value that participants could give in their assessment.

Table 6.6 presents the results of the survey applied to the participants at the workshop end, according to the median of the qualifications obtained, it can be stated that CoMeS-SPL is perceived as a collaborative method that encourages participation and cooperation between required roles. It is also perceived as an easy way to use a useful method, and the participants have a high level of intention to use it in the future. When corresponding to indicators of perception, it corresponds to the opinions of the participants in the workshop, and there were no points of comparison to generalize or establish whether the method is useful or easy to use.

Among the suggestions of the participants, one is to use a software tool for the completion of artefacts in a collaborative manner, which reduces the time required to manage the information obtained in the SPL Scoping and facilitates the completion of tasks, automatically transferring the information of an artefact entry to another exit artefact. This empirical study showed that it is necessary to improve the description of some of the tasks of the method, such as the "quantify product map" that belong to the CoMeS-SPL method. The empirical study carried out has some threats to its validity, related to the selection of the participants that was carried out for availability and knowledge in SPL,

but not with expertise in other areas of knowledge needed in the SPL Scoping such as marketing, sales, and domain objective. Although the time of the workshop was limited, the authors consider that communication and collaboration practices could be observed during the study.

#### **6.4.6 Conclusions of the evaluation of the CoMeS SPL method by experts in a research context**

This empirical study was conducted in an academic environment but unlike the two previous studies, the participants of this study were experts in product lines, most of them knew that it was SPL scoping and had participated in other studies or projects where the scoping of a product line was carried out; This makes this visions and contributions as interesting.

When facing the shortcomings of the method, they made several comments, the first one being printed became a tiring material to consult and manage, making it difficult to see the parallel specification of the steps in the table and the location of the spaces in the artefact template and review the artefact example.

The initial meeting was a challenge for the participants' knowledge because they did not count on experts in other disciplines that would offer different visions as competitors, clients and objective domain. Although the roles were distributed among the participants, there was no time to allow them to prepare the knowledge they required. But this allowed to demonstrate the participating team the importance of the diversity of knowledge that is required to delimit the scope of a line.

Among the artefacts such the list of features, the features/domain matrix and the product map, were inconvenient, since the feature cards had to pass from one artefact to another, which lost the stored information in the prior artefact; Although the team recognized the importance of working face-face on a board as an artefact, they suggested the use of software tools that would facilitate the exchange of data, maintaining

the information of the input artefacts and that simplifies the systematization and storage of the artefacts that make up the scope .

The exercise showed some problems with the thinklets selected for some tasks, such as the Identify features and OnePage thinklets task, although the exercise was carried out the number of contributions exceeded the recommended number to handle these thinklets, in addition to using Long time by the team to propose the features. For other thinklets such as those of arranging and voting, it was observed how the group actively participated as expected due to their characteristics.

Another observation was the closure of the scoping activity, which was not clear to some of the participants, so a closing task was improvised, which was added in the next version of the method.

The notation used to specify the version of the CoMeS-SPL method used in this study was a model for the flow of tasks using SPEM, and a textual description of each task (table) however flaws were detected in the description and representation of the collaborative elements that sought to be transmitted.

Also, the study allowed the identification of shortcomings in the description of some elements of the method component, the level of effort required in its execution and some problems in the artefacts obtained when performing them manually using cards.

The differences identified in the number and types of participation required by the artefacts, allows us to conclude the importance of specifying the required roles in each one of the tasks, as well as the importance of indicating in a timely manner the contributions that each participant must give from expertise and role.

**Note:** In the appendix E, photos of the study are found and used material

## **6.5 Evaluation of the CoMeS-SPL method: a case study in a software small company**

The case study is an empirical method that we use to investigate the Collaborative Method for Scoping Software Product Lines (CoMeS-SPL) in the industrial settings. For the design and implementation of this validation, the case study method proposed by Runeson and Höst was followed [34]. Case studies are by definition conducted in real-world seeking to analyze a phenomenon in a real context, but this is achieved at expense of the level of control. The definition of case study focuses on "studying phenomena in their real context, so the boundary between the phenomenon and its context is unclear" [34]. This study case combined qualitative and quantitative data to achieve a better understanding of the studied phenomenon.

### **6.5.1 A case study design**

#### **Research question**

The design of this case study was based on several related research questions. First, the basic research question raised in the project: can a collaborative method achieve the effective participation of stakeholders in determining a range of useful and well-defined scope product lines? Then the case study question is: Can CoMeS achieve an effective participation of stakeholders in the scoping activity building together a useful product line scope in the Sunset company?

#### **Objective**

The purpose of this study was to verify the effectiveness of the CoMeS-SPL method in scoping the first software product line of a small software company, as well as to evaluate the utility of the obtained scope.

**Indicators and metrics** To evaluate the CoMeS-SPL method through the application of a case study, indicators, metrics and instruments that



help understand and analyze the proposed method that were considered and designed.

- **Perception of the effectiveness**

Effectiveness of a scoping method refers to the usefulness of the method outputs in relation to the expectations and needs of the company, and therefore method effectiveness implies that the tasks being performed in the method are adequate to produce the desired results [106]. In order to measure the effectiveness of CoMeS-SPL, three qualitative metrics were considered: perceived ease of use, perceived usefulness and intention to use. To measure these variables after applying the CoMeS approach, it was adapted and used an existing measurement instrument proposed for the evaluation of requirements modeling methods based on perceptions [104] and the Technology Acceptance Model (TAM) [103].

- **Perceived Ease of Use (PEOU):** The degree to which a person believes that using CoMeS-SPL will be effort-free. This variable represents a perceptual judgment of the effort required to learn and use the CoMeS-SPL (Davis, 1989).
- **Perceived Usefulness of method (PUM):** The degree to which a person believes that the method CoMeS-SPL was clear, their level of detail and its description facilitated its follow-up, the accomplishment of tasks and acquisition of the required artefacts. The perceived usefulness is a subjective dependent variable, to measure it, instrument supported in the proposals was used: the Evaluation of requirements modeling methods based on user perceptions (Abrahão, et al., 2011), the Technology Acceptance Model (TAM) (Davis, 1989) and The Method Evaluation Model (Moody, 2003) that was done after applying the method.
- **Intention to Use (ITU):** The extent to which a person intends to use a CoMeS-SPL. This variable represents a perceptual

judgment of the method's efficacy that is, whether it is cost-effective, if the participant considers that the method was effective it will have the intention of using it in the next occasion that requires scoping for a product line. This variable is used to predict the likelihood of acceptance of a CoMeS-SPL in practice (Abrahão, et al., 2011).

- **Participation Effectiveness**

The term effective interaction or effective participation is used in the collaboration processes or collaboration methods for naming the collaborative interactions that are made during their execution, instead of supposed comparisons or measuring the effectiveness of the equipment, but it implies some relevant characteristics such as a good social atmosphere, group involvement, and consideration of the other members and of the collaborative process ecology. [107].

The level of the Effectiveness of Participation in a collaborative method can be measured according to the participation degree and the cohesion degree [107]

- **Participation degree (PD):** the intensity with which the individual members participate in the group's activities and their proactive commitment [107].
- **Equal participation degree (EPD):** In an 'effective' collaborative group all members should participate in a similar degree without monopolizing behavior [107].
- **Collaboration Factor (CF):** Describes the level of relative participation of the members of a collaborative activity [102]. It is based on the type and size of contributions or events made to the artefacts that constitute the scope. The contributions are the actions carried out for the diagramming of schemes or joint elaboration of documents, for example insert, modify,

delete, move, classify, etc. The result allows to infer elements of cooperation, such as the evolution of group performance in the time, as well as the effectiveness of the collaboration. Both measures are calculated with respect to the amount of contributions in each task according to the spent time [102].

- **Range of correctness of scope**

We evaluated the scoping process in terms of the correctness and usefulness of the obtained artefacts.

- **Perceived Usefulness of Scope Obtained (PUSO):** The degree to which a person believes that Scope defined will be useful in the following activities of the product line development. The perceived usefulness is a subjective dependent variable and to make decisions about the production or not of the product line. To measure this variable after applying the Scoping approaches, it will be used a measurement instrument supported in the proposals: the Evaluation of requirements modelling methods based on user's perceptions (Abrahão, et al., 2011), the Technology Acceptance Model (TAM) (Davis, 1989) and The Method Evaluation Model (Moody, 2003)
- **Scope Usefulness (SU)** The degree to which the scope is used for making decisions such as SPL adoption or cost estimation.
- **Range well-defined scope (RWS):** The resultant artefacts of the execution of the method CoMeS-SPL were assessed in terms of the completeness, correspondence with the requested and value of the artefacts for decision making regarding the production of the product line and the next stages of development.

The table 6.7 summarizes the design of the case study proposed to evaluate the proposed method. The instruments used in the case

study are found in Annex B.

### **Selection of the Case Study**

To carry out the case study, it was necessary to look for a company with some characteristics, the first being a software production company with a number of employees greater than 10, with specific roles as a marketing and / or sales person, developers, a software architect and with availability for this study.

The basic conditions to address our problem, goal, and research questions are that the company has or looks for a product portfolio for a specific domain and the included products sharing some commonalities. The type of case study according to the research perspective is positivist because it searches to test the hypotheses with respect to the CoMeS SPL. This study is also holistic because the case is studied as a whole. The case study has a unit of analysis that corresponds to the definition scope definition of the first SPL of the company.

#### **6.5.2 Case context: The Sunset company**

The case study was conducted within a Colombian company. Sunset Software House S.A.S is a technological solution company, with seven years of experience in the market, dedicated especially to outsourcing services in human talent for software development. It is a small Colombian company with 20 employees located in the city of Popayán. It has a total of 53 projects developed so far. The company is dedicated to:

- Outsourcing in operative capacity in the different phases of the development cycle
- Custom development of web and mobile applications
- Implementation of e-commerce stores and software for project management for MIPyMES

<b>Objective</b>	<b>Indicators</b>	<b>Metrics</b>	<b>Methods for data collection</b>	<b>Instruments</b>
This case study seeks to evaluate how applicable and effective the CoMeS-SPL method is in a real scenario of a software production company, verifying the effective participation of the stakeholders involved and the utility of the scope defined by the company.	Perception of the effectiveness	Perceived Ease of Use (PEOU)	direct	survey
		Perceived Usefulness of method (PUM)	direct	survey
		Intention to Use (ITU)	direct	survey
	Participation Effectiveness	Participation degree (PD)	indirect	Scope artefacts produced
		Equal participation degree (EPD)	indirect	Scope artefacts produced
		Collaboration Factor (CF)	independent	Scope artefacts produced
	Range of correctness of scope	Perceived usefulness of scope Obtained (PUSO)	direct	Scope artefacts produced
		Range well-defined scope (RWS)	independent	survey

Tabla 6.7: Parameters of the evaluation case study of the CoMeS-SPL method

Session	Task	Duration
1	Training in Software Product Lines (SPL)	3 hours
2	Training in the CoMeS-SPL Method	3 hours
3	Initial meeting	3 hours
4	Specify Product Portfolio	10 hours
5	Identify Functional domains	2 hours
6	Definition of the assets scoping	
7	Final meeting of the scoping	
Total time		21 hours

Tabla 6.8: Schedule of the case study

### 6.5.3 Execution of the case study

The company developed a product for the management of employees and projects, and from this product, it developed two more, and the company wanted to organize the development of these products from a common and reusable base, in this context the company considered to define the scope of its potential SPL. In this activity 6 members of the company participated: Manager and Legal Representative, Project manager, Director of innovation, Director of Marketing and Sales, Technology Director, and Analyst and developer. The table presents the times used in scoping tasks 6.8

Lie data collection procedures, this study adopted three data collection methods, namely documentation analysis, observation, and survey. The documents related to the artefacts produced in the scoping were analyzed.

### 6.5.4 Results of the case study

In this section, the findings of the case study are presented describing the scoping activity performed within the company. The product scoping was performed to identify and review features, identify products, and construct and validate the product map.

The perception metrics defined in the table 6.7 for this study were

Perception of the effectiveness			
Acronym	Metrics	Median	Standard deviation
PEOU	Perceived Ease of Use	5,6	0,48
PUM	Perceived Usefulness of method	5,4	0,5
ITU	Intention to Use	5,7	0,4

Range of correctness of scope			
Acronym	Metrics	Median	Standard deviation
PUSO	Perceived Usefulness of Scope Obtained	5,4	0,64

Participation Effectiveness			
Acronym	Metrics	Median	Standard deviation
CP	collaboration perception	4,2	0,55

Tabla 6.9: Perception Metrics obtained in the survey

evaluated by means of a survey, using a Likert scale of 1 to 6, where 6 indicates the highest value that the participants could assign in their assessment.

The table 6.9 presents the results of the survey applied to the participants according to the average of the grades obtained, allowing us to state that the method CoMeS-SPL was perceived as an easy use, a useful method and that the participants intend to use again in future projects.

The results obtained when applying the method are perceived as useful and the participants considered that they managed to contribute and collaborate in the construction of the line's scope using the CoMeS-SPL method.

The table allows us to observe the results obtained regarding the participation reached in the tasks of the scoping activity, the collaboration factor of each of the tasks are located in the third quartile of the possible values, indicating that a level has been achieved almost homogeneous participation of the participating roles, the variable, and there were no phenomena of hoarding or marginalization of the shares, although there were differences indicating variables called Equal Par-

<b>Task</b>	<b>Artefact</b>	<b>Participation degree (PD)</b>	<b>Equal participation degree (EPD)</b>	<b>Collaboration Factor (CF)</b>
Initial meeting	SPL Profile	75	10,79	0,69
Identify features	List features	1520	66,10	0,73
Identify functional domains	Functional domain list	15	0,76	0,69
Classify features in functional domains	List of categorized features	211	11,29	0,69
<b>all the activity</b>		<b>1818</b>	<b>17,4</b>	<b>0,70</b>

Tabla 6.10: Participation Effectiveness Metrics obtained

ticipation Degree (EPD), you can see the difference of shares, with values manageable and according to the total number of participation, and what is expected in view of the importance of the roles in relation to the performed task.

The survey also included some open questions, and interviews were conducted with the participants during the scoping. Regarding the method and the tasks, they consider that the method facilitates the exchange of ideas, contributions and knowledge, evidencing the importance of the different roles. So much so, that the company considers that the representative of potential clients must be a mandatory role and that it was necessary to improve the results obtained in scoping. The software tool <sup>2</sup> that was used to facilitate the exchange of contributions, the team considered that it helped increase the number of proposals, it facilitated that everyone read the proposals of others and questions and contributions were made. Among the deficiencies, the team considers that it is necessary to first agree on the wording and granularity of the features; the lack of agreements in front of the

<sup>2</sup>Preliminary software tool, an online spreadsheet was used to design a tool that supports the execution of subtasks complying with the specifications of the applied thinklets and obtaining the target artefacts, and exchanging output data as input data between Different artefacts



features increased the time and the effort that required the tasks after the brainstorming of features.

**Note:** In the appendix F ,photos of the study are found, and used material.

### **6.5.5 Conclusions and analysis of results of the evaluation of the CoMeS SPL method in a case study**

The application of the CoMeS-SPL method in a real case, we faced variables that we could not handle such as the availability of the work team, although the scoping belongs to a project of the company, corresponds to the planning of a project and not to a project in execution. This makes other urgent tasks run the dates of meetings or that some of the participants could not attend; This makes it possible to lose the common thread between one meeting to another, and the group does not remember what step it is in, what activity was being carried out. Although a possible cause is that it is the first time that the company performs the activity of the scoping, also supposes that there must be an element that facilitates the location in the flow of the method, the use of an online tool facilitated if a participant was missing from a meeting, he would then make his contributions and read those from others, however the evidence shows the importance of interacting in a space that fosters osmotic communication and collaboration as well as achieving shared awareness.

This experience was able to demonstrate the importance of the exchange of knowledge between the participating roles, thanks to the fact that in a company different knowledge and roles are really identified, so much so that the same team members stated that the optional roles proposed by the method as the potential customers representative are very important and the lack of the contributions that they had to make was noticeable, so much so that the group considered that it is not an optional role.

The use of a preliminary software tool facilitated the systematization of the obtained information, and production peaks were detected in some of the subtasks as proposing features. However, it is necessary to previously make an agreement on how the features and the degree of granularity will be described to be applied, since in the exercise there were many discrepancies that were reflected in the Analyze features and Concert features sub-tasks, they required more time than estimated. Although the discussions made in these subtasks, reflect a high interaction of the roles, an achievement for a method that seeks collaboration among the participants.

Regarding the types of scope, we consider that the CoMeS method has successfully covered the Product Portfolio Scoping and Domain Scoping, but it is still necessary to improve some aspects of the Asset Scoping related to the estimates of possible efforts, costs and ROI assets, features and products.

## **6.6 Chapter Summary**

The empirical experiences exposed in this chapter were carried out at different stages of the formulation of the CoMeS-SPL method, each experience contributed practical knowledge in its moment and allowed to compare the results and approaches of related works. Empirical experiences were valuable and allow us to experience the maturation that the method was gaining in the different phases of the project.

The studies were carried out by different types of participants, students, experts in lines, and a software production company, giving different visions and points to consider.

SPL scoping is a crucial activity that represents a challenge for companies that have no experience in the development of SPL, and that require guidelines that can be made in concrete steps and in specific and useful artefacts.

The formulation of the CoMeS-SPL method was carried out follow-

ing the Proposal for the construction of collaborative methods that defined an iterative and incremental cycle, each of the empirical studies carried out corresponds to an evaluation of a version of the method, the findings constituted the starting points for the new versions, indicating the shortcomings to be improved, for which it was necessary to resume the construction cycle of the method. The figure indicates the evolution of the proposed method and the main items considered in each version.




Figure 6.5: Evolution of the CoMeS-SPL method

# Chapter 7

## Conclusions

*“Do not be afraid of perfection. You will never reach it”  
Salvador Dali*

There are a numerous number of research works for SPL scoping activity, which show the importance of these activities. The focus of these works has been diverse, some aimed at defining the activity itself, the scope types and the process to be followed. Recently, some approaches have aimed in the optimization of the scope of the SPL or in providing tools in order to systematize this activity in organizations or some as it is the case of this work in human, communicative and collaborative factors. It is because the scoping activity is an intensive-human activity, which requires the combination of different knowledge and visions to be able to propose a technically feasible SPL, financially profitable, relevant to the target market and framed within the objectives of the company. Therefore the diversity of participants and strategies that help manage this diversity is necessary and mandatory. This was the challenge that we accept in this research, to consider scoping at the method level, with concreted and followed guidelines that indicated the contribution and participation of each role in the construction of the artefacts that conform the scope of a software product line.

## **7.1 A Collaborative Method for Scoping SPL - CoMes**

The collaborative method for the SPL scoping presented in this research has been designed through the combination of scoping practices using method engineering and collaborative engineering approaches. First, different approaches for scoping previously proposed were studied, considering aspects such as the types of considered scope, the production scenarios and the orientation of each approach. The method engineering allowed us to select the base approaches for formulating a novel method and the identification of the method components. The components of the method were analyzed considering the incidence of the participating roles and the purpose of each component, to select collaborative components ( collaboration pattern and thinkLets).

Most of the studied SPL scoping approaches have focused on technical aspects, however they have not clearly and specifically defined roles and responsibilities for the different roles involved in scoping. Although, there is some documentation (guides or guidelines) on how to execute the scoping considering the necessary collaboration among the participants, the availability of this documentation is limited, either because the access to it is not public or because the proposal is focused only on an aspect of the scope. The guidelines of most of the approaches are general, and do not specify how they participate, or how they contribute in each role, or how they are built, or how their level prevent the deduction of concrete steps and actions, this level of description limits the collaboration of the participants and therefore, the usefulness and correctness of the obtained scope may decrease.

In this research, we specify a collaborative scoping method providing a sequence of well-defined collaborative tasks and clear specification of work products, including the description of the different participants and the communication process among them. This work identified the different method components proposed by other researches, complemented the lack of information, and established a concrete set of traceable and structured steps applying some collaborative patterns

and thinkLets, in order to encourage diverse and constructive participation. The scoping is present at different stages of the product line engineering process, however at SPL inception the knowledge is scattered in the organization (and external stakeholders), so that the knowledge exchange depends on a reliable communication among the participants. It implies being able to provide information and references, classify it and evaluate it, clear definitions regarding features, domains and products, therefore, a collaborative method tries to provide appropriate guidelines that encourage the knowledge flow.

## **7.2 Empirical Studies for building CoMeS**

In this research a set of empirical experiences was made at different research stages and different contexts, after the execution of each one of the empirical studies, the analysis of the obtained results was made using a set of metrics previously defined (at study design). The metrics were defined in order to evaluate the scope obtained were market feature coverage or its perceived utility. The participation of the roles in the method was evaluated by the collaboration factor reached by the scoping team applying the method. Quantitative and qualitative information allowed the detection of problems and shortcomings to be improved parallel to the conceptual base collected through the study of scoping approaches available in the literature. The heterogeneity of the contexts where the method was applied was one of the advantages in carrying out the analysis, although not all possible contexts were covered, they allowed to consider different aspects and enrich the formulation of the method. It is important to emphasize that there is no "best method that fits all contexts", they all have strengths and weaknesses and are focused on specific aspects of scoping, for this reason, the company must compare and select the most appropriate aspects to its specific context and project.

### 7.3 Building CoMeS using Collaboration Engineering

Collaborative Engineering is focused on the design of collaborative work practices for relevant recurring tasks, collaborative work practices are applicable in different disciplines including software development, which is more complex when it is based on a planned reuse strategy. The specification of a SPL scoping method designed collaboratively increases the possibility of obtaining more complete and useful results, with respect to an approach that does not integrate aspects of collaborative work. The process to define the combinations of thinkLets (associated with the collaboration patterns) and the components of the scoping method was not easy.

First, the goal of each task was identified and, and eventually divided, in order to associate thinkLets to the respective method component, and recognize other aspects such as the number of participants, inputs and outputs. As empirical studies were made, adjustments on the method were also made considering its results such as time, the artefacts size and the number of interactions. For instance, thinkLets initially selected to be applied in one of the sub-tasks of the method were discarded after some of the empirical experiences to detect that they were not the most appropriate, such the as case of the thinkLet “onepage” applied a sub-task “proposed features”, were discarded due to the number of contributions or comments obtained. In this way, the empirical cases allowed to adjust the specification of the CoMeS-SPL as a collaborative method, by observing the dynamics of the groups, as well as the contributions of the thinkLets to more organized communication processes and with a greater number of contributions and doubts. These generation of doubts, far from being considered disadvantageous, was really an advantage because doubts generate spaces for discussion and analysis prior to the scope determination.

Executing the scoping of an SPL following the collaborative method in comparison with other approaches implies additional costs and ef-

forts since they involve more resources in the accomplishment of the tasks. However, the literature has highlighted the benefits that collaborative work has presented in software engineering, and work in scoping approaches in which collaborative elements and the same empirical experiences of this project have been reported have showed beneficial results with respect to the usefulness and correctness of the scope artefacts constructed. So, we consider as a great strategy to follow a collaborative method for SPL scoping, although, it requires more investment because it is necessary the participation of more people and the necessary time to consider their controlled contributions and discussions.

Taking into account all the previous conclusions, it is possible to confirm the defined hypothesis at the beginning of this investigation:

*Thesis:* The application of a collaborative method for the scoping of SPL encourages the participation of stakeholders through guidelines that provide the required steps, the interaction of the necessary roles in each task, the description and templates of the results, the collaborative method CoMeS has allowed to obtain a useful and well-defined scope regarding the information it should include. Although, executing CoMeS require more resources than previous approaches, it is not significant to consider the benefits at defining adequately the SPL Scope.

## **7.4 Contributions**

The main contributions of this research project are: 1. An umbrella literature review about scoping approaches for software product lines; 2. The specification of a collaborative method for software product lines scoping; 3. The establishment of an approach to design a collaborative method based on method components; and 4. The execution of empirical experiences in both scholar context and industrial settings.

The review on scoping approaches for Software Product Lines. Through this review, thirty-three approaches were identified and ana-



lyzed according to the aspects related to our research questions. The analyzed results were used to guide the definition of the SPL scoping method. The results obtained from the review can be used by future researches.

CoMeS-SPL was defined after the review and study of scoping approaches and following guidelines of the engineering method and the engineering of the collaboration. It is defined in a systematic manner, with tasks, inputs, outputs, roles, and guidelines for each component method and combines collaborative patterns and thinkLets, with goals to encourage the effective participation of the roles involved and to improve the definition of the scope of an SPL.

There are guidelines for the definition of methods from method engineering [48], and Kolfshoten's proposal [4] for the design of collaborative processes; in our research, we combine these proposals to define a collaborative method from method components in which collaborative patterns and thinkLets are included.

The empirical experiences carried out in the project provide practical knowledge of the application of the scope in different contexts, it allowed us to examine and contrast the found approaches in the theoretical studies with the obtained results in practice. The made observations and the obtained results not only provided findings that allowed the proposed method to be improved, but also a set of information useful to be considered by future works.

The empirical method here proposed concretely shows how software engineering research as collaborative work could improve the performance of their activities. There are so many activities to be developed collaboratively in software engineering such as requirement engineering, software architecture, software design, testing, integration, among others. All these cases could be addressed by new researches using the approach applied in this research, where method engineering and collaboration engineering has been used in a complementary way.

## 7.5 Further work

A doctorate thesis is a broad work and does not cover all the possible aspects that it triggers, for which there are items that allow us to continue with the research carried out. In the specific case of this research project, future activities are related to the refinement of the proposed method.

The use of combinations of scoping method components with collaborative patterns and thinkLets was performed assuming general situations and others observed in the empirical experiences. However, it is likely that these situations are not generic, therefore it is necessary to consider elements that allow the company to analyze its own aspects such as the size of the team, the experience, the size of the expected contributions. The most convenient thinkLets combinations could vary according to these factors. As future work, we want to propose additional combinations considering other factors/characteristics, and give place to variability points in order to achieve adaptability to the proposed method.

The proposed method was evaluated in some contexts, however other contexts can be considered as a company with experience in product line development or a long case study including to evaluate the utility of the artefacts obtained across the different stages of the SPLE. Additionally, it would be interesting to have one or more metrics associated with the impact of the collaboration.

One of the observations during the empirical experiences was the need for support tools to help the information management and assist the method execution. During the first experiences, the execution was manually performed by using cards, but it was remarkable that the amount of information managed increased in the exercises while more real elements were heavier, so much that the manual handling reported inconveniences, so much so that an online tool was adapted that facilitated the handling of information and supported some collaborative elements. However, it had many shortcomings and did not pro-

vide the necessary support to the collaborative patterns and employed thinkLets.

The last two empirical experiences were related to asset scoping, in the evaluation carried out with experts in SPL, the observations were aimed at improving the description of the task so that its execution was facilitated, then with the company the observations were made with the expectations of the company and the needs to support the definition and planning of a product line with an estimate of efforts and costs, which requires the study of scoping proposals directed towards this direction.

## **7.6 Publications**

As a result of the research work, some publications were made. However, it is still pending to publish the results achieved by the last project stage. The performed papers in this research, including its publication stage, are as follows:

### **International conferences**

- An Exploratory Case Study for Scoping Software Product Lines in a Collaborative Way, Camacho M, Hurtado J, and Álvarez F. Paper presented in 11th International Workshop on Cooperative and Human Aspects of Software Engineering CHASE 18 in the frame of the 40th Conference on Software Engineering ICSE 2018 carried out from May 27 to June 3, 2018 in Gothenburg, Sweden (<https://dl.acm.org/citation.cfm?id=3195852>)
- Identifying Collaborative Aspects During Software Product Lines Scoping, Camacho M, Hurtado J, and Álvarez F, Paper submitted and accepted in Workshop: Experiences and Empirical Studies on Software Reuse (WEESR 2019), that took place in the 23rd International Systems and Software Product Line Conference (SPLC 2019) held from September 9th to 13th, in the city of Paris, France.

- Dislexpace: Videojuego serio para niños con dislexia (Dislexpace: Serious video game for children with dyslexia) Camacho M, Hurtado J, and Álvarez F, Paper presented in the 1st National Encounter of Technological Innovation for Disability ENITED, held from December 6 to 8, 2017 in Morelia, Michoacán, México; published in the memoirs of event, also selected and published in the book Health, education, culture and innovation technology for disability with ISBN: 978-607-542-048-6.
- Un método colaborativo para determinar el alcance de líneas de productos software (A collaborative method to determine the scope of software product lines), Camacho M, Hurtado J, and Álvarez F, Paper presented at the Doctoral Symposium of the Ibero-American Engineering Conference of Software Conference ClbSE 2018 held from April 23 to 27, 2018, in Bogotá.

### **National conferences**

- Toward A domain analysis method for serious video games product lines, Camacho M, and Hurtado J, Paper presented at the doctoral symposium of the 11th Colombian Computer Congress, held from September 20 to 30, 2016 in the city of Popayán.
- Diseñando videojuegos serios para niños con dislexia (Designing serious video games for children with dyslexia), Camacho M, Hurtado J, and Álvarez F, Paper presented in the IV journeys of Computer Human Iteration (HCI), April 23 to 25, 2018 in the city of Popayán.
- A Collaborative Method for a Tangible Software Product Line Scoping, Camacho M, Hurtado J, and Álvarez F, Paper presented at the Workshop on Empirical Experiences and Software Reuse within the framework of the Second International Conference on Applied Informatics ICAI 2018, November 1 to 3 in Bogotá

### **Website**

- <https://comesspl.com>

The main objective is to provide the CoMeS-SPL method guide in an easy way to access by interested companies, development groups or researchers, so it has been structured following the flow of the method, and using different forms of specification such as tables and models. In addition, each of the tasks presents the templates of the output work products.

Additionally, the page seeks to be a means of exchanging opinions and information, facilitating a forum and providing the contact of CoMeS-SPL developers.

The description of the website is in the appendix B.

## **Journals**

Published:

- An Incremental Method for Visual Analysis of Software Process Models, Camacho M, Hurtado J, and Ruiz P. Paper published in the Revista Gerencia Tecnológica Informática" ISSN 1657-8236, in volume 15 number 43, third edition of 2016.

In evaluation:

- Teamwork Importance in Software Product Lines Scoping, Camacho M, Hurtado J, Álvarez F, and Ruiz P. Paper presented and under evaluation to be published in the Revista IEEE América Latina, ISSN 1548-0992.
- A Collaborative Method for Scoping Software Product Lines, Camacho M, Hurtado J, and Álvarez F. paper presented and under evaluation to be published in the Ingeniare, Revista chilena de ingeniería. ISSN 0718-3291 Print Version and ISSN 0718-3305 Online version

# References

- [1] F. van der Linden, K. Schmid, and E. Rommes, *Software Product Lines in Action*.
- [2] J. LEE, S. KANG, and D. LEE, “a Comparison of Software Product Line Scoping Approaches,” *International Journal of Software Engineering and Knowledge Engineering*, vol. 20, no. 05, pp. 637–663, 2010. [Online]. Available: <http://www.scopus.com/inward/record.url?eid=2-s2.0-78650587332&partnerID=tZOtx3y1>
- [3] J. Ralyté, “Situational Method Engineering in Practice: A Case Study in a Small Enterprise,” *CAiSE Forum*, pp. 17–24, 2013.
- [4] G. L. Kolfschoten and G.-J. Vreede, “The Collaboration Engineering Approach for Designing Collaboration Processes,” *Groupware: Design, Implementation, and Use*, vol. 4715, pp. 95–110, 2007. [Online]. Available: [http://dx.doi.org/10.1007/978-3-540-74812-0\\_8](http://dx.doi.org/10.1007/978-3-540-74812-0_8)
- [5] L. M. Northrop, P. C. Clements, W. F. Bachmann, J. Bergey, G. Chastek, S. Cohen, P. Donohoe, L. Jones, R. Krut, R. Little, J. McGregor, and L. O ’brien, “A Framework for Software Product Line Practice, Version 5.0,” 2012. [Online]. Available: [https://resources.sei.cmu.edu/asset\\_files/WhitePaper/2012\\_019\\_001\\_495381.pdf](https://resources.sei.cmu.edu/asset_files/WhitePaper/2012_019_001_495381.pdf)
- [6] A. F.a and C. L.F.b, “An organizational maturity model of software product line engineering,” *Software Quality Journal*,

- vol. 18, no. 2, pp. 195–225, 2010. [Online]. Available: <http://www.scopus.com/inward/record.url?eid=2-s2.0-77952093420&partnerID=40&md5=263194ec143ce45e7d86fa3e1c5f9f91>
- [7] P. Clements, “On the Importance of Product Line Scope,” *Software {Product-Family} Engineering*, pp. 102–113, 2002. [Online]. Available: [http://dx.doi.org/10.1007/3-540-47833-7\\_8](http://dx.doi.org/10.1007/3-540-47833-7_8)
  - [8] K. Schmid, “Scoping software product lines, An Analysis of an Emerging Technology,” *Directions: Proceedings of the First Software Product Lines*, pp. 513–532, 2000. [Online]. Available: <http://books.google.com/books?hl=en&lr=&id=CguUX9aTcW0C&oi=fnd&pg=PA513&dq=+software+product+lines&ots=oFA3MsSZ0E&sig=hwqd2hc2Jo37Oc9ABTffuTpaups>
  - [9] G. Chastek, P. Donohoe, K. Chul, K. Pohang, S. Thiel, and R. Bosch, “Product Line Analysis: A Practical Introduction,” Technical Report CMU/SEI-2001-TR-001, Tech. Rep. June, 2001.
  - [10] A. Ianzén, A. Malucelli, and S. Reinehr, “Scope definition in software product lines: A semi-automatic approach through linguistic annotation,” *38th Latin America Conference on Informatics, CLEI 2012 - Conference Proceedings*, 2012.
  - [11] I. John and M. Eisenbarth, “A decade of scoping: a survey,” *Proceedings of the 13th International Software Product Line Conference*, pp. 31–40, 2009. [Online]. Available: <http://portal.acm.org/citation.cfm?id=1753235.1753241>
  - [12] M. D. Moraes, E. Santana de Almeida, and S. Romero de Lemos Meira, “A Systematic Review on Software Product Lines Scoping,” ... *6th Experimental Software ...*, pp. 63–72, 2009. [Online]. Available: [http://lens.cos.ufrj.br:8080/eselaw/proceedings/eselaw\\_2009/proceedingsEselaw2009.pdf#page=71](http://lens.cos.ufrj.br:8080/eselaw/proceedings/eselaw_2009/proceedingsEselaw2009.pdf#page=71)

- [13] M. A. Noor, P. Grunbacher, and R. O. Briggs, "A collaborative approach for product line scoping: A case study in collaboration engineering BT - IASTED International Conference on Software Engineering, SE 2007, February 13, 2007 - February 15, 2007," pp. 216–223, 2007.
- [14] A. Helferich, K. Schmid, and G. Herzwurm, "Reconciling marketed and engineered software product lines," *10th International Software Product Line Conference, SPLC 2006*, pp. 23–30, 2006. [Online]. Available: <http://www.scopus.com/inward/record.url?eid=2-s2.0-33751584493&partnerID=40&md5=40fa1cdb5c87bb6da39c64e27f773961>
- [15] M. Riebisch, D. Streitferdt, and I. Philippow, "Feature Scoping for Product Lines," *PLEES'03, International Workshop on Product Line Engineering The Early Steps: Planning Modeling and Managing*, vol. 3, pp. 2–5, 2001. [Online]. Available: <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.22.397&rep=rep1&type=pdf>
- [16] E. Rommes, "A People Oriented Approach to Product Line Scoping Enabling," in *Proceedings of the PLEES'03 International Workshop on Product Line Engineering: The Early Steps: Planning, Modeling, and Managing*, 2003, pp. 23–28.
- [17] —, "A People Oriented Approach to Product Line Scoping What 's the problem ?" pp. 1–14.
- [18] M. Noor, R. Rabiser, and P. Grünbacher, "A collaborative approach for reengineering-based product line scoping," ... *Workshop on Agile Product Line ...*, 2006. [Online]. Available: <http://www.lsi.upc.edu/events/aple/NoorRabiserGrunbacher.pdf>
- [19] E. Niehaus, K. Pohl, and G. Böckle, *Product Management In: Software Product Line Engineering*. Springer, 2005, ch. 9, pp. 163–192.



- [20] P. Clements and L. Northrop, *Software product lines, practices and patterns, second edition*.
- [21] L. J. M. Taborda, "Generalized Release Planning for Product-Line Architectures," *International Conference on Software Product Lines SPLC 2004*, pp. 238–254, 2004.
- [22] M. I. Ullah and G. Ruhe, "Towards comprehensive release planning for software product lines," *1st International Workshop on Software Product Management, IWSPM'06*, pp. 51–55, 2006.
- [23] S. Bandinelli and G. Sagardui, "Domain Potential Analysis: Calling the Attention on Business Issues of Product-Lines," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 1951, pp. 76–81, 2000. [Online]. Available: [http://link.springer.com/10.1007/978-3-540-44542-5\\_9](http://link.springer.com/10.1007/978-3-540-44542-5_9)
- [24] B. Geppert and D. M. Weiss, "Goal-Oriented Assessment of Product-Line Domains," 2003.
- [25] K. C. Kang, P. Donohoe, E. Koh, J. Lee, and K. Lee, "Using a Marketing and Project Plan as a Key Driver for Project Line Asset Development," in *Software Product Line Conference*, vol. 2379, 2002.
- [26] R. Carbon, J. Knodel, D. Muthig, and G. Meier, "Providing Feedback from Application to Family Engineering - The Product Line Planning Game at the Testo AG," in *2008 12th International Software Product Line Conference*, no. 01. IEEE, 9 2008, pp. 180–189. [Online]. Available: <http://ieeexplore.ieee.org/document/4626852/>
- [27] I. John, J. Knodel, T. Lehner, and D. Muthig, "A Practical Guide to Product Line Scoping," *10th International Software Product Line Conference (SPLC'06)*, pp. 3–12, 2006.

[Online]. Available: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=1691572>

- [28] M. I. Ullah, G. Ruhe, and V. Garousi, "Decision support for moving from a single product to a product portfolio in evolving software systems," *Journal of Systems and Software*, vol. 83, no. 12, pp. 2496–2512, 2010. [Online]. Available: <http://dx.doi.org/10.1016/j.jss.2010.07.049>
- [29] M. Bunge, *Philosophy of Science, From Problem to Theory*.
- [30] B. Kitchenham and S. Charters, "Guidelines for performing Systematic Literature Reviews in Software Engineering," *Engineering*, vol. 2, p. 1051, 2007.
- [31] F. Harmsen, S. Brinkkemper, and H. Oei, *Situational Method Engineering for Information System Project Approaches*, 1994, vol. 55, no. September.
- [32] J. a. H. Alegria, M. C. Bastarrica, and A. Bergel, "Analyzing Software Process Models with AVISPA," *Icssp*, pp. 23–32, 2011.
- [33] M. C. Camacho, J. A. Hurtado, and R. Pablo, "Un método incremental para el análisis visual de modelos de proceso software," *Revista Gerencia Tecnológica Informática*, pp. 79–91, 2004.
- [34] P. Runeson and M. Höst, "Guidelines for conducting and reporting case study research in software engineering," pp. 131–164, 2009.
- [35] D. R. Tobergte and S. Curtis, *Experimentation in Software Engineering Book*, 2013, vol. 53, no. 9.
- [36] R. K. Yin, "Case Study Reserach - Design and Methods," *Clinical Research*, vol. 2, pp. 8–13, 2006.
- [37] J. Bayer, O. Flege, P. Knauber, R. Lagua, D. Muthig, K. Schmid, T. Widen, and J.-M. DeBaud, "PuLSE: A Methodology to Develop

- Software Product Lines,” *Proceedings of the 1999 symposium on Software reusability ACM*, pp. 122–131, 1999.
- [38] K. Pohl, F. van der Linden, and G. Bockle, *Software Product Line Engineering: Foundations, Principles, and Techniques*.
- [39] P. Knauber and G. Succi, “Perspectives on Software Product Lines,” *ACM SIGSOFT Software Engineering Notes*, vol. 2, pp. 40–45, 2002.
- [40] J. Bosch, “Maturity and Evolution in Software Product Lines: Approaches, Artefacts and Organization,” *International Conference on Software Product Lines SPLC 2002 Lecture Notes in Computer Science*, 2002.
- [41] “Software Product Line Adoption Roadmap,” 2004.
- [42] “Software product lines: what to do when enumeration won’t work,” *Proceedings of the First International Workshop on Variability Modelling of Software-Intensive Systems*, 2007.
- [43] K. Schmid, “A Comprehensive Product Line Scoping Approach and Its Validation,” *Proceedings of the 24th International Conference on Software Engineering*, pp. 593–603, 2002. [Online]. Available: <http://doi.acm.org/10.1145/581339.581415>
- [44] F. Karlsson and K. Wistrand, “Combining method engineering with activity theory: Theoretical grounding of the method component concept,” *European Journal of Information Systems*, vol. 15, no. 1, pp. 82–90, 2006.
- [45] C. Braun, F. Wortmann, M. Hafner, and R. Winter, “Method construction - a core approach to organizational engineering,” *Proceedings of the 2005 ACM symposium on Applied computing - SAC '05*, no. c, p. 1295, 2005. [Online]. Available: <http://portal.acm.org/citation.cfm?doid=1066677.1066971>

- [46] B. Henderson-sellers, "Situational Method Engineering: State-of-the-Art Review," vol. 16, no. 3, pp. 424–478, 2010.
- [47] G. T. A., *The CC RIM Reference Model for the Design of Operational, Transactional Information Systems. Dissertation*, 1994.
- [48] B. Henderson-Sellers, J. Ralyté, P. J. Ågerfalk, and M. Rossi, "Situational method engineering," in *Situational Method Engineering*. Springer, 2014, ch. Method Chu, pp. 1–310.
- [49] B. Henderson-Sellers, C. Gonzalez-Perez, and J. Ralyté, "Comparison of method chunks and method fragments for situational method engineering," *Proceedings of the Australian Software Engineering Conference, ASWEC*, no. May 2014, pp. 479–488, 2008.
- [50] J. Ralyté, "Towards situational methods for information systems development: engineering reusable method chunks," *Proceedings of the International Conference on Information Systems Development (ISD'04)*, no. July, pp. 271–282, 2004.
- [51] R. C. Ralyté, J., "An assembly process model for method engineering," *International Conference on Advanced Information Systems Engineering, Switzerland*, p. 24, 2001.
- [52] R. Briggs, G. Kolfschoten, and G. J. de Vreede, "Defining Key Concepts for Collaboration Engineering," *AMCIS 2006 Proceedings*, pp. 121–128, 2006. [Online]. Available: <http://aisel.aisnet.org/amcis2006/17/>
- [53] G.-J. de Vreede, R. O. Briggs, and A. P. Massey, "Collaboration Engineering: Foundations and Opportunities: Editorial to the Special Issue on the Journal of the Association of Information Systems," *Journal of the Association for Information Systems*, vol. 10, no. Special Issue, pp. 121–137, 2009.

- [54] R. O. Briggs and G.-J. De Vreede, "ThinkLets: Building Blocks for Concerted Collaboration," *Evolution*, 2005.
- [55] R. O. Briggs, G. J. De Vreede, J. F. Nunamaker, and D. Tobey, "ThinkLets: Achieving predictable, repeatable patterns of group interaction with Group Support Systems (GSS)," *Proceedings of the Hawaii International Conference on System Sciences*, no. June 2014, p. 32, 2001.
- [56] G. L. Kolfshoten, R. O. Briggs, G. J. de Vreede, P. H. Jacobs, and J. H. Appelman, "A conceptual foundation of the thinkLet concept for Collaboration Engineering," *International Journal of Human Computer Studies*, vol. 64, no. 7, pp. 611–621, 2006.
- [57] G.-J. D. Vreede, G. L. Kolfshoten, and R. O. Briggs, "ThinkLets: a collaboration engineering pattern language," *International Journal of Computer Applications in Technology*, vol. 25, no. 2,3, pp. 140–154, 2006. [Online]. Available: [http://search.proquest.com/docview/219227907?accountid=10297%5Cnhttp://sfx.cranfield.ac.uk/cranfield?url\\_ver=Z39.88-2004&rft\\_val\\_fmt=info:ofi/fmt:kev:mtx:journal&genre=article&sid=ProQ:ProQ:abiglobal&atitle=ThinkLets:+a+collaboration+engineering+pattern+l](http://search.proquest.com/docview/219227907?accountid=10297%5Cnhttp://sfx.cranfield.ac.uk/cranfield?url_ver=Z39.88-2004&rft_val_fmt=info:ofi/fmt:kev:mtx:journal&genre=article&sid=ProQ:ProQ:abiglobal&atitle=ThinkLets:+a+collaboration+engineering+pattern+l)
- [58] G. D. B. Sunni. and M. James, *Gamestorming: 83 Juegos Para Innovadores, Inconformistas y Generadores del Cambio*, 2016.
- [59] D. Gray, S. Brown, and J. Macanufo, *Gamestorming*. Oreilly & Associates Inc, 2012.
- [60] C. A. Ellis, S. J. Gibbs, and G. Rein, "Groupware: some issues and experiences," *Communications of the ACM*, vol. 34, no. 1, pp. 39–58, 1991.
- [61] J. Ros Guasch, "Análisis de roles de trabajo en equipo: un enfoque centrado en comportamientos," Ph.D. dissertation, Universidad Autónoma de Barcelona, 2006.

- [62] T. A. K., *Collaborative Product Line Requirements Engineering Using Rationale*. Springer, 2010, ch. 19, pp. 369–387.
- [63] C. Wohlin, M. Höst, and K. Henningsson, “Empirical Research Methods in Software Engineering,” *Empirical Methods and Studies in Software Engineering*, vol. 2765, pp. 7–23, 2003. [Online]. Available: <http://www.springerlink.com/content/ufkgywvmmvbtpc4m/>
- [64] M. J. Grant and A. Booth, “A typology of reviews: An analysis of 14 review types and associated methodologies,” *Health Information and Libraries Journal*, vol. 26, no. 2, pp. 91–108, 2009.
- [65] T. Kishi, N. Noda, and T. Katayama, “A method for product line scoping based on a decision-making framework,” *Software Product Lines*, p. 348–365, 2002.
- [66] C. Fritsch and R. Hahn, “Product Line Potential Analysis,” in *Third Software Product Lines Conference (SPLC 2004)*. Springer, 2004, pp. 228–237.
- [67] L. J. M. Taborda, “Planning and managing product line evolution,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 3014, pp. 296–309, 2004. [Online]. Available: <http://www.scopus.com/inward/record.url?eid=2-s2.0-35048824392&partnerID=40&md5=44532d9ccc4f46f003bebf8eb5f58b49>
- [68] J. Lee, K. C. Kang, and S. Kim, “A Feature-Based Approach to Product Line Production Planning,” *Software Product Lines, Third International Conference, {SPLC} 2004, Boston, MA, USA, August 30-September 2, 2004, Proceedings*, pp. 183–196, 2004. [Online]. Available: [http://dx.doi.org/10.1007/978-3-540-28630-1\\_11%5Cnhttp://selab.postech.ac.kr/publication/2004-SPLC3-LeeJ-Kang.pdf](http://dx.doi.org/10.1007/978-3-540-28630-1_11%5Cnhttp://selab.postech.ac.kr/publication/2004-SPLC3-LeeJ-Kang.pdf)

- [69] A. Helferich, G. Herzwurm, and S. Schockert, "Mass Customization of Enterprise Applications: Creating Customer-Oriented Product Portfolios instead of Single Systems," in *3rd Interdisciplinary World Congress on Mass Customization and Personalization*, Hongkong, 2005, pp. 1–8.
- [70] —, "QFD-PPP: Product line portfolio planning using quality function deployment," in *Software Product Lines SPLC 2005*, 2005, p. 162–173. [Online]. Available: <http://www.springerlink.com/index/1qy45agr061f4u4p.pdf%5Cnhttp://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.89.2461&rep=rep1&type=pdf%5Cnhttp://www.springerlink.com/content/1qy45agr061f4u4p/>
- [71] E. Niehaus, K. Pohl, and G. Böckle, "Product Management," in *Software Product Line Engineering Foundations, Principles, and Techniques*. Springer, 2013, ch. 9, pp. 163–192.
- [72] Y. S. Park and S. D. Kim, "A systematic method for scoping core assets in product line engineering," *Proceedings - Asia-Pacific Software Engineering Conference, APSEC*, vol. 2005, pp. 491–498, 2005.
- [73] M. A. Noor, R. Rabiser, and P. Grünbacher, "Agile product line planning: A collaborative approach and a case study," *Journal of Systems and Software*, vol. 81, no. 6, pp. 868–882, 2008.
- [74] I. John, "Using documentation for product line scoping," *IEEE Software*, vol. 27, no. 3, pp. 42–47, 2010.
- [75] R. Cvetković and S. Nešković, "An approach to defining scope in software product lines for the telecommunication domain," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), Advances in Databases and Information Systems. ADBIS 2010*, vol. 6295 LNCS, pp. 555–558, 2010.

- [76] K. Lee and D. H. Lee, "A Market-Driven Product Line Scoping," in *Software Engineering Research, Management and Applications*, Lee R., Ed. Berlin: Springer, 2012, ch. 3, pp. 27–46.
- [77] J. Müller, "Value-Based Portfolio Optimization for Software Product Lines," in *15th International Software Product Line Conference Value-Based*. IEEE, 2011, pp. 15–24.
- [78] M. Balbino, E. c. De Almeida, and S. c. Meira, "An agile scoping process for Software Product Lines," *SEKE 2011 - Proceedings of the 23rd International Conference on Software Engineering and Knowledge Engineering*, pp. 717–722, 2011.
- [79] J. Hu, Y. Yang, Q. Wang, G. Ruhe, and H. Wang, "Value-based portfolio scoping: An industrial case study," in *3rd International Workshop on Product Line Approaches in Software Engineering, PLEASE 2012*. Zurich, Switzerland: IEEE, 2012, pp. 45–48.
- [80] M. Nöbauer, N. Seyff, and I. Groher, "Similarity analysis within product line scoping: An evaluation of a semi-automatic approach," *Lecture Notes in Computer Science (including sub-series Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, *26th International Conference on Advanced Information Systems Engineering (CAiSE 2014)*, vol. 8484 LNCS, pp. 165–179, 2014.
- [81] I. F. F. U. o. P. da Silva, "An agile approach for software product lines scoping," *Proceedings of the 16th International Software Product Line Conference on - SPLC '12 -volume 1*, p. 225, 2012. [Online]. Available: <http://dl.acm.org/citation.cfm?doid=2364412.2364450>
- [82] M. Snoeck, P. Heymans, J. Gillain, S. Faulkner, and I. Jureta, "Product portfolio scope optimization based on features and



- goals,” in *SPLC '12 Proceedings of the 16th International Software Product Line Conference*. Salvador, Brazil: ACM, 2012, pp. 161–170.
- [83] A. Ianzen, R. Mantovani Fontana, M. A. Paludo, A. Malucelli, and S. Reinehr, “Scoping Automation in Software Product Lines,” in *ICEIS 2015 Proceedings of the 17th International Conference on Enterprise Information Systems*. Barcelona, Spain: ACM, 2015, pp. 82–91.
- [84] R. Capilla, “Systems and Software Variability Management,” *Systems and Software Variability Management*, pp. 43–56, 2013.
- [85] J. Cruz, P. S. Neto, R. Britto, R. Rabelo, W. Ayala, T. Soares, and M. Mota, “Toward a hybrid approach to generate Software Product Line portfolios,” in *2013 IEEE Congress on Evolutionary Computation, CEC 2013*. Cancún, México: IEEE, 2013, pp. 2229–2236.
- [86] H. I. Alsawalqah, S. Kang, and J. Lee, “A method to optimize the scope of a software product platform based on end-user features,” *Journal of Systems and Software*, vol. 98, pp. 79–106, 2014. [Online]. Available: <http://dx.doi.org/10.1016/j.jss.2014.08.034>
- [87] T. Vale, B. Cabral, L. Alvim, L. Soares, A. Santos, I. Machado, I. Souza, I. Freitas, and E. Almeida, “SPLICE: A lightweight software product line development process for small and medium size projects,” in *2014 8th Brazilian Symposium on Software Components, Architectures and Reuse, SBCARS 2014*. Macieio, Brazil: IEEE, 2014, pp. 42–52. [Online]. Available: <http://www.scopus.com/inward/record.url?eid=2-s2.0-84923090513&partnerID=40&md5=8080d77ab56dbf7331ab33e20f159d65>

- [88] OMG, “Software & Systems Process Engineering Meta-Model Specification,” no. April, p. 218, 2008. [Online]. Available: <http://www.omg.org/spec/SPEM/2.0/>
- [89] I. F. F. U. o. P. da Silva, “A Scrum-inspired Process for Software Product Lines Scoping, Universidade Federal de Pernambuco,” Ph.D. dissertation, Federal University of Pernambuco, 2013. [Online]. Available: <https://repositorio.ufpe.br/bitstream/123456789/12265/1/TeselvoneiFreitasdaSilva.pdf>
- [90] M. Balbino, “RiPLE-SC: An agile scoping process for software product line, Universidade Federal de Pernambuco,” Ph.D. dissertation, Federal University of Pernambuco, 2010. [Online]. Available: [http://repositorio.ufpe.br:8080/xmlui/bitstream/handle/123456789/2322/arquivo2982\\_1.pdf?sequence=1&isAllowed=y](http://repositorio.ufpe.br:8080/xmlui/bitstream/handle/123456789/2322/arquivo2982_1.pdf?sequence=1&isAllowed=y)
- [91] I. F. Da Silva, P. A. Da Mota Silveira Neto, P. O’Leary, E. S. De Almeida, and S. R. D. L. Meira, “Software product line scoping and requirements engineering in a small and medium-sized enterprise: An industrial case study,” *Journal of Systems and Software*, vol. 88, no. 1, pp. 189–206, 2014. [Online]. Available: <http://dx.doi.org/10.1016/j.jss.2013.10.040>
- [92] C. Krueger, “Easing the Transition to Software Mass Customization,” in *Software Product-Family Engineering. PFE 2001. Lecture Notes in Computer Science*, 2001, pp. 282–293.
- [93] B. G. Pound, “Pit initiation on nitinol in simulated physiological solutions,” *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, vol. 106, no. 4, pp. 1605–1610, 2018.
- [94] A. Solano, T. Granollers, C. Collazos, and C. Rusu, “Proposing formal notation for modeling collaborative processes extending HAMSTERS notation,” *Advances in Intelligent Systems and Computing*, vol. 275 AISC,

- no. VOLUME 1, pp. 257–266, 2014. [Online]. Available: [https://www.scopus.com/inward/record.uri?eid=2-s2.0-84904697815&doi=10.1007%2F978-3-319-05951-8\\_25&partnerID=40&md5=ca73946c60ee5ae6cea7ece4cb2fcf5e](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84904697815&doi=10.1007%2F978-3-319-05951-8_25&partnerID=40&md5=ca73946c60ee5ae6cea7ece4cb2fcf5e)
- [95] A. Solano, T. Granollers, and C. Collazos, “Modelado de Procesos Colaborativos Extendiendo Elementos de la Notación,” *Revista Colombiana de Computación*, vol. 16, no. 2, pp. 144–161, 2015.
- [96] A. Aharoni and I. Reinhartz-Berger, “A Domain Engineering Approach for Situational Method Engineering,” *Conceptual Modeling - ER 2008*, vol. 5231, pp. 455–468, 2008. [Online]. Available: [http://dx.doi.org/10.1007/978-3-540-87877-3\\_33](http://dx.doi.org/10.1007/978-3-540-87877-3_33)
- [97] *El Proceso Unificado de Desarrollo de Software*.
- [98] M. C. Camacho Ojeda and J. A. Hurtado Alegría, “SPL en las PYMES desarrolladoras de software del Cauca: una experiencia desde Colmayor,” Master’s thesis, Universidad del Cauca, Popayán, Colombia, 2013.
- [99] D. Zubrow, “Product Lines,” no. October, 2003.
- [100] R. Prieto, b. Nuria, M.-M. bullet, P. Paderewski-Rodríguez, and F. L. Vela, “Design methodology for educational games based on interactive screenplays,” vol. 1394, 06 2015.
- [101] D. R. V. Basili, G. Caldiera, “Goal question metric approach. Encyclopedia of Software Engineering,” pp. 528–532, 1994.
- [102] N. Avouris, M. Margaritis, and V. Komis, “Modelling interaction during small-group synchronous problem-solving activities: The Synergo approach,” *ITS 2004 Workshop on Computational Models of Collaborative Learning*, no. September, pp. 5–11, 2004. [Online]. Available: <http://www.cscl-research.com/dr/its2004workshop/proceedings.pdf#page=13>

- [103] F. D. Davis, "Perceived Usefulness, Perceived Ease of Use, and User Acceptance of Information Technology," *MIS Quarterly*, vol. 13, no. 3, p. 319, 1989. [Online]. Available: <http://www.jstor.org/stable/249008?origin=crossref>
- [104] S. Abrahão, E. Insfran, J. A. Carsí, and M. Genero, "Evaluating requirements modeling methods based on user perceptions: A family of experiments," *Information Sciences*, vol. 181, no. 16, pp. 3356–3378, 2011.
- [105] M. C. Camacho Ojeda, J. A. Hurtado Alegría, and F. J. Álvarez Rodríguez, "An exploratory study for scoping software product lines in a collaborative way," in *CHASE '18 Proceedings of the 11th International Workshop on Cooperative and Human Aspects of Software Engineering*, 2018, pp. 17–20.
- [106] D. Reo, N. Quintano, and L. Buglione, "Measuring Software Process Improvement: there's more to it than just measuring processes," *Esi, Fesma*, no. January, 1999. [Online]. Available: <http://www.reocities.com/ResearchTriangle/campus/2605/MeasuringSoftwareProcessImprovement.pdf>
- [107] A. Calvani, A. Fini, M. Molino, and M. Ranieri, "Visualizing and monitoring effective interactions in online collaborative groups," *British Journal of Educational Technology*, vol. 41, no. 2, pp. 213–226, 2010.

# **Appendices**

# Appendix A

## Appendix Guide to the CoMeS-SPL

### **GUIDE TO THE COLLABORATIVE METHOD FOR SCOPING SOFTWARE PRODUCT LINES COMES-SPL**

Software product line scoping is one of an essential and complex activities of SPL development, because it is an interdisciplinary activity with a high impact on the SPL success. SPL scoping defines belonging relationships to the SPL among domains, features, reusable assets and products as multi-set.

For instance, the scoping bounds the product line by defining those products belong to the line and which ones do not, it specifies the domain and raises the basis for the construction of the reusable assets.

The following sections present the tasks and sub-tasks of the method:

- Initial meeting
  - Assemble the profile of the line
  - Baptize the line
- Identify features

- Explore existing products
  - Propose features
  - Analyze features
  - Concert features
- Identify Products
- Identify functional domains
- Classify features in functional domains
- Tabulate products and features
- Validation product map
- Set metrics
- Quantify product map and functional domains
- Final meeting

For the description of each task, MFP extending HAMSTERS notation was used. the figure ?? shows the representation of an activity in the MFP, using HAMSTERS elements. And the figure ?? presents the images used to represent the steps that make up a collaborative task, and these correspond to the steps defined in the thinkLet used.




Figure A.1 Representation of an task in the MFP, using HAMSTERS elements

Symbol	Steps
	Cognitive Analysis
	Share information
	Collaborative cognitive activity (analysis or decision making)
	Input data to the system
	Collaborative input data to the system

Figure A.2 Graphical representation of collaborative activities

**To establish the SPL goals.Task: Initial meeting**



## Sub-task: Assemble the profile of the line




Figure A.3 Initial meeting

<b>Sub-Task</b>	<b><i>Assemble the profile of the line</i></b>
<b>Task</b>	Initial meeting
<b>id</b>	IM1
<b>Description</b>	The objective of this task is to give an opening to the scoping, it is sought that all the team that will participate in the scoping may know what the objectives of the company and the objectives of the line are, verifying that these match. This task gives the opportunity for the participants to get to know each other and express their interests in the production of the product line.
<b>Collaborative pattern</b>	Gamestorming
<b>ThinkLet</b>	Empathy map
<b>Mandatory roles</b>	Expert Domain of application (ED) Business Administrator (BA) Software Architect (SA), SPL Project Leader (PL) Marketing expert (ME)
<b>Optional roles</b>	Potential Customers (PC) Sales staff (SS) Domain analyst (DA), Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA)
<b>Input artefact</b>	Business objectives Market study
<b>Output artefacts</b>	SPL Profile
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The manager provides the business objectives of the company in cards (The cards are located in the area business objectives).</li> <li>2. the manager, the software architect, the marketing expert and the project leader will write on cards the goals that are sought with the production of the line (one goal per card) and are located in the SPL Profile. (The cards are located in the area: line goal)</li> <li>3. Verify if the objectives of the business and the line goals are compatible, for which each participant associates the line goals and the business objectives that he considers that are related by using adhesive circles that are numbered to indicate the corresponding association.</li> </ol>

<b>Sub-Task</b>	<b><i>Assemble the profile of the line</i></b>
<b>Steps</b>	<p>4. If any of the line goals does not relate to any of the business objectives, so it should be considered whether or not to take into account the last decision of the manager. If none of the line goals is associated with the business objectives, it must be checked if the company is interested in developing the line.</p> <p>5. The marketing expert presents what is the potential market in which the product line will be focused, potential customers, and the problems or opportunities that are sought to be covered with the product line. (The cards are located in the target market area)</p> <p>6. The domain expert complements the information with information from potential clients and their needs. (The cards are located in the target market area)</p> <p>7. The marketing expert, the domain expert and the project leader present the competitors and his similar products (The cards are located in the target market area).</p>
<b>Rules</b>	Each contribution must be written on a card.

Table A.1 Assemble the profile of the line




Figure A.4 SPL Profile

## Sub-task: Baptize the line




Figure A.5 Baptize the line

<b>Sub-task</b>	<b><i>Baptize the line</i></b>
<b>Task</b>	Initial meeting
<b>id</b>	IM2
<b>Description</b>	The objective of this task is to assign a name to the line among all the participants.
<b>Collaborative pattern</b>	Gamestorming
<b>ThinkLet</b>	Vote by points
<b>Mandatory roles</b>	Expert Domain of application (ED) Business Administrator (BA) Software Architect (SA), SPL Project Leader (PL) Marketing expert (ME)
<b>Optional roles</b>	Potential Customers (PC) Sales staff (SS) Domain analyst (DA), Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA)
<b>Input artefact</b>	
<b>Output artefacts</b>	SPL Profile
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The project leader asks the participants to write a name on the card for the SPL (one name per card) and each participant places it in the title session of the SPL profile.</li> <li>2. Each member will read the names and vote for the title that deems most appropriate, if there is a tie, the vote is repeated among the tied names, in the session, the only remaining name is the winner</li> </ol>

Table A.2 Baptize the line




Figure A.6 SPL Profile, SPL Name

## To identify features. Task: Identify features

### Sub-task: Explore existing products




Figure A.7 Explore existing products



<b>Sub-task</b>	<b><i>Explore existing products</i></b>
<b>Task</b>	Identify features
<b>id</b>	IF1 (optional)
<b>Description</b>	The objective of this task is to assign a name to the line among all the participants.
<b>Collaborative pattern</b>	does not apply
<b>ThinkLet</b>	does not apply
<b>Mandatory roles</b>	Expert Domain of application (ED) Business Administrator (BA) Software Architect (SA), SPL Project Leader (PL) Marketing expert (ME) Domain analyst (DA),
<b>Optional roles</b>	Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA)
<b>Input artefact</b>	Similar own products Documentation of similar products Similar products external
<b>Output artefacts</b>	Preliminary features List
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The project leader distributes the products among the participants.</li> <li>2. Each participant will look for products similar to those identified as potential.</li> <li>3. Each participant will explore the products assigned and those they have identified and also the available documentation</li> <li>4. Each participant will write their own list of possible features</li> </ol>

Table A.3 Explore existing products

<b>Feature</b>	<b>sub- feature</b>	<b>Description</b>	<b>Product</b>	<b>Own</b>	<b>foreign</b>	<b>New</b>

Figure A.8 List possible features

## Sub-task: Propose features




Figure A.9 Propose features

Note: This sub-task can be done using Electronic Brainstorming, or worksheets online or manually.

<b>Sub-task</b>	<b><i>Propose features</i></b>
<b>Task</b>	Identify features
<b>id</b>	IF2
<b>Description</b>	The objective of this sub-task is to identify the features that are part of the line, using a brainstorm that allows participants to propose the greatest number of features, taking into account the profile of the identified line and similar products.
<b>Collaborative pattern</b>	Generate
<b>ThinkLet</b>	FreeBrainstorm
<b>Mandatory roles</b>	Expert Domain of application (ED) Software Architect (SA), SPL Project Leader (PL) Marketing expert (ME)
<b>Optional roles</b>	Business Administrator (BA) Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	Similar own products Documentation of similar products Similar external products Preliminary features List (optional) SPL Profile
<b>Output artefacts</b>	List features
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The project leader assigns each participant one of the pages in the tool (one page per participant).</li> <li>2. Each participant will write down all the possible features of the line in their page in the features column, one feature per row and he indicates if it is a feature or sub-feature in the type column if it is a sub-feature he places it below the corresponding feature.</li> <li>3. After the time assigned to the feature entry step, each participant will rotate to the next page (participant 1 to participant 2, and so on until the last participant to participant 1).</li> </ol>

<b>Sub-task</b>	<b><i>Propose features</i></b>
<b>Task</b>	Identify features
<b>Steps</b>	<p>4. Each participant will read the features proposed by the other participant and:</p> <p>4.1 If the participant wants to add some detail to any of the proposed features, he will write it in one of the cells of the columns called contributions.</p> <p>4.2. If the participant does not agree or has any concerns with some feature, he writes it in the opposing cells.</p> <p>5. If the participant has new features, they will be entered in the features column after the last feature proposed.</p> <p>6. Each participant will read all the pages and make their contributions.</p>
<b>Rules</b>	<p>The participants will start from the profile of the line and similar products</p> <p>No participant can eliminate features proposed by others</p>

Table A.4 Propose features


<div>  <b>FEATURE LIST</b> <span>☆</span> <span>📁</span> </div> <div> File Edit View Insert Format Data Tools Add-ons Help <a href="#">All changes saved in Drive</a> </div>																																																																																																															
<div> <span>↶</span> <span>↷</span> <span>🖨</span> <span>📄</span> 100% \$ % .0 .00 123 Arial 10 <b>B</b> <i>I</i> <del>ABC</del> <u>A</u> <span>🔍</span> </div>																																																																																																															
<div> <span>fx</span> </div> <table> <tr> <th></th><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr> <tr> <th>1</th><td>TYPE</td><td>ID</td><td>FEATURE NAME</td><td>DESCRIPTION</td><td>OBSERVATION</td><td>CONTRIBUTIONS</td><td>OPPOSITIONS</td></tr> <tr><td>2</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>3</td><td>subfeature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>4</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>5</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td>Feature ▾</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>12</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>									A	B	C	D	E	F	G	1	TYPE	ID	FEATURE NAME	DESCRIPTION	OBSERVATION	CONTRIBUTIONS	OPPOSITIONS	2	Feature ▾							3	subfeature ▾							4	Feature ▾							5	Feature ▾							6	Feature ▾							7	Feature ▾							8	Feature ▾							9	Feature ▾							10	Feature ▾							11	Feature ▾							12							
	A	B	C	D	E	F	G																																																																																																								
1	TYPE	ID	FEATURE NAME	DESCRIPTION	OBSERVATION	CONTRIBUTIONS	OPPOSITIONS																																																																																																								
2	Feature ▾																																																																																																														
3	subfeature ▾																																																																																																														
4	Feature ▾																																																																																																														
5	Feature ▾																																																																																																														
6	Feature ▾																																																																																																														
7	Feature ▾																																																																																																														
8	Feature ▾																																																																																																														
9	Feature ▾																																																																																																														
10	Feature ▾																																																																																																														
11	Feature ▾																																																																																																														
12																																																																																																															
<div> <span>+</span> <span>☰</span> <div> participant 1 ▾ participant 2 ▾ participant 3 ▾ Feature List ▾ </div> </div>																																																																																																															

Figure A.10 Features List

## Sub-task: Analyze features




Figure A.11 Analyze features

<b>Sub-task</b>	<b>Analyze features</b>
<b>Task</b>	Identify features
<b>id</b>	IF3
<b>Description</b>	This task seeks to filter features lists, contributions and contrapositions, to achieve a clean list and an agreement by the team
<b>Collaborative pattern</b>	Convergence
<b>ThinkLet</b>	GarlicSqueezer
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA), Marketing expert (ME)
<b>Optional roles</b>	Business Administrator (BA) Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	List features
<b>Output artefacts</b>	Revised features lists
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. The analysis of the feature lists generated will be done by the domain expert and project leader, they review the features, contributions and oppositions.</li> <li>2. The project leader and domain analyst review: <ul style="list-style-type: none"> <li>- Features with contributions, read them and according to these they can rewrite them with the made comments.</li> <li>-Features with contrapositions are reviewed if necessary to rethink or eliminate them.</li> <li>-The features that are considered similar are grouped.</li> <li>-They can write comments in the cells of the observations if they consider it necessary to clarify or discuss in group.</li> <li>-Eliminate repeated features</li> </ul> </li> <li>3.The group meets again, the project leader informs how many features were identified, and the questions and points to clarify are made, this discussion is done verbally, and the agreements are noted in the respective features.</li> </ol>
<b>Rules</b>	During step 2, only the project leader and the domain expert remain in the space, in order to make a quick analysis, the more people involved, the discussion becomes longer.

Table A.5 Analyze Features



<div> <div>FEATURE LIST</div> <div> <div>File</div> <div>Edit</div> <div>View</div> <div>Insert</div> <div>Format</div> <div>Data</div> <div>Tools</div> <div>Add-ons</div> <div>Help</div> </div> <div> <div>All changes saved in Drive</div> <div>Share</div> </div> </div>							
<div> <div>100%</div> <div>\$ % .0 .00 123</div> <div>Arial</div> <div>10</div> <div>B I S A</div> <div></div> <div></div> <div></div> <div></div> </div>							
fx							
	A	B	C	D	E	F	G
1	TYPE	IDENTIFIER	FEATURE NAME	DESCRIPTION	OBSERVATION	CONTRIBUTIONS	OPPOSITIONS
2	Feature						
3	subfeature						
4	Feature						
5	Feature						
6	Feature						
7	Feature						
8	Feature						
9	Feature						
10	Feature						
11	Feature						
12							
13							
<div> <div>+</div> <div> <div>participant 1</div> <div>participant 2</div> <div>participant 3</div> <div>Feature List</div> </div> </div>							

Figure A.12 Features List

## Sub-task: Concert features




Figure A.13 Concert features

<b>Sub-Task</b>	<b><i>Concert features</i></b>
<b>Task</b>	Identify features
<b>id</b>	IF4
<b>Description</b>	The task objective is to make a quick evaluation of the proposed features considering important criteria for the company, and obtain a concerted features list.
<b>Collaborative pattern</b>	Gamestorming
<b>ThinkLet</b>	Voting by points
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA), Marketing expert (ME), Business Administrator (BA)
<b>Optional roles</b>	Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	Revised features lists
<b>Output artefacts</b>	Concerted features list
<b>Steps</b>	<p>1. The proposed feature lists are put together in a unified list of features. Identifiers are assigned to each feature and its sub-features.</p> <p>2. If there are already developed features, the project leader will indicate them in the unified features list.</p> <p>3. The Expert domain of application, Marketing expert, Software architect, project leader and Business administrator propose evaluation criteria for the features; each one proposes a criterion according to their role and the line of products and exposes them to the group verbally; the other members will give their opinion so that all accept the criteria.</p> <p>Each criterion is placed by heading one of the following columns to the features column. For example, the criterion of the marketing expert will evaluate how saleable and necessary the feature is in the target market, the software architect; that is so developable according to the expertise of the development group and the available technology by the company.</p>

<b>Sub-task</b>	<b><i>Concert features</i></b>
<b>Task</b>	Identify features
<b>Steps</b>	<p>4. Each role will evaluate the criterion that corresponds to it, using a scale of values, 1 disagree, 3 must be analyzed, and 5 is positive and feasible. (voting method)</p> <p>5. The evaluation of the features is done among all participants considering:</p> <ul style="list-style-type: none"> <li>- If all evaluations of a feature match: All criteria evaluated in 5, the feature is included All the criteria evaluated in 1, the feature is deleted.</li> <li>-If the evaluation determines that the feature is not necessary for the customer or is not saleable, the feature is deleted.</li> <li>-Other conditions are discussed among the participants verbally to define which features are included.</li> </ul> <p>The list of characteristics will be cleaned so that only those that have been selected in the evaluation remain</p>
<b>Rules</b>	The participants determine the number and criteria, but it cannot be more than one criterion per participant

Table A.6 Concert features

**FEATURE LIST** ☆

File Edit View Insert Format Data Tools Add-ons Help *All changes saved in Drive*

100% \$ % .0 .00 123 Arial 10 B I A

	A	B	C	D	I	J	K	L	M	N
	TYPE	ID	FEATURE NAME	DESCRIPTION	% DEVELOPING	CRITERION 1	CRITERION 2	CRITERION 3	EVALUATION	INCLUDED
2	Feature									<input type="checkbox"/>
3	subfeature									<input type="checkbox"/>
4	Feature									<input type="checkbox"/>
5	Feature									<input type="checkbox"/>
6	Feature									<input type="checkbox"/>
7	Feature						1			<input type="checkbox"/>
8	Feature						3			<input type="checkbox"/>
9	Feature						5			<input type="checkbox"/>
10	Feature									<input type="checkbox"/>
11	Feature									<input type="checkbox"/>

+ ≡ participant 1 participant 2 participant 3 Feature List

Figure A.14 Features List2

## To identify products

### Task: Identify Products




Figure A.15 Identify Products

<b>Sub-task</b>	
<b>Task</b>	<b><i>Identify Products</i></b>
<b>id</b>	IP
<b>Description</b>	In this task, the participants will contribute to identifying the products that will be part of the line in the same list or electronic page at the same time
<b>Collaborative pattern</b>	Generate
<b>ThinkLet</b>	OnePage
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA), Marketing expert (ME)
<b>Optional roles</b>	Business Administrator (BA) Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	Concerted features list SPL Profile
<b>Output artefacts</b>	Products list
<b>Steps</b>	<p>1. The project leader informs the group that in this task the team will identify the products that will be part of the line, knowing that in previous tasks they thought about existing similar products or future products, and it is time to propose them.</p> <p>2. The participants will propose possible products describing them and indicating possible customers. Each participant will write the products that he proposes in the product list. Each member will briefly explain the proposed product, name, description and possible customers</p> <p>3. Any of the participants can ask questions to clarify or contribute to the products.</p> <p>4. The proposed products will be grouped in the product list.</p>
<b>Rules</b>	

Table A.6 Identify Products

Product scoping ☆

File Edit View Insert Format Data Tools Add-ons Help [All changes saved](#)

100% \$ % .0 .00 123 Arial 10 B

fx

	A	B	C	D	E
1	<b>ID</b>	<b>PRODUCT NAME</b>	<b>DESCRIPTION</b>	<b>POSSIBLE CLIENTS</b>	
2	P1				
3	P2				
4	P3				
5	P4				
6	P5				
7	P6				
8					

+ ☰ participant 2 ▼ participant 3 ▼ Feature List ▼ **Products list ▼**

Figure A.16 Features List 3



## To specify the product map00

### Task: Tabulate products and features




Figure A.17 Tabulate products and features

<b>Sub-task</b>	<b><i>Tabulate products and features</i></b>
<b>Task</b>	<b><i>Specify the product map</i></b>
<b>id</b>	PM1
<b>Description</b>	The objective of this task is to assign the proposed features to each of the products belonging to the line. With the product map, common and variable features can be identified.
<b>Collaborative pattern</b>	Evaluation
<b>ThinkLet</b>	StrawPoll
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA), Marketing expert (ME)
<b>Optional roles</b>	Business Administrator (BA) Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA),
<b>Input artefact</b>	Concerted features list Products list
<b>Output artefacts</b>	Product map
<b>Steps</b>	<p>1. The SPL project leader locates in the first column of a table the identifiers and in the second column the features and sub-features, leaving the first row free, where each participant will locate the identified products.</p> <p>2. Each of the task participants will indicate which of the features belong to every product. To relate a feature with a product, the participant will indicate with a letter the type of relationship in the cell that intercepts the feature with the product, with one of the following letters:</p> <p>O: if the feature is required in an obligatory way D: If the feature is not indispensable but it is desirable N: if the feature does not belong to the product.</p>

<b>Sub-task</b>	<b><i>Tabulate products and features</i></b>
<b>Task</b>	<b><i>Specify the product map</i></b>
<b>id</b>	PM1
<b>Steps</b>	<p>3. Once the participants have linked all the features with the products, the relations obtained are analyzed as follows:</p> <ul style="list-style-type: none"> <li>- if the relation of belonging is unanimous and all participants coincide, the relationship with the corresponding letter is indicated</li> <li>- if there is a greater number of obligatory versus desirable, it is considered mandatory.</li> <li>- if there is a greater number of desirable versus does not belong, it is considered desirable.</li> <li>- If there are disagreements where the difference of evaluations is very low (tie), a verbal discussion should be made where each participant explains his/her position</li> <li>- The domain expert will be in charge of making a final decision in case of not reaching an agreement</li> </ul> <p>4. The scoping expert will fill the column called feature type:</p> <ul style="list-style-type: none"> <li>- if the feature has O for all products it is a mandatory feature</li> <li>- If the feature has O for some products and D for others, it is variable</li> <li>- if a feature has D for all products it is variable</li> </ul> <p>If a feature has D for some products and N for others, it is variable if a feature has N for all products then the feature does not belong to the line</p>
<b>Rules</b>	<ul style="list-style-type: none"> <li>- Each participant may assign a single letter per relation</li> <li>- If there is any discrepancy about the type of a feature, the participants will expose their reasons if there is no agreement, the assigned relation is the greatest.</li> <li>- Priority and priority value columns are not filled during this task, these columns will be filled in Task Quantify product map</li> </ul>

Table A.7 Tabulate products and features

**Product Map**

Feature	Sub-features	Product 1	Product 2		Product n	Type	Priority	priority value

Figure A.18 Product map

## Task: Validation product map




Figure A.19 Validation product map

<b>Sub-task</b>	<b><i>Validation product map</i></b>
<b>Task</b>	<b><i>Specify the product map</i></b>
<b>id</b>	PM1
<b>Description</b>	The objective of this task is to validate and clean the product map
<b>Collaborative pattern</b>	Evaluation
<b>ThinkLet</b>	BucketWalkChoose
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA), Marketing expert (ME)
<b>Optional roles</b>	Business Administrator (BA) Potential Customers (PC) Sales staff (SS) Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA)
<b>Input artefact</b>	Product map
<b>Output artefacts</b>	Validated product map
<b>Steps</b>	<p>1. The participants review each product and its features to validate if features have been well classified. The project leader asks:</p> <p>do all the features associated with the first product really belong to you?</p> <p>- If a participant thinks that a feature does not belong to the product or that its type is badly associated, a verbal discussion is held to reach an agreement</p> <p>Do you think it is necessary to associate some of the proposed features to the first product?</p> <p>- If any of the participants considers that there is a missing feature to associate, he/she exposes it to the team, to define if it is associated or not</p>

<b>Sub-task</b>	<b><i>Validation product map</i></b>
<b>Task</b>	<b><i>Specify the product map</i></b>
<b>id</b>	PM1
<b>Steps</b>	<p>Do you think any feature is missing in the first product that has not been considered on the list?</p> <ul style="list-style-type: none"> <li>- New features may arise, the domain expert must validate whether the feature belongs or not, and the project leader must decide if it is added to the list, if added, it should be verified if this new feature is associated with other products.</li> </ul> <p>This revision is repeated until all the products are finished</p> <p>2. If a feature has not been considered in any product, it does not belong to the scope, all participants verify it, and if it does not belong to any product it is removed from the product map.</p> <p>3. If a product does not have mandatory features assigned, the participants must evaluate whether the product belongs to the proposed line or not.</p>
<b>Rules</b>	<ul style="list-style-type: none"> <li>- For a feature to be considered at least it must be included in a product</li> <li>- For a product to belong to the line it must include the mandatory features</li> <li>- A mandatory feature belongs to all products or is variable</li> </ul>

Table A.8 Validation product map

## To determine functional domains

### Task: Identify functional domains





Figure A.20 Identify functional domains



<b>Task</b>	<b><i>Identify functional domains</i></b>
<b>id</b>	FD1
<b>Description</b>	The objective of this task is to identify the concepts of a higher level of abstraction that brings together several of the proposed features, considering functional and developmental analogies, these concepts are called functional domains, which will be used to classify the proposed features.
<b>Collaborative pattern</b>	Organizing
<b>ThinkLet</b>	ThemeSeeker
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA)
<b>Optional roles</b>	Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA)
<b>Input artefact</b>	Features List
<b>Output artefacts</b>	Functional domain list
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. Each participant reads the list of features, identifying which of those features can be grouped according to their functionality.</li> <li>2. When one of the participants proposes a domain name, it will be written in the functional domain list.</li> <li>3. The list of features continues to be revised until the participants identify no more functional domains.</li> <li>4. The participants should verify that the proposed functional domains do not overlap, in which case, only one of the domains should be selected.</li> </ol>
<b>Rules</b>	<ul style="list-style-type: none"> <li>- The domains that overlap each other, or that are sub-domains of others cannot be proposed</li> <li>- The domains cannot be so small that they only group a feature, nor so large that they contain too many features (preferably not greater than 25% of the proposed features)</li> </ul>

Table A.9 Identify functional domains



The screenshot shows a Google Sheet interface. At the top, the title bar reads 'Product scoping' with a star icon and a folder icon. Below it is a menu bar with 'File', 'Edit', 'View', 'Insert', 'Format', 'Data', 'Tools', 'Add-ons', and 'Help'. A status bar on the right says 'All changes saved'. The toolbar contains icons for undo, redo, print, and insert, followed by a zoom dropdown set to 100%, currency and decimal formatting options, a font dropdown set to Arial, a font size dropdown set to 10, and bold/italic buttons. The formula bar shows 'fx'. The spreadsheet has columns A through F. Column A contains IDs (1-5), column B contains domain names (d1-d4), and column C contains descriptions. The bottom tab bar shows tabs for 'participant 2', 'participant 3', 'Feature List', and 'Domains list' (which is highlighted in green).

	A	B	C	D	E	F
1	ID	domains	description			
2	d1					
3	d2					
4	d3					
5	d4					

Figure A.21 Domain list

## Task: Classify features in functional domains




Figure A.22 Classify features in functional domains

<b>Task</b>	<b><i>Classify features in functional domains</i></b>
<b>id</b>	FD2
<b>Description</b>	The objective of this task is to classify the features in the functional domains
<b>Collaborative pattern</b>	Organizing
<b>ThinkLet</b>	PopcornSort
<b>Mandatory roles</b>	Expert Domain of application (ED) SPL Project Leader (PL) Software Architect (SA)
<b>Optional roles</b>	Technical expert (TE), SPL Expert (LE) Teamwork Advisor (TA) Domain analyst (DA)
<b>Input artefact</b>	Functional domain list Features List
<b>Output artefacts</b>	List of categorized features
<b>Steps</b>	<ol style="list-style-type: none"> <li>1. Participants read each of the features and classify them in one of the proposed sub-domains.</li> <li>2. The software architect and the technical expert verify the relevance of each feature to the proposed functional domain</li> <li>3. Participants verify that each feature only belongs to a single sub-domain.</li> </ol>
<b>Rules</b>	Each feature can only be in one functional domain

Table A.10 Classify features in functional domains






<div>  <span>Product scoping</span> <span>☆</span> <span>📁</span> </div> <div> File Edit View Insert Format Data Tools Add-ons Help <a href="#">All charts</a> </div> <div> <div>     </div> <div> 100% ▾ \$ % .0 .00 123 ▾ </div> <div> Arial ▾ 10 ▾ </div> </div> <div> <div>fx</div> <div></div> </div>							
	A	B	C	D	E	F	G
1	ID	domains	feature 1	feature 2	feature 3		feature n
2	d1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
3	d2		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
4	d3		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
5	d4		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
6	d5		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
<div> <div> + ≡ </div> <div> Products list ▾ D </div> <div> Classification features in domains ▾ </div> </div>							

Figure A.23 Matrix domains features

## To define the assets for reuse

### Task: Establish metrics




Figure A.24 Establish metrics

<b>Task 7</b>	<b>Establish metrics</b>
id	SA1
Input	Product Line Vision
Description	The task goal is to analyze and refine the business goals established in the vision of the product line, for refining the goals to their relevance for the customers, organization and domains, and express the goal as a characterization metric. It describes the goal as a measurable benefit in the context of production based on reuse, assign to the element or aspect considered to improve a value that allows validating if the benefit was achieved or not.
Collaborative pattern	Convergence
ThinkLet	DimSum
Steps	<p>1. Each participant drafts a sample version of the business goals of SPL, the goals presented by the line manager when starting scoping activity are start-points, and these are re-written according to their relevance for the customers, organization, domains and context.</p> <p>2. From the proposals of each participant the scoping expert and the line, SPL manager rewrites the objectives of the line considering the common elements that he detects.</p> <p>3. For each goal characterization metrics are written to make them measurable and verifiable, considering 4 aspects: the purpose (verb), aspect (characteristic), object (on which it is measured) and the context (environment on which the measurement is made).</p> <p>(example: decrease the development time of the products required by programmers) (Example increase the number of customers covered by the product offer).</p> <p>4. Each one of the members contributes to the risks considered for each metric</p>
Rules	Catching business goals must be characterized with at least one metric

Table A.11 Establish metrics

## To define the assets for reuse

### Task: Quantify product map and functional domains




Figure A.25 Quantify product map and functional domains



Task 8	<b>quantify product map and functional domains</b>
Input	<ul style="list-style-type: none"> <li>• Characterization Metrics</li> <li>• product map</li> </ul>
Description	The objective is to identify which are the features with the greatest potential, which are critical to achieve the development of the product line and achieve the business objectives.
participating roles	Expert in the domain of application, marketing expert, sales staff, software architect, business administrator, SPL leader, teamwork advisor.
ThinkLet	ChekMark
Output	Quantified product map Quantified functional domains list
Steps	<ol style="list-style-type: none"> <li>1. The SPL Leader distribute the characterization metrics associated with their role and knowledge.</li> <li>2. Each participant selects the features that contribute the most to the achievement of the corresponding metric), the priority refers to the relevance of a specific feature in front of a metric. rated from 0 to 10, where 0 has no influence and 10 is very important. The priority column stores the valuation of the features according to the established metrics.</li> <li>3. The SPL leader ponders the features evaluation, according to the metrics and SPL business objectives.</li> <li>4. The priority of each domain is calculated for SPL leader, adding the priority value of the domain features</li> </ol>
Rules	A maximum number of features that can be selected must be assigned (for example, 25% of the total number of features).

Table A.12 Quantify product map

Product Map								
Feature	Sub-features	Product 1	Product 2		Product n	Type	Priority	priority value

Figure A.26 Quantify product map

## Appendix B

### Appendix Website of the CoMeS-SPL method

The main objective is to provide the CoMeS-SPL method guide in an easy way to access by interested companies, development groups or researchers, so it has been structured following the flow of the method, and using different forms of specification such as tables and models. In addition, each of the tasks presents the templates of the output work products. Additionally, the page seeks to be a means of exchanging opinions and information, facilitating a forum and providing the contact of CoMeS-SPL developers.

The figure B.1 corresponds to the home of the website

Figure B.2 corresponds to the site map indicating the sections included, the description of the method, the publications and the contact

To access most of the information available on the website it is necessary for the user to register,

or can be accessed using the guest user:

**login: invitado**

**Password: invitadospl**




Figure B.1 Homepage




Figure B.2 Site map


# Appendix C

## Appendix Exploratory study

### Photos of exploratory study



C.1 First group of photos exploratory study



C.2 Second group of photos exploratory study

## Instruments used in the exploratory study

### DETERMINACIÓN DEL ALCANCE DE UNA LÍNEA DE VIDEOJUEGOS SERIOS

Las siguientes prácticas corresponden a la determinación del alcance de una línea de productos software, el objetivo es explorar estas prácticas en el dominio de juegos de entrenamiento y los resultados obtenidos por los grupos en la práctica realizada. La información recolectada se usará únicamente para el proyecto investigativo y no incide en los resultados académicos.

Dependencia de la empresa: \_\_\_\_\_

#### 1. Práctica: Examinar los productos existentes

Objetivo: identificar las similitudes y diferencias de los potenciales productos

Listado de los productos	
Similitudes (Número de productos)	
Diferencias (Número de productos)	
Posibles características futuras comunes	
Posibles características futuras no comunes	
Elementos que se pueden reutilizar de los productos ya desarrollados	

2. Objetivo de la línea de productos

Objetivo de negocio:

Objetivos de la organización:

Objetivos de los usuarios:

Limitaciones de los productos |


3. Desarrollando una matriz atributos/producto




Para su producto describa cada uno de los siguientes atributos

Puede colocar extensiones o mejoras colocando entre paréntesis (F)

Atributo	Nombre del producto:
Niveles	
Puntaje	
Personaje principal	
Ingreso al juego	
Informe del juego	
Misiones o Retos	
Escenario	
tiempo	
Retroalimentación	
Rankings	
Recompensas	
Estatus o clasificación del jugador	
Personalización	
Usuario administrador	
Competición	
Desafíos y logros	
Avatar	
Insignias	
Desbloques	





	Dependencia o persona externa, puede ser un software		Entidad externa
	Flujo entr3e		

### C.3 Instrument applied to developers

Cuestionario de Satisfacción  
[Juego para la empresa METREX]

Su opinión es importante para tratar de mejorar nuestro desempeño. La información aquí recopilada nos resultará muy útil para conocer sus valoraciones y sugerencias. Por favor, califique su grado de satisfacción en los siguientes puntos, teniendo en cuenta que el 1 implica el mínimo grado de satisfacción y 5 el máximo (maque con una X) ¡MUCHAS GRACIAS!

1. INFORMACION GENERAL	1	2	3	4	5	No aplica
Cumplimiento de los estudiantes para presentar el software realizado						
Cuán satisfecho se encuentra con el software						
La interfaz de nuestro software le fue fácil de usar						
La documentación que acompaña a nuestro software es de gran ayuda						
Recomendaría nuestro software a otras empresas						
Usaría nuestro producto en el futuro						
Es útil el uso de nuestro software para cada dependencia de la empresa						

**COMENTARIOS Y SUGERENCIAS:**

#### C.4 Instrument applied to heads of unit

## DISEÑO DE MINI JUEGOS PARA PROCESOS DE INDUCCIÓN

Área	Competencia	Estudiantes	Valoración
<b>Producción</b>	Línea interna fase 1	Garcés Garcés Lizeth Dayana	Mejor juego
		Serna Trochez Astrid Lorena	
	línea de producción interna fase 2	Velásquez Martínez Sergio Alejandro	
		Jiménez Guevara Anderson Felipe	
		Bogorge Mera Manuel Alejandro	
	Línea externa fase 1	Caicedo Añazco Yesid	
<b>Laboratorio</b>	Línea externa fase 2	López Ortega Edith Marcela	Mejor juego, Incluyeron el video para la parte de formación y la evaluación
		Muñoz Chacón Angie Carolina	
	Laboratorio de Aguas	Grajales Poscua Amanda	
		Caicedo Rendón Andrés Mauricio	
	Manejo banco de calibración laboratorio energía	Pino Anaconda Andrés Fabián	
		Rosero Piamba Fernando Mauricio	
<b>Bodega</b>	Manejo banco de calibración laboratorio gas	Tunubalá Morales Miguel Andersson	Mejor juego
		Guacheta Yotengo Iván Darío	
	Manejo de montacarga	Chuvila Salazar Lizeth Paola	
		Maldonado Arteaga Jonathan Erick	
	distribución de productos ya empacados	Córdoba Peña Juan Manuel	
		Maria Alejandra Guacanes Vergara	
<b>talento humano</b>	Materia prima	Jhessycka brigid castillo ruiz	Peor juego
		Hernández Lozano Jesús Edrey	
	Sistema de Gestión de seguridad y salud en el trabajo (SGSST)	Mera Inga Miller Andrés	
		Ibarra Perdomo Julián Eduardo	
	filosofía industrial	Herrera Rendón Andrés Felipe	
		Sánchez Burbano Julián Alejandro	
		Flor Mera Johan Mauricio	Mejor juego Incluyeron parte aprendizaje, evaluación

### C.5 List of training games and their assessment

# DISEÑO DE MINI JUEGOS PARA PROCESOS DE INDUCCIÓN

## 1. EVALUACION

Microjuego (Competencia) : Línea interna fase 1

Dependencia: Producción

Estudiantes: Dayana Garzón, Astrid Serna

Factor	1	2	3	4	5
Capacidad de enseñanza				✓	
1. El juego transmite o evalúa los conocimientos de la competencia asignada					
Usabilidad					✓
2. El juego es fácil de usar					
Satisfacción				✓	
3. El juego es llamativo y divertido					
Efectividad					✓
4. Que tan útil considera que sería el juego en el proceso de inducción de sus empleados					
Motivación					✓
5. El juego motiva al empleado para aprender en su proceso de inducción					

Gracias por su participación

Cecilia Camacho Ojeda

Docente Facultad de Ingeniería Institución Universitaria Colegio Mayor del Cauca

Estudiante de doctorado Ciencias de la Electrónica, área computación



C.6 Instrument for evaluation of training games



# DISEÑO DE MINI JUEGOS PARA PROCESOS DE INDUCCIÓN

Agenda de la jornada de entrega y evaluación de los microjuegos.

- 1:30: Salida hacia la empresa
- 2:00 pm Llegada a la empresa e ingreso a la sala de reuniones
- 2:10 pm Inicio, palabras e instrucciones de la jornada
- 2:20 Exposición de los juegos

Horas	Área	Competencia	Estudiantes
2:20	Producción	Línea interna fase 1 ④	Dayana Garcés Astrid Sema
2:35		línea de producción interna fase 2 ②	Sergio Alejandro Velásquez Anderson Felipe Jiménez Manuel Alejandro Bojorge
2:40		Línea externa fase 1 ③	Yesid Caicedo Añasco Edith Marcela López Ortega
2:50		Línea externa fase 2 ①	Angie Carolina Muñoz ✓ Amanda Grajales Poscue ✓
3:00		Preguntas	
3:10	Laboratorio	Laboratorio de Aguas ①	Andrés Mauricio Caicedo Rendón ✓ Andrés Fabián Pino Anacona ✓
3:20		Manejo banco de calibración laboratorio energía ③	Fernando Mauricio Rosero Piamba. Miguel Andersson Tunubalá Morales.
3:30		Manejo banco de calibración laboratorio gas ②	Iván Darío Guacheta Paola chuvila
3:40		Preguntas	
3:50			
4:00	Bodega	Manejo de montacarga ②	Jonathan Maldonado Córdoba Juan Manuel
4:10		Distribución de productos ya empacados ③	María Alejandra Guacanes Vergara Jhessycka brigid castillo ruiz
4:20		Materia prima ①	Jesús Edrey Hernández Lozano ✓ Miller Inga ✓
4:30		Preguntas	
4:40	talento humano	Sistema de Gestión de seguridad y salud en el trabajo (SGSST) ②	Julián Eduardo Ibarra Andrés Felipe Herrera
4:50		Filosofía industrial ①	Julián Alejandro Sánchez Burbano Johan Mauricio Flor Mera

5:00 Cierre .

## C.7 Instrument for evaluation of training games



## DISEÑO DE MINI JUEGOS PARA PROCESOS DE INDUCCIÓN

### 1 EVALUACION

Microjuego (Competencia) : Línea Interna fase 1

Dependencia: Producción

Estudiantes: Dayana Garcés, Astrid Sema



Factor	1	2	3	4	5
Capacidad de enseñanza					
1. El juego transmite o evalua los conocimiento de la competencia asignada				X	
Usabilidad					
2. El juego es facil de usar				X	
Satisfacción					
3. El juego es llamativo y divertido			X		
Efectividad					
4. Que tan util considera que sería el juego en el proceso de inducción de sus empleados				X	
Motivación					
5. El juego motiva al empleado para aprender en su proceso de inducción				X	

Gracias por su participación

Cecilia Camacho Ojeda

Docente Facultad de Ingeniera Institucion Universitaria Colegio Mayor del Cauca

Estudiante de doctorado Ciencias de la Electronica, area computación





## DETERMINACIÓN DEL ALCANCE DE UNA LÍNEA DE VIDEOJUEGOS SERIOS

Las siguientes prácticas corresponden a la determinación del alcance (scoping) de una línea de productos software, el objetivo es explorar estas prácticas para el dominio de juegos serios; agradecemos su participación, la información recolectada se usará únicamente con fines académicos.

Nombres de los participantes:

Miller Andres Nera Inga

Jesús Edrey Hernández

### 1. Practica: Examinar los productos existentes

<p>Listado de los productos</p> <ul style="list-style-type: none"> <li>* Talento humano</li> <li>* Laboratorio Energía</li> <li>* Bodega</li> </ul>	<p>SGSST → Julian Ibarra, Andres Herrera</p> <p>LabEnergy → Mauricio Rosero y Maicol Amador</p> <p>Montacargas → Jhonatan Maldonado, Juan Corobae</p>
<p>Similitudes (Número de productos)</p> <ul style="list-style-type: none"> <li>* Talento humano</li> <li>* Bodega</li> </ul>	<p>SGSST → Login, Reporte...</p> <p>Montacargas → Reporte evaluación</p>
<p>Diferencias (Número de productos)</p>	<p>En algunos juegos encontramos que manejan tiempo, tipo juego 2D, 3D, puntuación, niveles, etc, están son algunos de los que encontramos en los juegos.</p>
<p>Posibles características futuras comunes</p> <p>Todos.</p>	<p>Más niveles de juego.</p>

C.9 Instrument applied to the development group



# ORDEN DE JUEGOS PARA PRÁCTICOS DE DIRECCIÓN

Agenda de la jornada de entrega y evaluación de los entregables.

- 2:30 Salida hacia la empresa
- 2:30 por llegada a la empresa e ingreso a la sala de reuniones
- 2:30 por inicio, palabras a motivaciones de la jornada
- 2:30 Exposición de los juegos

Horas	Área	Competencia	Estudiantes
2:30	Producción	Línea interna fase 1 (3)	Dayana Garcés Astrid Serna
2:35		Línea de producción interna fase 2 (2)	Sergio Alejandro Velásquez Anderson Felipe Jiménez Manuel Alejandro Bojorge
2:40		Línea externa fase 1 (4)	Yesid Caicedo Añasco Edith Marcela López Ortega
2:50		* Línea externa fase 2 (1)	Angie Carolina Muñoz Amanda Grajales Poscua
3:00		Preguntas	
3:10	Laboratorio	Laboratorio de Aguas (2)	Andrés Mauricio Caicedo Rendón Andrés Fabián Pino Anacona
3:20		Manejo banco de calibración laboratorio energía (3)	Fernando Mauricio Rosero Piamba. Miguel Andersson Tunubalá Morales.
3:30		* Manejo banco de calibración laboratorio gas (1)	Iván Darío Guacheta Paola Chuvila
3:40		Preguntas	
3:50			
4:00	Bodega	Manejo de montacarga (2)	Jonathan Maldonado Córdoba Juan Manuel
4:10		Distribución de productos ya empacados (3)	María Alejandra Guacanes Vergara Jhessycka brigid castillo ruiz
4:20		* Materia prima (1)	Jesús Edrey Hernández Lozano Miller Inga
4:30		Preguntas	
4:40	talento humano	Sistema de Gestión de seguridad y salud en el trabajo (SGSST) (2)	Julián Eduardo Ibarra Andrés Felipe Herrera
4:50		* Filosofía industrial (1)	Julián Alejandro Sánchez Burbano Johan Mauricio Flor Mera

5:00 Cierre

\* Mepi Juego por directa.

C.10 Instrument for evaluation of training games



### DETERMINACIÓN DEL ALCANCE DE UNA LÍNEA DE VIDEOJUEGOS SERIOS

Las siguientes prácticas corresponden a la determinación del alcance de una línea de productos software, el objetivo es explorar estas prácticas en el dominio de juegos de entrenamiento y los resultados obtenidos por los grupos en la práctica realizada. La información recolectada se usará únicamente para el proyecto investigativo y no incide en los resultados académicos.

Dependencia de la empresa: \_\_\_\_\_


#### 1. Práctica: Examinar los productos existentes

Objetivo: identificar las similitudes y diferencias de los potenciales productos


Listado de los productos	
Similitudes (Número de productos)	
Diferencias (Número de productos)	
Posibles características futuras comunes	
Posibles características futuras no comunes	
Elementos que se pueden reutilizar de los productos ya desarrollados	

## Appendix D


### Appendix Comparative study



D.1 First group of photos comparative study



D.2 Second group of photos comparative study



D.3 Comparative study process

```

graph TD
    A[Se han realizado encuestas, se han identificado características por relacionar con la identificación de usuarios adultos. (García, 2012)] --> B[Se conocen principios en el desarrollo de entrenamiento, así también se relaciona a niños, entonces a niños. (García, 2012)]
    A --> C[Dislexia]
    B --> D[Videojuego serio]
    C --> D
    D --> E[Conjunto de productos que comparten características comunes que satisfacen necesidades específicas de un segmento particular de mercado. (García, 2012)]
    E --> F[Línea de producto de software]
    F --> B
  
```

**Diseño de una línea de videojuegos serios para niños con dislexia**

**Marco Teórico**

- Se han realizado encuestas, se han identificado características por relacionar con la identificación de usuarios adultos. (García, 2012)
- Se conocen principios en el desarrollo de entrenamiento, así también se relaciona a niños, entonces a niños. (García, 2012)

Dislexia

Videojuego serio

- Conjunto de productos que comparten características comunes que satisfacen necesidades específicas de un segmento particular de mercado. (García, 2012)

Línea de producto de software

**Diseño de una línea de videojuegos serios para niños con dislexia**

## Alcance – Catalogo de Productos

Buscando a pepe pollo

CATÁLOGO DE PRODUCTOS

Dislexpace

Correris

Día feria

8

Diseño de una línea de videojuegos serios para niños con dislexia

## Producto 1: Diseño de Dislexpace



Nivel 1      Nivel 2      Nivel 3

www.igdi.es

9

Diseño de una línea de videojuegos serios para niños con dislexia

**Producto 2: Rescatando a Pepe el pollo**

El diagrama muestra la estructura de un juego educativo. En la parte superior, un cartel con rayas rojas y blancas anuncia '¡CUIDADO DE LOS MONJES!' y '¡CUIDADO DE LOS MONJES!'. Debajo, un camino de ladrillos rojos conduce a una puerta roja con un cartel que dice '¡CUIDADO DE LOS MONJES!'. A la izquierda, un cartel verde indica 'Novel 1'. A la derecha, un cartel rojo indica 'Novel 2'. En la parte inferior, un cartel verde indica 'Novel 3'. A la derecha del camino, un niño con una mochila y un sombrero negro camina hacia la puerta. En la parte inferior derecha, un niño con una mochila y un sombrero negro camina hacia la puerta. En la parte inferior derecha, un niño con una mochila y un sombrero negro camina hacia la puerta.

**Diseño de una línea de videojuegos serios para niños con dislexia**

## Validación de los juegos con un Experto

```

graph TD
    A[Validación del diseño] --> B[Validar los juegos  
dificultad, complejidad,  
motivación, controlabilidad,  
accesibilidad]
    A --> C[Validar los datos  
psicológicos,  
pedagógicos,  
estéticos, desarrollo gráfico  
y de seguridad]
    A --> D[Validar los niveles del  
juego]
    B --> E[Pruebas]
    C --> E
    D --> E
    E --> F[Verificación definitiva]
  
```

**Validación del diseño**

- Validar los juegos  
dificultad, complejidad,  
motivación, controlabilidad,  
accesibilidad
- Validar los datos  
psicológicos,  
pedagógicos,  
estéticos, desarrollo gráfico  
y de seguridad
- Validar los niveles del  
juego

**Pruebas**

**Verificación definitiva**

Dr. Cristina Patricia López Martínez  
Lic. Luis Enrique Acosta Rodríguez  
(Licenciado en terapia física)

www.fda.gov

**Diseño de una línea de videojuegos serios para niños con dislexia**

**Validación de los juegos con un Experto**

Aciertos	Por Mejorar
Colores luminosos	Incrementar el tamaño de las letras
Gráficos y animaciones llamativos	Implementar audio de juego
Elementos adecuados	
Instrucciones claras	Asíbel: Hay que buscar como presentar los resultados de la evaluación de ambos juegos



## Características de Producto

Las similitudes no son solo en cuanto las mecánicas de juego, la gamificación de la cual puede gozar el usuario son de mismo modo muy parecidas.

```
graph TD; Puntaje --> Incremento[Incremento De dificultad]; Puntaje --> Records; Incremento --> Customización; Records --> Desafíos; Customización --> Desafíos; Desafíos --> Records; Desafíos --> Incremento;
```

## Catálogo de productos

La línea de productos que se proponen son 4. Los juegos tienen la misma temática con el motivo de apoyar el tratamiento a los problemas de orientación causados por la dislexia. Estos consisten en un personaje que esquivo obstáculos a través del juego a razón de que recibe una indicación por parte del juego hacia qué lugar debe el usuario moverse (izquierda o derecha) para no perder.



Sky  
Clown



Space  
Chase



Time  
Ball



Highway  
Leaver

Apoyar la orientación espacial

Matriz de características											
Principales características	14										
	Android	Unipersonal	Portátil	Customización	Otros sensores	Conectividad	Nóvels	Eficiencia	Recursos	Definición	Consumo: Apps instaladas 15 días
Skycrown	X	X	X	X	X	X	X	X	X	X	X
Highlighter laser	X	X	X			X		X	X		X
Space Chase	X	X	X		X	X			X	X	X
TimeBall	X	X	X	X	X			X	X	X	X

## EQUIPO DE TRABAJO

### Roles:

- un asesor sobre dislexia
- un representante de usuarios
- un encargado de marketing
- un asesor técnico
- un desarrollador
- líder del proyecto.



15

## DEFINICIÓN DEL ALCANCE

- El objetivo de la definición del alcance es establecer el conjunto de juegos que conforman la línea y sus características (plataforma, tipo de juegos, niveles, dinámicas y mecánicas de los juegos)
- Se determinó las edades objetivo, las deficiencias a considerar por lo juegos.
- Se identificaron las características comunes y variables de los juegos propuestos definiendo así un catálogo de productos.



Dominio: niños con dislexia de 8 a 11 años	
Juego	Dificultad de aprendizaje
De feria	Áreas de aprendizaje de la lecto escritura, matemáticas
Dislexpace	Relación imagen-palabras, formación de palabras y reconocimiento de letras
Mundo de números	Identificación y relación de los números
Héroes de letras	Formación de palabras

Dominio: niños con dislexia de 6 a 8 años

Juego	Dificultad de aprendizaje
Buscando a Pepe el Pollo	Orientación espacio, ejercicios de memoria y lateralidad
Carrera	Orientación espacio-temporal, ejercicios de memoria y lateralidad
Paseo por el zoológico	Ejercicios de reconocimiento de formas
Granja	Orientación espacio-temporal, ejercicios de reconocimiento de formas y lateralidad

16

## Rescatando a Pepe el pollo

- Dislexia en niños de 6 a 8 años.
- problemas relacionados a la orientación visoespacial
- escenario principal Feria de San Marcos de Aguascalientes México.
- Durante la feria Torombolas (un pequeño becerro) tiene que rescatar a su amigo Pepe el pollo porque un ladrón lo tiene encerrado en la Monumental plaza de toros.
- Para poder rescatar a Pepe el pollo el niño tiene que jugar y ganar 3 diferentes juegos




Nombre del nivel	Objetivo y tipo de dificultad a tratar	Estrategia
Patitos iguales	Asistir a que el niño reconozca figuras iguales	Capturar la atención del niño a través de sonidos en el juego y fallo de la actividad.
Quedón	Dislexia Visoespacial	Invocar al usuario con una historia (hacerse parte de la misma) Reconocer con ratones (cuernos) los logros alcanzados.
Papero		



17

## Rescatando a Pepe el pollo




Niveles	Actividades a realizar
Nivel 1: Selección de patitos	El usuario identifica las figuras de los patitos
Nivel 2: Arroja los dados	El usuario tendrá que tocar la pantalla para derribar la figura seleccionada y continuar con el resto de ellos, así como la obtención de puntos.
Nivel 3: Pelotas y pelotas	El usuario identifica las figuras que se le presentan (estrella, letras: buli, p, a).
	El usuario procederá a tocar dentro del tablero girando las figuras, letras, para conseguir puntos.
	Identificar imágenes en las pelotas
	Ubicar dentro de la pantalla el hueco correspondiente a la imagen de la pelota
	Una vez que el usuario haya identificado la imagen requerida tendrá que tocar en la pantalla la imagen correspondiente para la obtención de puntos.

18

## Dislexpace

Objetivos	Temas educativos
Inclinarse por el aprendizaje: Encontrar las letras situadas en la lectura así como su comprensión y la identificación de palabras que generalmente confunden.	Nivel 1: El ataque de los meteoritos
Disponer al mejoramiento del encontrar la silaba faltante dentro de un conjunto de silabas localizadas en estrellas, sobre la palabra que se muestra en pantalla.	Nivel 2: Nuevos, el planeta de las silabas
Inclinación a reflexionar la identificación- Relación de la carta mostrada se encuentra en objetos/imágenes.	Nivel 3: Memoria, el origen de la historia

Publicado en ENITD 2017 Michoacán, México



21

## Evaluación de los videojuegos

### Planteamiento



- Cada grupo planteó el portafolio de productos y sus características, como la edad y las dificultades a las que se enfocan.
- Con la finalidad de verificar la correspondencia entre la edad, las dificultades, los ejercicios y diseño del juego. La pertinencia de los retos para apoyar el tratamiento de las dificultades en cada edad considerada.
- El logopeda sugirió cambios en el nivel de dificultad de algunos juegos, así como indicar que era necesario agregar ayudas con indicaciones para los niños
- El logopeda proporcionó las formas, letras y palabras que debían incluirse en el juego.

22

## Evaluación de los videojuegos

### Prototipo primer juego



Para esta evaluación se diseñó una encuesta empleando la escala Likert (Hernández, 2000) y siguiendo algunos de los lineamientos planteados para la evaluación de videojuegos (Katrín et Al, 2014).

Según las evaluaciones estos son los aspectos a mejorar:

- Utilizar más animaciones e indicaciones en el juego
- Incluir audios instrucciones y las palabras del juego.
- Incluir más retos y que las opciones sean distintas
- Incluir un ranking final que guarde un historial para poder conocer los avances de los niños.
- Usar una fuente de letra clara que facilite la identificación.
- Incluir opciones en el menú para navegar por los escenarios de manera más autónoma.

23

## Evaluación de los videojuegos

### Prototipo primer juego



24





# Appendix E

## Appendix Study in a context academic expert



E.1 First group of photos



E.2 Second group of photos



10

11

13

15

## A Collaborative Method for Scoping Software Product Lines CoMeS-SPL

Software product line scoping is one of essential and complex activity of SPL development, because it is an interdisciplinary activity with a high impact on the SPL successful. SPL scoping defines belonging relationships to the SPL among of domains, features, reusable assets and products as multi-set (Clements & Northrop, 2001) (Schmid, 2000). For instance, the scoping bounds the product line by defining those products belong to the line and which ones not, it specifies the domain and raises the basis for the construction of reusable assets (Schmid, 2000).

GoMES is a collaborative method for the scoping of software product lines, designed to guide the team in the steps and artifacts necessary for scoping. The objective of this method is to strengthen the collaboration between the different roles that participate and mitigate the problems of an interdisciplinary activity with participants who have different interests.

The workflow is presented in Figure 1. The flow presents the tasks to perform the scoping of a software product line.

Figure 1



Below is a description of each of the tasks:

Note: this exercise we started in the exploration of existing products

Task 1	Explore existing products
Description	The objective of this task is for the entire team to analyze the products similar to the line they wish to build, either their own or the of other companies. This task allows the whole team to agree on the "type" of products to be developed. By analyzing them with existing products, the idea is to identify domains, and describe the product in desirable features.
Steps	<ol style="list-style-type: none"> <li>1. The manager of the line communicate which the goal of the product line, the products from which the idea of the line has been initiated and the domain to explore.</li> <li>2. The team members explore the products and read the related documents.</li> <li>3. In front of the group there is a board with 5 divisions: objective, domain, products, user, clients.</li> <li>4. The coping expert asks the members to read the initial description of the line and that they take it as a starting point to start the exercise.</li> <li>5. The members contribute ideas about that domain, so that to share the same ideas of the domain.</li> <li>6. The manager of the line will write the characteristics of the domain, clients and users contributed by the team.</li> </ol>
Rules	<ul style="list-style-type: none"> <li>• During this task the products or their characteristics will not be discussed.</li> <li>• Domain features can be proposed, more customers and users, or improve the wording so that everyone shares the same ideas, but no statement can be a criterion.</li> </ul>

### Product Line Vision

Goal of the product line:			
Domain	Products	Customers	Users
Domain description			

**CoMed-SPL Survey**

Full Name \* \_\_\_\_\_

Please read carefully each statement before answering

Choose the one that you think is closest to the situation described with what happened in the workshop

Mark only one oval.

- I believe that the SPL scope obtained with the CoMed-SPL approach are disorganized, unclear, uncondensed and ambiguous  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- I believe that the CoMed approach has enough information to guide the scoping realization  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- It is difficult for me to follow the guidelines proposed by CoMed approach  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- The guidelines provided by CoMed are easy to learn  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- I believe that CoMed approach would increase the time required to scoping  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- The identification of the features and products using CoMed is complex and difficult  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- The realization and evaluation of product map using CoMed is simple and easy to follow  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- You believe that scope obtained by the CoMed approach will be easy to use in the line development  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree

- It was easy for me to understand the instructions and guide proposed by CoMed  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- I would recommend the use of this scoping approach to developing product lines  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- I intend to use this approach in the future  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- Overall, I found the scoping method to be useful  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- I believe this scoping method is useful for building a scope that guides and defines the line of products  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- Overall, I think this scoping method provides an effective means of describing features, products and domains of the line  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- I believe that using the CoMed approach allows the participants to share their knowledge and opinions  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree
- If in the future I am working for a company that wants to adopt SPL I would recommend the use of CoMed for the scoping  
 Totally disagree ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 Totally agree

Open questions:

17. Do you have any suggestion on how to make this SPL scoping approach more easy to use?

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

18. What are the reasons that will make usable or not this approach in the future?

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

19. Do you have any suggestion on how to make this SPL scoping approach achieves a full and useful scope?

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

20. Please write any other comment or suggestion related to SPL scoping approach in the space below.

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Thanks for your participation !!

**Perception of collaboration of CoMeS SPL**

	in total disagreement	in disagreement	neither agree nor disagree	agree	strongly agree
You believe that CoMeS allows members to express their ideas, knowledge and experiences.					
You believe that CoMeS allows all members to participate at the same level					
You believe that you had the same opportunities to exfoliate and your opinions were just as important as those of others					
You understood the purpose of the CoMeS process					
You understood the objective of each of the tasks of the CoMeS process					
Did you understand the business objective of the product line and what was taken into account throughout the process?					
You believe that all members had the same opportunity to participate.					

EMPIRICAL STUDY  
Collaborative Method for Scoping Software Product Lines (CoMeS-SPL)

Background Form

GENERAL INFORMATION

1. Full Name: \_\_\_\_\_
2. Degree \* (Graduate, Master, PhD, PostDoc): \_\_\_\_\_
3. Years since graduation \* Mark only one option.  
☐ < 1 year  
☐ >= 1 year and < 5 years  
☐ >= 5 years and < 10 years  
☐ > 10 years

TECHNICAL KNOWLEDGE

Select the option that best fits to your profile.

Choose only one.

Mark only one oval.

4. Regarding your Software product lines background \*  
☐ I have been involved in software development teams applying the Software Product Line approach  
☐ I am a researcher working on topics related to Software Product Line Development  
☐ I know what Product Lines are but I have never participated in a software project applying SPL development  
☐ I have never heard about Software Product Lines
5. How many years of experience do you have in Software product lines? \*  
☐ < 1 year  
☐ >= 1 year and < 5 years  
☐ >= 5 years and < 10 years  
☐ > 10 years
6. Regarding your Software product lines scoping background \*  
☐ I have been involved in software product lines development participating in scoping  
☐ I am a researcher working on topics related to software product lines scoping  
☐ I know what is software product lines but I have never participated in a software project applying software product lines scoping

☐ I have never heard about software product lines scoping

7. How many years of experience do you have in Software product lines scoping? \*  
☐ < 1 year  
☐ >= 1 year and < 5 years  
☐ >= 5 years and < 10 years  
☐ > 10 years
8. Have you applied scoping in building SPL? \*  
☐ Yes, but only in the research domain  
☐ Yes, but only in the industry domain  
☐ Yes, both research and industry domain  
☐ No
9. Have you applied the SPL approach in building software? \*  
☐ Yes, but only in the research domain  
☐ Yes, but only in the industry domain  
☐ Yes, both research and industry domain  
☐ No
10. Have you applied the SPL scoping approach in building software? \*  
☐ Yes, but only in the research domain  
☐ Yes, but only in the industry domain  
☐ Yes, both research and industry domain  
☐ No



Thanks for your participation !!

## Appendix F

### Appendix Evaluation of the CoMeS-SPL method



E.1 First group of photos



E.2 Second group of photos

1

## Definición del alcance de SPL

The diagram illustrates the SPL Scoping process (Bachmid, 2000) as a funnel narrowing from left to right. It starts with a wide collection of 'Possible products' and 'Possible features' on the left. These are filtered into a 'Catalogo de productos' (Product catalog). The next stage is 'Alcance de dominios funcionales' (Functional domain scope), which includes icons for 'Product', 'Process', 'Service', and 'Information'. The final stage is 'Alcance de activos para reutilización' (Assets for reuse), which includes icons for 'Data', 'Code', 'Architecture', 'APIs', and 'Metadata'. The final output is the 'Scope of SPL'.

2

### Modelo de Jerarquía de objetivos y tareas de CoMes–SPL

4

★

## Roles participantes

5

## Componentes de CoMeS-SPL

```

graph LR
    Entradas[Entradas] --> Taxa[Taxa]
    Taxa --> Salidas[Salidas]
    Salidas --> Plantillas[Plantillas]
    Salidas --> RolesObligatorios[Roles obligatorios]
    RolesObligatorios --> Obligatorios[Obligatorios]
    RolesObligatorios --> Optativos[Optativos]
    RolesObligatorios --> Taxa
    Plantillas --> Entradas
  
```

7

[illegible]

8

## Flujo de trabajo CoMeS-SPL



31

## Tarea: Identificar Características



**Roles**


- Obligatorios:** Experto en el dominio de aplicación, Arquitecto de software, Analista de dominio, Líder proyecto SPL.
- Optativos:** Experto en marketing, Cliente potencial, Personal de ventas, Experto técnico, Experto en SPL, Asesor de trabajo en equipo.

32

## Artefacto: Listado de Características por participante

Tarea: Identificar Características

Tiempo estimado 20 minutos



34

## Artefacto: Listado de Características

Salida de la Tarea: Identificar Características



35





28/10/2019

Evaluación de CoMeS-SPL - Formularios de Google

Evaluación de CoMeS-SPL

PREGUNTAS

RESPUESTAS 7

Sección 1 de 6

Evaluación del método CoMeS-SPL en un entorno empresarial

Estamos evaluando el método CoMeS-SPL para la definición del alcance de líneas de productos software, su opinión es muy importante y nos permitirá mejorar el método, los resultados se emplearán en un entorno académico y sin señalar nombres de los participantes.

Por favor, lea cuidadosamente cada declaración antes de responder.

Nombres completos: \*

Texto de respuesta corta

Cargo: \*

Texto de respuesta corta

Rol en la definición del alcance: \*

Texto de respuesta corta

Tr

<https://docs.google.com/forms/d/1CwewSPwFOwLdgtwQlBEJhUdJwLpZ3MgVBrUwVWwtdt>

1/9

28/10/2019

Evaluación de CoMeS-SPL - Formularios de Google

Sección 2 de 6

Título de la sección (opcional)

Seleccione el número que indique su opinión de acuerdo a la afirmación sobre el método

El método empleado brinda suficiente información para que los participantes entiendan y sepan que deben hacer para la definición del alcance (establecer el perfil de la línea de productos)

1 2 3 4 5 6

totalmente en desacuerdo

totalmente de acuerdo

El método empleado brinda suficiente información para que los participantes entiendan y sepan que deben hacer para la definición del alcance (identificar las características de la línea y acordar el listado de características)

1 2 3 4 5 6

totalmente en desacuerdo

totalmente de acuerdo

Las directrices (pasos) del método son fáciles de seguir \*

1 2 3 4 5 6

totalmente en desacuerdo

totalmente de acuerdo

Tr

<https://docs.google.com/forms/d/1CwewSPwFOwLdgtwQlBEJhUdJwLpZ3MgVBrUwVWwtdt>

2/9

28/10/2019

Evaluación de CoMeS-SPL - Formularios de Google

El perfil de la línea (objetivos de la línea, productos objetivo, posibles clientes, competidores, productos similares) es:

1 2 3 4 5

desorganizado

organizado

El perfil de la línea (objetivos de la línea, productos objetivo, posibles clientes, competidores, productos similares) es:

1 2 3 4 5

ambiguo

claro

El perfil de la línea (objetivos de la línea, productos objetivo, posibles clientes, competidores, productos similares) tiene:

1 2 3 4 5

poca información

suficiente información

El perfil de la línea (objetivos de la línea, productos objetivo, posibles clientes, competidores, productos similares) es:

1 2 3 4 5

Inútil

útil

El listado de características de la línea es:

1 2 3 4 5

El listado de características de la línea es:

1 2 3 4 5

Inútil

útil

El listado de características de la línea tiene:

1 2 3 4 5

poca información

suficiente información

Después de la sección 4 ir a la siguiente sección

Sección 5 de 6

Sección sin título

Descripción (opcional)

Tr

<https://docs.google.com/forms/d/1CwewSPwFOwLdgtwQlBEJhUdJwLpZ3MgVBrUwVWwtdt>

3/9

258

## Survey to characterize the participants in the case study

### ESTUDIO SOBRE LA DEFINICION DEL ALCANCE DE UNA SPL INTRODUCCIÓN AL ENFOQUE DE PRODUCCION DE LÍNEAS DE PRODUCTOS SOFTWARE

Esta es una encuesta que busca establecer el nivel de conocimiento sobre líneas de productos, no existen respuestas incorrectas, y se realiza solo a nivel informativo y totalmente confidencial, le agradecemos que la diligencie de manera sincera.

#### Información General

Nombre: \_\_\_\_\_

Título: \_\_\_\_\_

Cargo en la empresa: \_\_\_\_\_

Tiempo en la empresa: \_\_\_\_\_

Años de graduación:

☐ < 1 year      ☐ ≥ 1 year and < 5 years      ☐ ≥ 5 years and < 10 years      ☐ > 10 years

#### Conocimiento relacionado con líneas de productos software

Selecciona la opción que mejor se adapte a tu perfil, Elige solo una opción marcando sólo un óvalo.

##### 1. Con respecto a sus conocimientos respecto a líneas de productos:

- ☐ He participado en equipos de desarrollo aplicando el enfoque de la Línea de productos software.
- ☐ Soy un investigador que trabaja en temas relacionados con la ingeniería de líneas de productos software.
- ☐ Tengo la idea de lo que son las líneas de productos porque asistí a un curso o charla donde hablaron del tema, pero nunca he participado en un proyecto de desarrollo de línea de productos software.
- ☐ Tengo la idea de lo que son las líneas de productos porque he leído un poco al respecto, pero nunca he participado en un proyecto de software aplicando el enfoque de líneas de productos software
- ☐ Nunca he oído hablar ni he leído de líneas de productos de software.

##### 2. ¿Cuántos años de experiencia en el desarrollo de líneas de productos de software?

☐ ninguno      ☐ < 1 year      ☐ ≥ 1 year and < 5 years      ☐ ≥ 5 years and < 10 years      ☐ > 10 years

##### 3. ¿Cuántos años de experiencia en proyectos de investigación sobre líneas de productos de software?

☐ ninguno      ☐ < 1 year      ☐ ≥ 1 year and < 5 years      ☐ ≥ 5 years and < 10 years      ☐ > 10 years

**4. Que entiende por reuso de software:**

---

---

---

---

**5. Usted ha reusado software cuando: (puede seleccionar más de una opción)**

- ☐ ha copiado código y lo ha empleado en otro proyecto
- ☐ ha usado partes de software ( clases o módulos ) desarrollado por otras personas y obtenido en internet y lo ha usado en sus proyectos o tareas
- ☐ ha usado partes de software desarrollado por otros compañeros de la empresa y lo ha usado en sus proyectos o tareas.
- ☐ ha usado partes de software desarrollado para otros productos o proyectos ya sea suyo o de otros compañeros de la empresa y lo ha usado en otros proyectos o productos.
- ☐ ha diseñado y desarrollado módulos o clases con la intención de usarlos en varios proyectos o productos.

**6. Explique brevemente como define el alcance de un producto o de un proyecto:**

---

---

---

---

**7. Realice un gráfico donde pueda explicar que es el alcance de un ☐ proyecto ☐ producto**

**8. Con respecto a su conocimiento respecto a la definición del alcance de una línea de producto software  
(Definición del alcance = Scoping, Alcance = Scope)**

- ☐ He estado involucrado en el desarrollo de líneas de productos de software participando en la definición del alcance de la línea
- ☐ Soy un investigador que trabaja en temas relacionados con el alcance de líneas de productos de software.
- ☐ Sé lo que son las líneas de productos de software, pero nunca he participado en un proyecto de software aplicando el alcance de las líneas de productos de software.
- ☐ Sé lo que son las líneas de productos de software, pero no sé qué es el alcance de las líneas de productos de software.
- ☐ Nunca he escuchado sobre el alcance de las líneas de productos de software.

**9. ¿Cuántos años de experiencia respecto a la definición del alcance de líneas de productos de software?**

- ☐ ninguno    ☐ < 1 year    ☐ ≥ 1 year and < 5 years    ☐ ≥ 5 years and < 10 years    ☐ > 10 years

**10. ¿Ha aplicado el enfoque ingeniería de líneas de productos de software en la construcción de productos software?**

- ☐ Sí, pero solo en el dominio de investigación
- ☐ Sí, pero solo en el dominio de la industria
- ☐ Sí, tanto la investigación como el dominio de la industria.
- ☐ No, nunca he aplicado ese enfoque

**11. ¿Ha aplicado la definición del alcance de una línea de productos de software en la producción de una línea?**

- ☐ Sí, pero solo en el dominio de investigación
- ☐ Sí, pero solo en el dominio de la industria
- ☐ Sí, tanto la investigación como el dominio de la industria.
- ☐ No, nunca he participado en la definición del alcance de una línea de productos software.

**Gracias por su participación**

# Appendix G

## Publications

As a result of the research work, some publications were made. However, it is still pending to publish the results achieved by the last project stage. The papers realized in this research, including its publication stage, are as a follow:

### **International conferences**

- An Exploratory Case Study for Scoping Software Product Lines in a Collaborative Way, Camacho M, Hurtado J, and Alvarez F. Paper presented in 11th International Workshop on Cooperative and Human Aspects of Software Engineering CHASE 18 in the frame of the 40th Conference on Software Engineering ICSE 2018 carried out from May 27 to June 3, 2018 in Gothenburg, Sweden (<https://dl.acm.org/citation.cfm?id=3195852>)
- Identifying Collaborative Aspects During Software ProductLines Scoping, Camacho M, Hurtado J, and Alvarez F, Paper submitted and accepted in Workshop: Experiences and Empirical Studies on Software Reuse (WEESR 2019), that will take place in the 23rd International Systems and Software Product Line Conference (SPLC 2019) will be held from September 9th to 13th, in the city of Paris, France.
- Dislexpace: Videojuego serio para niños con dislexia (Dislexpace:

Serious video game for children with dyslexia) Camacho M, Hurtado J, and Alvarez F, Paper presented in the 1st National Encounter of Technological Innovation for Disability ENITED, held from December 6 to 8, 2017 in Morelia, Michoacán, Mexico; published in the memoirs of event, also selected and published in the book Health, education, culture and innovation technology for disability with ISBN: 978-607-542-048-6.

- Un método colaborativo para determinar el alcance de líneas de productos software (A collaborative method to determine the scope of software product lines), Camacho M, Hurtado J, and Alvarez F, Paper presented at the Doctoral Symposium of the Ibero-American Engineering Conference of Software Conference ClbSE 2018 held from April 23 to 27, 2018, in Bogota.

### **National conferences**

- Toward A domain analysis method for serious video games product lines, Camacho M, and Hurtado J, Paper presented at the doctoral symposium of the 11th Colombian Computer Congress, held from September 20 to 30, 2016 in the city of Popayán.
- Diseñando videojuegos serios para niños con dislexia (Designing serious video games for children with dyslexia), Camacho M, Hurtado J, and Alvarez F, Paper presented in the IV journeys of Computer Human Iteration (HCI), April 23 to 25, 2018 in the city of Popayán.
- A Collaborative Method for a Tangible Software Product Line Scoping, Camacho M, Hurtado J, and Alvarez F, Paper presented at the Workshop on Empirical Experiences and Software Reuse within the framework of the Second International Conference on Applied Informatics ICAI 2018, November 1 to 3 in Bogota

### **Journals**

Published:

- An Incremental Method for Visual Analysis of Software Process Models, Camacho M, Hurtado J, and Ruiz P. Paper published in the Revista Gerencia Tecnológica Informática" ISSN 1657-8236, in volume 15 number 43 Third edition of 2016.